



JELD-WEN® WOCD MEETS ASTM F2090-10 STANDARD

Window Opening Control Device

Windows add so much to our daily lives - daylight, ventilation and views. They can also be necessary for emergency escape and rescue, so the building codes in your area may require certain windows to fully open. This means homeowners should take measures to prevent window falls. Factory-installed Window Opening Control Devices (WOCD) from JELD-WEN are designed to meet the ASTM F2090-10 standard intended to help prevent accidental falls from windows by children five years of age and younger. A WOCD automatically limits the sash opening to less than 4 inches, unless it is deliberately disengaged, allowing the sash to fully open. The streamlined design of the JELD-WEN® WOCD won't obstruct views and preserves the beautiful appearance of your windows, unlike many after-market window guards.

Double-Hung & Single-Hung WOCD



Interior View



WOCD limits the sash opening to less than 4 inches



Push both WOCDs in to open the sash more than 4 inches

Casement WOCD



Exterior View



WOCD limits the sash opening to less than 4 inches



Disengage WOCD to open the sash more than 4 inches

Features & Benefits

- » Double-hung and single-hung WOCDs are available to match the hardware finish, limited finish options available on the casement WOCD
- » Casement WOCD is not visible unless the window is open
- » Streamlined design won't obstruct views like many after-market options
- » Automatically limits sash opening to less than 4 inches
- » Manual override for full operation and for emergency escape and rescue
- » Device automatically resets by closing the window
- » Meets the ASTM F2090-10 standard
- » Potential alternative to minimum sill height requirement (consult local building codes)


Factory-Installed WOCDs Can Be Ordered As An Option On The Following Products:

WOOD WINDOWS:


- » Casement
- » Double-Hung

VINYL WINDOWS:


- » Casement
- » Double-Hung
- » Single-Hung
- » Sliding




Casement



Single-Hung



Double-Hung



Sliding

Important Tips To Help Prevent Accidental Window Falls:

- » Close and lock your windows when children are around. For ventilation, open only those windows children cannot reach.
- » Never depend on insect screens to prevent falls. Insect screens are designed to provide ventilation while keeping insects out. They will not hold a child's weight against them.
- » Keep furniture – or anything children can climb – away from windows.
- » Check local building codes for requirements pertaining to minimum sill height, WOCDs, and egress.
- » Nothing can replace responsible adult supervision and guidance.



The JELD-WEN website is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at jeld-wen.com today.



Official window and door provider of Major League Soccer



JELD-WEN is proud to support a better way to build