



# Molded Interior Doors

Madison



# EXCLUSIVE TO JELD-WEN

## Versatile & Timeless

Madison is a classic design and its clean lines will complement any architectural style. Equally comfortable in traditional or contemporary settings, this design is sure to accentuate any interior décor.



### Attention to Detail

- » Striking in its simplicity, this unadorned design returns an aesthetically pleasing balance
- » Recessed, flat panels and non-profiled sticking accentuate the classic design
- » Available as true, no-added formaldehyde doors (NAF) for improved air quality
- » JELD-WEN molded doors contain recycled wood
- » Smooth, primed surface that is ready to paint, so you can easily match any color scheme
- » Two construction types available: Hollow core or ProCore The Quiet Door® solid core construction for improved sound control



JELD-WEN  
Exclusive  
Craftsman  
sticking with  
Flat Panels

**PROCORE**  
THE QUIET DOOR®


### Long Lasting Craftsmanship

Madison is available in passage as well as bifolds, making it easy for the homeowner, builder, or remodeler to find the right door for the project.

- » 6'8", 7'0" and 8'0" heights
- » 1'0" through 3'0" widths
- » Matching bifolds with symmetrical stile widths
- » Industry-leading 5-year limited warranty



# STYLES & SPECIFICATIONS



Narrow

Passage

8'0" Passage

Bifold

## Madison 6' 8", 7' 0" & 8' 0" Sizes

Width	Height	# of Panels	Thickness	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail	Sticking Profile	Surface
1' 0"	6'8", 7'0"	One	1-3/8" 1-3/4"	5-3/8"	3-5/16"	N/A	4-3/4", 6-3/4"	N/A	8-1/4", 10-1/4"	C	Smooth
1' 2"	6'8", 7'0"	One	1-3/8" 1-3/4"	5-3/8"	4-5/16"	N/A	4-3/4", 6-3/4"	N/A	8-1/4", 10-1/4"	C	Smooth
1' 3"	6'8", 7'0"	One	1-3/8" 1-3/4"	5-3/8"	4-13/16"	N/A	4-3/4", 6-3/4"	N/A	8-1/4", 10-1/4"	C	Smooth
1' 4"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	7-13/16"	4-1/16"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
1' 6"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	7-13/16"	5-1/16"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
1' 8"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	11-1/2"	4-1/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
1' 10"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	11-1/2"	5-1/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
2' 0"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	15-1/2"	4-1/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
2' 2"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	15-1/2"	5-1/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
2' 4"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	18-1/2"	4-3/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
2' 6"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	20-1/2"	4-3/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
2' 8"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	22-1/2"	4-3/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
2' 10"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	22-1/2"	5-3/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth
3' 0"	6'8", 7'0" 8'0"	One	1-3/8" 1-3/4"	26-1/2"	4-3/4"	N/A	4-3/4", 6-3/4" 4-3/4"	N/A	8-1/4", 10-1/4" 10-1/4"	C	Smooth

## Madison Bifolds

Heights	# of Panels	Thickness	Widths* 2 doors or 1 unit	Widths* 4 doors or 2 unit
6'7" 6'11"	One	1-3/8"	2'0", 2'4", 2'6", 2'8", 3'0"	4'0", 4'8", 5'0", 5'4", 6'0"
7'11"	One	1-3/8"	2'8", 3'0"	5'4", 6'0"

Sticking Profile: C=Craftsman

\*Assuming standard bore machining (2-1/8" diameter bore), outer stile measurements listed above must be no less than 3-3/4" in order to accommodate a 2-3/8" backset on the lock hole. For 2-3/4" backsets, outer stile measurements must be no less than 3-13/16". If lock bore machining is less than the outer stile measurements listed above, all lock bore drilling must be done within the lock rail for best appearance and performance. Outer stile dimension may vary 1/4" from the measurements listed above.



The JELD-WEN website is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at [jeld-wen.com](http://jeld-wen.com) today.

## THE JELD-WEN PROMISE

JELD-WEN® products can create lasting value for your home. We are so confident that you will be pleased with our Interior Doors, that each one carries our industry-leading warranty. Here are just some of the highlights of our warranty...

### The Interior Door Slab limited warranty includes:

- » 5-year coverage for defects in material and workmanship on Molded interior door slabs
- » 1-year coverage on JELD-WEN® door frames for defects in material and workmanship

*JELD-WEN manufactures and sells both individual door slabs and complete door systems. This warranty does not cover parts or components not sold by JELD-WEN.*

*NOTE: The above information is a summary of key provisions of the **JELD-WEN Interior and Exterior Door Slab and System Limited Warranty** effective May 1, 2012. For a complete copy of the current warranty, including important limitations and exclusions, see your sales associate or refer to [www.jeld-wen.com](http://www.jeld-wen.com).*



Official window and door provider of Major League Soccer



JELD-WEN is proud to support a better way to build