


Exterior DoorsFiberglass | Steel

Architectural™ | Design-Pro™ | Smooth-Pro™ | Steel







Unfading Beauty

Real beauty isn't here today and gone tomorrow. It's strong, stable and always enduring. You'll discover these qualities in every JELD-WEN® Fiberglass and Steel exterior door. These doors are built to last. You can count on them to enhance your home for many years. Because at JELD-WEN, we always make beauty reliable.

2,	.0					
ral /		4.4	, o 1		Smooth p	o support
Se Je	47.0%	Desj.	Desj.	Ossi,	Ser of	
4						
5						
	6	6	6	6	6	7
	8 - 27	30 - 49	50 -73	74 - 97	98 - 133	134 - 149
	9	31	51	75	99	135
		33	52	76	100 - 101	
	10	33	53	77	102 - 103	136 - 137
			54	78	104 - 109	138 - 143
	11	33	52 & 55	79		141
					108 - 109	142 - 143
			56	80	110 - 111	144 - 145
					112	146
	12		57	81 - 82	113 - 115	147 - 149
	24					
	21					
	13	37	61	85	123	
	22					_
	_	44	68	92	126	
		40	64	88	122	
	23					
		39	63	87	125	_
	14				_	_
	_					_
		34 - 35	58 - 59	84	116 - 117	_
	_				_	_
	_				_	_
	25	10	, ,	31	120	_
	23	47	71	95	131	_
					_	
	26	75	07	31	150	
	20	36	60	83	118 - 110	
	15				_	_
					_	
					_	-
		48	12	90	132	-
					_	-
		40	70	07	122	
150 151	19	49	/3	97	133	
	4	4 5 6 8 - 27 9 10 11	4 6 6 8 - 27 30 - 49 9 9 31 33 10 33 33 111 33 33 12 1 1 24 21 37 13 37 22 14 40 40 23 39 44 20 34 - 35 42 20 34 - 35 42 25 47 43 26 36 45 15 38 46 27 48 27 18 49 49 150 - 151 15 38 157 19 49 155 157 159 161 15 15 15 157 15 15 15 157 15 15 15 150 15 15 15 150 15 15 15 150 15 15 15 <td>4 1</td> <td>4 6 6 6 5 8 - 27 30 - 49 50 - 73 74 - 97 9 31 51 75 10 33 52 76 10 33 53 77 11 33 52 & 55 79 12 10 10 10 12 10 10 10 12 10 10 10 12 12 10 10 12 12 10 10 13 37 61 85 22 44 68 92 44 68 92 43 40 64 88 23 39 63 87 41 41 45 69 99</td> <td>4 5 6 8 2 76 100 101 10 33 53 77 102 - 103 102 - 103 103 - 109 104 - 109 104 - 109 104 - 109 104 - 109 103 - 104 - 109 103 - 104 - 109 103 - 104 - 109 103 - 104 - 109 103 - 104 - 109 104</td>	4 1	4 6 6 6 5 8 - 27 30 - 49 50 - 73 74 - 97 9 31 51 75 10 33 52 76 10 33 53 77 11 33 52 & 55 79 11 33 52 & 55 79 11 33 52 & 55 79 11 33 52 & 55 79 12 10 10 10 12 10 10 10 12 10 10 10 12 12 10 10 12 12 10 10 13 37 61 85 22 44 68 92 44 68 92 43 40 64 88 23 39 63 87 41 41 45 69 99	4 5 6 8 2 76 100 101 10 33 53 77 102 - 103 102 - 103 103 - 109 104 - 109 104 - 109 104 - 109 104 - 109 103 - 104 - 109 103 - 104 - 109 103 - 104 - 109 103 - 104 - 109 103 - 104 - 109 104

DEFINING CHOICES

JELD-WEN Exterior Doors | Fiberglass | Steel

Whatever you need your front door to be, JELD-WEN can fulfill your requirements. We make the greatest range of reliable exterior doors to suit a variety of architectural styles, climates and budgets. JELD-WEN Fiberglass exterior doors are a low-maintenance choice with beautiful details and designs to increase curb appeal. JELD-WEN Steel doors offer strength and style for a great value. They all are designed to meet ENERGY STAR® requirements*; and are reliable and worry-free.



CHOOSING YOUR DOOR SYSTEM

Beyond their clean design | JELD-WEN® exterior doors include many qualities that make them a beautiful choice. They're enduring. They're energy efficient. And they're perfectly low-maintenance. Options like decorative glass or blinds between the glass offer everyday beauty and convenience. Add sidelights or a transom to create your unique entry door system. Here are a few standard system configurations to choose from:



Single Door



Single Door with Sideliaht



Single Door with two Sidelights



Single Door with Transom



Single Door with Sideliahts and Transom



Double Doors



Double Doors with Sidelights



Choose Door Type

Fiberglass

The look of wood without the upkeep. Provides greater panel detail for an improved appearance and won't warp, dent or rust.



Mahogany





Design-Pro Mahogany Oak





Steel Doors

Economical, low-maintenance choice that provides strength and style.



Choose Door Panel Style

Personalize your home with a door that suits your home's architecture. Here are just a few options.

3/4 View

2-Panel



Full Oval



6-Panel



Sunburst



1/2 View



4-Panel



3/4 Oval





Arch



2-Panel

Arch Top







4-Pane Bottom Arch



2-Panel

Square Top



Plank

Choose Doorglass

Enhance curb appeal and brighten your entryway with glass. Choose from decorative or clear options or with grilles and blinds. A variety of caming options and privacy levels are available to suit your taste and style.







Privacy Rating

1-Panel

Each doorglass design is assigned a privacy rating to help you choose the level of openness or obscurity that's right for you.

1-Panel







Arch Top

0-3 Clear

4-6 Obscure

Opaque Allows view of shadows and color



Choose your Finish

Bring out the beauty of your JELD-WEN fiberglass door and provide peace of mind by using our Stain Kit. You can choose from a variety of colors and the kit includes everything you need for a high-quality finish. See page 159 for more information.



Fiberglass Doors





Architectural Door Collection

Each meticulous aspect of JELD-WEN's Architectural Door Collection evokes the image of a true, handcrafted wood door.

The natural wood graining, replicated from an actual custom built wood door, resides in the surface of the door. Traditional fiberglass doors attempt to recreate wood grain with raised ridges, resulting in a faux finish. With JELD-WEN's Architectural door, you can actually feel the difference.

Raised mouldings are essential in any wood door offering, thus we engineered our process to include these in the Architectural Door Collection. The edge of the door is finished with a matching hardwood edge band to create the look of a custom wood door.

Our unique and proprietary production process allows for stain to penetrate the surface for a consistent finish that is easy to apply.







Fir

Design-Pro Door Collection

The Design-Pro Collection is carefully crafted to resemble natural wood graining. High definition panels with wider profiles provide more depth and authenticity than traditional fiberglass doors. Registration lines between the stiles and rails complete the look of a real wood door. All Design-Pro Series doors are constructed with aesthetics, energy efficiency and low maintenance in mind.

















Smooth-Pro Door Collection

JELD-WEN offers a wide array of Smooth-Pro designs built with the same high definition panels and wider profiles found in our Design-Pro Series. Because each Smooth-Pro door contains a light paint-brush-stroke texture, doors arrive ready for paint without the need for sanding or scuffing the surface. Many Smooth-Pro designs are available Direct Glazed, offering wider viewing areas.












Steel Doors

JELD-WEN Steel exterior doors are durable and affordable. They include wood stiles and rails with mitred top corners to prevent water absorption. Galvanized steel facings are factory primed with neutral, low-sheen, baked-on enamel primer for easy finishing.



Contours™ Premium Steel

Contours premium steel doors offers steel performance with an upscale design. Our exclusive high-definition beaded sticking panel profile and other panel profiles in selected designs provide curb appeal to most any home style. Optional steel edge construction is available for added durability and fire ratings up to 90 minutes.







Gladiator® Construction Grade Steel

The strength and durability of steel in classic designs create an attractive front or side entrance. Primed and ready to paint, Gladiator steel doors provide a great value.



Gladiator











Architectural Collection



The JELD-WEN Architectural Collection provides strikingly realistic woodgrains for eye-catching results. Our exclusive fiberglass technology, reserved only for our Architectural Collection, delivers a combination of rich stainability, energy performance, protection and durability with each architecturally inspired design.







6'8" and 8'0" Panel Doors



6-Panel Mahogany

,	
Door	3'0"
AM-60	•
AM8-60	•



2-Panel Arch Plank Mahogany

,	
Door	3'0"
AM-24	•
AM8-24	•



1-Panel Plank Mahogany

,	
Door	3'0"
AM-14	•
AM8-14	•



4-Panel Bottom Arch Mahogany 2-Panel Arch Plank Walnut

ivianogany	
Door	3'0"
AM-40	•




Door	3'0"
AW-24	•
AW8-24	•



4-Panel Bottom Arch Walnut

	1
Door	3'0"
AW-40	•



CLEAR GLASS

Craftsman

6'8" Doors and Sidelights



Craftsman Rectangle

wanoguny	
Door	3'0"
AMC-814LE	•



Craftsman Camber Top

ivianogany		
Door	3'0"	
AMC-816LE	•	



Craftsman SL Mahogany





Craftsman Full View

SL Manogany		
Sidelight	1'0"	1'2"
AMC-819LE	•	•





Craftsman Rectangle





Craftsman Camber Top

Door	3'0"	
AFC-816LE	•	



Craftsman SL





Craftsman Full View SL

Sidelight	1'0"	1'2"
AFC-819LE	•	•



6'8" and 8'0" Doors and Sidelights



Full View Mahogany Door 3'0"

AM-826LE



3/4 View 1-Panel Mahogany

···u···ogu···y	
Door	3'0"
AM-828LE	•
AM8-828LE	•



Full View SL

wanogany		
Sidelight	1'0"	1'2"
AM-560LE	•	•
AM8-560LE	•	•



3/4 View SL

Mahogany			
	Sidelight	1'0"	1'2"
	AM-564LE	•	•
	AM8-564LE	•	•




Full View SL Walnut

Sidelight	1'0"	1'2"
AW-560LE	•	•
AW8-560LE	•	•

SIMULATED DIVIDED LITES

Simulated Divided Lite (SD) Craftsman Style 7/8" Grille



6'8" Doors - Craftsman Style 7/8" Grille



Craftsman 3-Lite Mahogany

ivianogany	
Door	3'0"
AMC-814SD3-LE	•



Craftsman 6-Lite Mahogany

ivianogany	
Door	3'0"
AMC-814SD6-LE	•



Craftsman Camber Top 6-Lite Mahogany

Door	3'0"
AMC-816SD6-LE	•



Craftsman 3-Lite Fir

Door	3'0"
AFC-814SD3-LE	•




Craftsman 6-Lite Fir

r II		
Door	3'0"	
AFC-814SD6-LE	•	



Craftsman Camber Top 6-Lite Fir

I II	
Door	3'0"
AFC-816SD6-LE	•



PRIVACY GLASS



Textured Rain Glass









Craftsman

6'8" Doors and Sidelights – Low-E glass standard on all privacy glass options.



AMC-814MG

e	
Craftsman 1-Lit Mahogany	te
Door	3'0"
AMC-814RN	•
AMC-814DGC	•



Craftsman Camber





Craftsman 3-Lite Mahogany SDL





Craftsman 6-Lite Mahogany SDL

Door	3'0"
AMC-814SD6-RN	•
AMC-814SD6-DGC	•
AMC-814SD6-MG	•



Craftsman Camber Top 6-Lite Mahogany SDL





Craftsman SL Mahogany





Craftsman Full View

32 manogany			
	Sidelight	1'0"	1'2
	AMC-819RN	•	•
	AMC-819DGC	•	•
	AMC-819MG	•	•



Craftsman 1-Lite

rii e			
3'0"			
•			
•			
•			



Craftsman

Camber top Fir			
3'0"			
•			
•			
•			



Craftsman 3-Lite

TII JUL		
Door	3'0"	
AFC-814SD3-RN	•	
AFC-814SD3-DGC	•	
AFC-814SD3-MG	•	



Craftsman 6-Lite

Fir SDL			
Door	3'0"		
AFC-814SD6-RN	•		
AFC-814SD6-DGC	•		
AFC-814SD6-MG	•		



Craftsman 6-Lite

Camber Top Fir SDL		
Door	3'0"	
AFC-816SD6-RN	•	
AFC-816SD6-DGC	•	
AFC-816SD6-MG	•	



Craftsman SL

Fir		
Sidelight	1'0"	1'2
AFC-820MG	•	•



Full View SL Fir

Sidelight	1'0"	1'2"
AFC-819RN	•	•
AFC-819DGC	•	•
AFC-819MG	•	•

Shown with optional shelf

6'8" and 8'0" Doors and Sidelights - Low-E glass standard on all privacy glass options.



3/4 View 1-Panel Mahogany Door 3'0"





Full View SL Mahogany Sidelight 1'0" 1'2"

AM-560RN AM8-560RN



3/4 View SL

1'0"	1'2"
•	•
	1'0"

AM-828RN

BELLFLOWER







Rectangular 521BLF (Fits above 3'-0" door w/ (2) 12" sidelights) -13-1/2" frame height



Craftsman Rectangle Mahogany

3'0"
•



Craftsman Rectangle

Door	3'0"
AFC-814BLF	•



Craftsman Full View SL Mahogany

Sidelight	1'0"	1'2"
AMC-819BLF	•	•



Craftsman Full View SL Fir


Sidelight	1'0"	1'2"
AFC-819BLF	•	•



GREENFIELD

14 JELD-WEN.COM







Rectangular 521GRF



Craftsman Rectangle Mahogany

Door	3'0"
AMC-814GRF	•



Craftsman Camber Top Mahogany

Door	3'0"
AMC-816GRF	•



Craftsman Rectangle

Door	3'0"
AFC-814GRF	•



Craftsman Camber Top

Door	3'0"
AFC-816GRF	•



Craftsman Full View SL Mahogany





Craftsman SL Mahogany

Sidelight	1'0"	1'2"
AMC-820GRF	•	•



Craftsman Full View SL Fir

1.0		
Sidelight	1'0"	1'
AFC-819GRF	•	



Craftsman SL

Sidelight	1'0"	1'2"
AFC-820GRF	•	•



Oak Park (KP)





Rectangular 521KP (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Craftsman Rectangle Mahogany

Door	3'0"
AMC-814KP	•



Craftsman Camber Top Mahogany

Door	3'0"
AMC-816KP	•



Craftsman Rectangle

Door	3'0"
AFC-814KP	•



Craftsman Camber Top

Door	3'0"
ΔFC-816KP	•



Craftsman Full View SL

iviariogariy		
Sidelight	1'0"	1'2"
AMC-819KP	•	•



Craftsman SL Mahogany

Sidelight	1'0"	1'2"
AMC-820KP	•	•



Craftsman Full View SL





Craftsman SL

"	Sidelight	1'0"	1'2"
	AFC-820KP	•	•



PARIS







Rectangular 521PS (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Craftsman Rectangle Mahogany

,	
Door	3'0"
AMC-814PS	•



Craftsman Camber Top Mahogany

Door	3'0
AMC-816PS	•



Craftsman Rectangle Fir

Door	3'0"
AFC-814PS	•



Craftsman Camber Top

Door	3'0"
AFC-816PS	•



Craftsman Full View SL

	a.rogarry		
Sidelight		1'0"	1'2"
	AMC-819PS	•	•



Craftsman Full View SL

Sidelight	1'0"	1'2"
AFC-819PS	•	•

Prairie Bevel (PR)

Glass Textures:

Clear Bevels Thin Reed Glass Eaton Glass Granite Glass

Privacy Rating | 6





6'8" Doors and Sidelights



Craftsman Rectangle Mahogany

Door	3'0"
AMC-814PR	•



Craftsman Camber Top Mahogany

Door	3'0"
AMC-816PR	•



Craftsman Rectangle

Door	3'0"
AFC-814PR	•



Craftsman Camber Top Fir

Door	3'0"
AFC-816PR	•



Craftsman Full View SL Mahogany

Sidelight	1'0"	1'2"
AMC-819PR	•	•



Craftsman Full View SL Fir

Sidelight	1'0"	1'2"
AFC-819PR	•	•



18

JELD-WEN.COM

SCARLETT

Scarlett (SL)

Glass Textures

Clear Soft Wave Glass Ruby Red Soft Wave Glass Micro-Iced Granite Glass Yellow Swirl Glass
Olive Soft Wave Glass



Privacy Rating | 7



Patina Caming



Craftsman Rectangle Mahogany

Door	3'0"
AMC-814SL	•



Craftsman Camber Top Mahogany

Door	3'0"
AMC-816SL	•



Craftsman Rectangle Fir

Door	3'0"
AFC-814SL	•



Craftsman Camber Top

Door	3'0"
AFC-816SL	•



Craftsman Full View SL Mahogany

Sidelight	1'0"	1'2"
AMC-819SL	•	•



Craftsman Full View SL Fir

Sidelight	1'0"	1'2"
AFC-819SL	•	•



Topaz (TPZ)

Glass Textures:

Privacy Rating | 9





6'8" Doors and Sidelights



Craftsman Rectangle Mahogany

Door	3'0"
AMC-814TPZ	•



Craftsman Camber Top Mahogany

Door	3'0"
AMC-816TPZ	•



Craftsman Rectangle Fir

T II	
Door	3'0"
AFC-814TPZ	•



Craftsman Camber Top Fir

Door	3'0"
AFC-816TPZ	•



Craftsman Full View SL Mahogany

Mahogany			
Sidelight	1'0"	1'2"	
AMC-819TPZ	•	•	



Craftsman SL Mahogany

Sidelight	1'0"	1'2"
AMC-820TPZ	•	•



Craftsman Full View SL Fir

S	idelight	1'0"	1'2"
A	FC-819TPZ	•	•



Craftsman SL Fir

'2"	Sidelight	1'0"	1'2"
•	AFC-820TPZ	•	•



HALSTEAD

Halstead (HAL)







6'8" Doors and Sidelights



Craftsman Rectangle Mahogany Door

AMC-814HAL



Craftsman Camber Top Mahogany Door



Fir Door AMC-816HAL AFC-814HAL



Craftsman Rectangle





Craftsman **Camber Top**

Door	3'0"
AFC-816HAL	•



Craftsman Full View SL Mahogany





Full View SL Fir

Sidelight	1'0"	1'2
AFC-819HAL	•	•

Craftsman doors shown with optional shelf



Full View Mahogany





3/4 View 1-Panel Mahogany





Full View SL

aogay		
Sidelight	1'0"	1'2"
AM-560HAL	•	•
AM8-560HAL	•	•



3/4 View 1-Panel SL Mahogany

,					
delight	1'0"	1'2"	Sidelight	1'0"	1'2"
И-560HAL	•	•	AM-564HAL	•	•
И8-560HAL	•	•	AM8-564HAL	•	•



Aragon (AG)

Glass Textures:

Granite Glass Bronze Soft Wave Glass
Clear Bevels Micro-Granite Glass
Thin Reed Glass

Privacy Rating | 7





6'8" and 8'0" Doors and Sidelights



Full View Mahogany

3'0"
•



3/4 View 1-Panel Mahogany

Door	3'0"
AM-828AG	•
AM8-828AG	•



Full View SL Mahogany

Sidelight	1'0"	1'2"
AM-560AG	•	•



3/4 View 1-Panel SL Mahogany

Sidelight	1'0"	1'2"
AM-564AG	•	•
AM8-564AG	•	•






BELLVIEW

Bellview (BV)







(Fits above 3'-0" door w/ (2) 14" sidelights) – 35" frame height

6'8" and 8'0" Doors and Sidelights



Full View

Mahogany		
Door	3'0"	
ΛM-826BV		



3/4 View 1-Panel Mahogany

Door	3'0"
AM-828BV	•
AM8-828BV	•



Full View SL

Mahogany		
Sidelight	1'0"	1'2"
AM-560BV	•	•
ΔM8-560RV		



3/4 View 1-Panel SL Mahogany

Sidelight	1'0"	1'2"
AM-564BV	•	•
AM8-564BV	•	•





22 JELD-WEN.COM

CASTILE







Rectangular 521CS (Fits above 3'-0" door w/ (2) 12" sidelights)-13-1/2" frame height



Round Top 516CS (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Full View

vianogany	
Door	3'0"
AM-826CS	•



3/4 View 1-Panel Mahogany

Door	3'0"
AM-828CS	•
AM8-828CS	•




Full View SL Mahogany

Manogany		
Sidelight	1'0"	1'2"
AM-560CS	•	•
AM8-560CS	•	•



3/4 View 1-Panel SL Mahogany

Sidelight	1'0"	1'2"
AM-564CS	•	•
AM8-564CS	•	•





ALVARADO

JELD-WEN.COM







Rectangular 521AL (Fits above 3'-0" door w/ (2) 12" sidelights) -13-1/2" frame height



Segment 532AL (Fits above 3'-0" door w/ (2) 12" sidelights) – 15-1/2" frame height



Full View

ivianogany		
Door	3'0"	
AM-826AL	•	



3/4 View 1-Panel Mahogany

Door	3'0"
AM-828AL	•
AM8-828AL	•



Full View SL

iviariogariy		
Sidelight	1'0"	1'2"
AM-560AL	•	•
AM8-560AL	•	•



3/4 View 1-Panel SL Mahogany

Sidelight	1'0"	1'2
AM-564AL	•	•
AM8-564AL	•	•



LINDEN

Linden (LD)

Glass Textures:

Clear Bevels Gray Soft Wave Glas Red Crystals Micro-Granite Glass

Privacy Rating | 8





Satin Nickel

Transoms - "Direct Set"



Segment 532LD

(Fits above 3'-0" door w/ (2) 12" sidelights) -



Full View Mahogany

ivianogany		
Door	3'0"	
AM-826LD	•	



3/4 View 1-Panel Mahogany

Door	3'0"
AM-828LD	•
AM8-828LD	•



Full View SL Mahogany


Managany			
Sidelight	1'0"	1'2"	
AM-560LD	•	•	



3/4 View 1-Panel SL Mahogany

Sidelight	1'0"	1'2"
AM-564LD	•	•
AM8-564LD	•	•







MONTICELLO

Monticello (MT) Glass Textures:

Arctic Glass

Privacy Rating | 9

26 JELD-WEN.COM



Nickel Vein Wrought Iron

Transoms - "Direct Set"



Rectangular 521MT (Fits above 3'-0" door w/ (2) 12" sidelights) -13-1/2" frame height



Round Top 516MT (Fits above 3'-0" door w/ (2) 14" sidelights) -35" frame height



Full View Mahogany

Manogany		
Door	3'0"	
AM-826MT	•	



3/4 View 1-Panel Mahogany

Door	3'0"
AM-828MT	•
AM8-828MT	•




Full View SL Mahogany

ivianogany		
Sidelight	1'0"	1'2"
AM-560MT	•	•
AM8-560MT	•	•



3/4 View 1-Panel SL Mahogany

Sidelight	1'0"	1'2
AM-564MT	•	•
AM8-564MT	•	•



PROVIDENCE







Rectangular 521PC (Fits above 3'-0" door w/ (2) 12" sidelights) – 13-1/2" frame height



Full View Mahogany

wanoguny			
Door	3'0"		
AM-826PC	•		



3/4 View 1-Panel Mahogany

Door	3'0"
AM-828PC	•
AM8-828PC	•



Full View SL Mahogany

wanoguny		
Sidelight	1'0"	1'2"
AM-560PC	•	•
AM8-560PC	•	•



3/4 View 1-Panel SL Mahogany

Sidelight	1'0"	1'2"
AM-564PC	•	•
AM8-564PC	•	•





Design-Pro




The JELD-WEN Design-Pro Fiberglass doors feature the beautiful appearance of Mahogany, Oak or Fir woodgrains. Engineered for energy-efficiency and low maintenance, Design-Pro doors readily accept stain for a beautiful and long-lasting finish.

DESIGN-PRO FIBERGLASS

Mahogany









Oak




















Design-Pro Mahogany



6'8", 7'0" and 8'0" Panel Doors



6-Panel

Door	2'8"	2'10"	3'0"
DM-60	•	•	•
DM7-60	•	•	•
DM8-60	•	•	•



3-Panel Scroll

Door	2'10"	3'0"
DM-31	•	•



3-Panel 3/4 Top

3 Tuller 3/4 Top			
Door	2'8"	2'10"	3'0"
DM-30	•	•	•



2-Panel Euro

Door	2'8"	2'10"	3'0"
DM-27	•	•	•



2-Panel Arch Top

Door	2'8"	2'10"	3'0"
DM-20	•	•	•
DM7-20	•	•	•
DM8-20	•	•	•



2-Panel Plank Arch Top

	/	٠٠ . ٠ ٢
Door	2'10"	3'0"
DM-24	•	•
DM8-24	•	•



8-Panel Center Arch

Door	2'10"	3'0"
DM-80	•	•



2-Panel 3/4 Arch Top

2 / dilet 5/ / / il dil 10p				
Door	2'8"	2'10"	3'0"	
DM8-26	•	•	•	

DM = 6'8" DM7 = 7'0" DM8 = 8'0"

Our Design-Pro Mahogany Doors are replicated from rich Honduran timbers. Genuine mahogany graining provides the backdrop for a beautiful entryway to any home. Mahogany doors are available in all of today' classic and trending designs.










DIRECT GLAZE



- Wider Viewing Area
- Easy to Clean
- No Screw Holes or Plugs
- Low-E Energy Efficient Glass available in Clear and Micro-Granite

Craftsman





Clear Low-E (LE)



Micro-Granite (MG)



Greenfield (GRF)



Oak Park (KP)



Topaz (TPZ)



Craftsman

Door	2'8"	2'10"	3'0"
DMC-866DG-LE	•	•	•
DMC7-866DG-LE	•	•	•
DMC8-866DG-LE	•	•	•
DMC-866DG-MG	•	•	•
DMC7-866DG-MG	•	•	•
DMC8-866DG-MG	•	•	•
DMC-866DG-GRF	•	•	•
DMC7-866DG-GRF	•	•	•
DMC8-866DG-GRF	•	•	•
DMC-866DG-KP	•	•	•
DMC7-866DG-KP	•	•	•
DMC8-866DG-KP	•	•	•
DMC-866DG-TPZ	•	•	•
DMC7-866DG-TPZ	•	•	•
DMC8-866DG-TPZ	•	•	•



Craftsman SL

Sidelight	1'0"	1'2"
DMC-820DG-LE	•	•
DMC7-820DG-LE	•	•
DMC8-820DG-LE	•	•
DMC-820DG-MG	•	•
DMC7-820DG-MG	•	•
DMC8-820DG-MG	•	•
DMC-820DG-GRF	•	•
DMC7-820DG-GRF	•	•
DMC8-820DG-GRF	•	•
DMC-820DG-KP	•	•
DMC7-820DG-KP	•	•
DMC8-820DG-KP	•	•
DMC-820DG-TPZ	•	•
DMC7-820DG-TPZ	•	•
DMC8-820DG-TPZ	•	•

Craftsman

6'8" and 7'0"

Doors and Sidelights



Craftsman

Door	2'8"	2'10"	3'0"
DMC-866LE	•	•	•
DMC7-866LE	•	•	•



Craftsman SL

Sidelight	1'0"	1'2"
DMC-820LE	•	•
DMC7-820LE	•	•



Craftsman Full View SL

1'0"	1'2"
•	•
•	•
	1'0"



6'8", 7'0" and 8'0" Clear Glass Doors and Sidelights



Full View

Door	2'8"	2'10"	3'0"
DM-686LE	•	•	•
DM7-686LE	•	•	•
DM8-686LE	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-607LE-1P	•	•	•
DM8-607LE-1P	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-607LE	•	•	•



1/2 View 2-Panel

1/2 VICW 2 I dilei				
Door	2'8"	2'10"	3'0"	
DM-684LE	•	•	•	
DM7-684LE	•	•	•	
DM8-684LE	•	•	•	



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-684LE-1P	•	•	•
DM7-684LE-1P	•	•	•
DM8-684LE-1P	•	•	•



3/4 Oval

Door	2'8"	2'10"	3'0"
DM-949LE	•	•	•



3/4 Oval Scroll

Door	2'10"	3'0"
DM-949LE-2S	•	•



Full View SL

Tull VIEW JE		
Sidelight	1'0"	1'2"
DM-690LE	•	•
DM7-690LE	•	•
DM8-690LE	•	•



3/4 View SL

JI4 VIEW JL		
Sidelight	1'0"	1'2"
DM-422LE	•	•
DM8-422LE	•	•




1/2 View SL

Sidelight	1'0"	1'2"
DM-692LE	•	•
DM7-692LE	•	•
DM8-692LE	•	•

SIMULATED DIVIDED LITES

Simulated Divided Lites (SD) Craftsman Style 7/8" Grille



Low-E glass standard on all SD glass options

6'8" and 7'0" Doors



Craftsman 3-Lite

Door	2'8"	2'10"	3'0"
DMC-866SD3-LE	•	•	•
DMC7-866SD3-LE	•	•	•



Craftsman 6-Lite

Door	2'8"	2'10"	3'0"
DMC-866SD6-LE	•	•	•
DMC7-866SD6-LE	•	•	•




Heirlooms (HM)

Glass Textures: Clear Bevel Clusters Glue Chip Glass

Granite Glass Privacy Rating | 6





Brass Caming

Transoms "Direct Set"



Rectangular 506HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular 507HM (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular 521HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

6'8", 7'0" and 8'0" Doors and Sidelights



Full View

JELD-WEN.COM

Door	2'8"	2'10"	3'0"
DM-686HM	•	•	•
DM7-686HM	•	•	•
DM8-686HM	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-607HM	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-607HM-1P	•	•	•
DM8-607HM-1P	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-684HM	•	•	•
DM7-684HM	•	•	•
DM8-684HM	•	•	•





3/4 Oval

5,			
Door	2'8"	2'10"	3'0"
DM-949HM	•	•	•



3/4 Oval Scroll

-,		
Door	2'10"	3'0"
DM-949HM-2S	•	•



Full View SL

Sidelight	1'0"	1'2"
DM-690HM	•	•
DM7-690HM	•	•
DM8-690HM	•	•



3/4 View SL

Sidelight	1'0"	1'2"
DM-422HM	•	•
DM8-422HM	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DM-692HM	•	•
DM7-692HM	•	•
DM8-692HM	•	•



Elliptical 503HM (Fits above 3'-0" door w/ (2) 14" sidelights) – 15-1/2" frame height

Elliptical 578HM (Fits above 3"-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Segment 532HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Rectangular | Satin Nickel Only | 517HM (Fits above 3'-0" Door) 13-1/2" frame height




1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-684HM-1P	•	•	•
DM7-684HM-1P	•	•	•
DM8-684HM-1P	•	•	•



Center Arch

Door	2'10"	3'0"
DM-632HM	•	•



NOUVEAU

Nouveau (MN)

Glass Textures: Clear Bevel Clusters

Privacy Rating | 6

Clear Bevels





Patina Caming



Nickel Caming



Transoms "Direct Set"



Rectangular 507MN (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular 521MN (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Elliptical 578MN

(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height







Full View

Door	2'8"	2'10"	3'0"
DM-686MN	•	•	•
DM7-686MN	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"	
DM-607MN	•	•	•	



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-607MN-1P	•	•	•
DM8-607MN-1P	•	•	•



Door	2'8"	2'10"	3'0"
DM-684MN	•	•	•
DM7-684MN	•	•	•
DM8-684MN	•	•	•



1/2 View 1-Panel

1/2 VIEW I-I dilei				
Door	2'8"	2'10"	3'0"	
DM-684MN-1P	•	•	•	
DM7-684MN-1P	•	•	•	
DM8-684MN-1P	•	•	•	



3/4 Oval

Door	2'8"	2'10"	3'0"
DM-949MN	•	•	•



3/4 Oval Scroll

Door	2'10"	3'0"
DM-949MN-2S	•	•



Full View SL

I dii Vicvi JL		
Sidelight	1'0"	1'2"
DM-690MN	•	•
DM7-690MN	•	•



3/4 VIEW 3L		
Sidelight	1'0"	1'2"
DM-422MN	•	•
DM8-422MN	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DM-692MN	•	•
DM7-692MN	•	•
DM8-692MN	•	•



Bellflower (BLF)

Glass Textures:

Hammered Glass
Yellow Swirl Glass
Ruby Red & Olive Soft Wave Glass

Privacy Rating | 8





Patina Caming

Transoms - "Direct Set"



Rectangular 521BLF

(Fits above 3'-0" door w/ (2) 12" sidelights) – 13-1/2" frame height

Craftsman

6'8", 7'0"

Doors and Sidelights





Craftsman

Door	2'8"	2'10"	3'0"
DMC-866BLF	•	•	•
DMC7-866BLF	•	•	•



Craftsman Full View SL

Sidelight	1'0"	1'2"
DMC-819BLF	•	•
DMC7-819BLF	•	•



6'8", 7'0" and 8'0" Doors and Sidelights



Full View

Door	2'8"	2'10"	3'0"
DM-686BLF	•	•	•
DM7-686BLF	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-607BLF	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-607BLF-1P	•	•	•
DM8-607BLF-1P	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DM8-684BLF	•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DM8-684BLF-1P	•	•	•



Full View SL

Sidelight	1'0"	1'2"
DM-690BLF	•	•
DM7-690BLF	•	•



3/4 View SL

Sidelight	1'0"	1'2"
DM-422BLF	•	•
DM8-422BLF	•	•



1/2 View SL

Sidelight	1'0"	1'2'
DM8-692BLF	•	•



DM = 6'8" DM7 = 7'0" DM8 = 8'0" DMC = 6'8" DMC7 = 7'0"

Oak Park (KP)

Glass Textures:

Clear Bevels Crinkle Glass Seedy Glass

Privacy Rating | 5





Transoms "Direct Set"



(Fits above 3'-0" door w/ (2) 14" sidelights) – 15-1/2" frame height

Rectangular 521KP (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Craftsman

6'8", 7'0" and 8'0" Doors and Sidelights





Craftsman

Door	2'8"	2'10"	3'0"
DMC-866KP	•	•	•
DMC7-866KP	•	•	•



Craftsman SL

Sidelight	1'0"	1'2"
DMC-820KP	•	•
DMC7-820KP	•	•



Craftsman Full View SL

Sidelight	1'0"	1'2"
DMC-819KP	•	•
DMC7-819KP	•	•

6'8", 7'0" and 8'0" Doors and Sidelights



Full View

Door	2'8"	2'10"	3'0"
DM-686KP	•	•	•
DM7-686KP	•	•	•
DM8-686KP	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-607KP	•	•	•



3/4 View 1-F	anel		
Door	2'8"	2'10"	3'0"
DM-607KP-1P	•	•	•
DM8-607KP-1P	•	•	•



1/2 View 2-Panel

1/2 VIEW 2-Fallel				
Door	2'8"	2'10"	3'0"	
DM-684KP	•	•	•	
DM7-684KP	•	•	•	
DM8-684KP	•	•	•	



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-684KP-1P	•	•	•
DM7-684KP-1P	•	•	•
DM8-684KP-1P	•	•	•





Full View SL

Sidelight	1'0"	1'2"
DM-690KP	•	•
DM7-690KP	•	•
DM8-690KP	•	•



	3/4 VIEW 3L		
1'2"	Sidelight	1'0"	1'2'
•	DM-422KP	•	•
•	DM8-422KP	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DM-692KP	•	•
DM7-692KP	•	•
DM8-692KP	•	•

DM = 6'8" DM7 = 7'0" DM8 = 8'0" DMC = 6'8" DMC7 = 7'0"

Delray (DRY)

Glass Textures:

Alabaster Glass Clear Bevels Hammered Glass Micro-Iced Granite Glass

Gray Soft Wave Glass

Privacy Rating | 7





Patina Caming



Transoms "Direct Set"

Rectangular 521DRY (Fits above 3'-0" door w/ (2) 12" sidelights) -13-1/2" frame height



Full View

Door	2'8"	2'10"	3'0"
DM-686DRY	•	•	•
DM7-686DRY	•	•	•
DM8-686DRY	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-607DRY-1P	•	•	•
DM8-607DRY-1P	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-607DRY	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0
DM8-684DRY	•	•	•



1/2 View 1-Panel

oor	2'8"	2'10"	3'0"	Door	2'8"	2'10"	3'0
M8-684DRY	•	•	•	DM8-684DRY-1P	•	•	•



Full View SL

Sidelight	1'0"	1'2"
DM-690DRY	•	•
DM7-690DRY	•	•
DM8-690DRY	•	•



3/4 View SL

Sidelight	1'0"	1'2"
DM-422DRY	•	•
DM8-422DRY	•	•



1/2 View SL

.,		
Sidelight	1'0"	1'2
DM8-692DRY	•	•



Cadence (CD)

Glass Textures:


Ripple Glass

Privacy Rating | 5





Transoms "Direct Set"



Round Top 516CD (Fits above 3'-0" door w/ (2) 14" sidelights) – 35" frame height



Full View

Door	2'8"	2'10"	3'0"
DM-686CD	•	•	•
DM7-686CD	•	•	•
DM8-686CD	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-607CD	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-607CD-1P	•	•	•
DM8-607CD-1P	•	•	•



1/2 View 2-Panel

1/2 VIEW 2-Fallel				
Door	2'8"	2'10"	3'0"	
DM8-684CD	•	•	•	



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DM8-684CD-1P	•	•	•





3/4 Oval

J/T Ovai			
Door	2'8"	2'10"	3'0"
DM-949CD	•	•	•



3/4 Oval Scroll

Door	2'10"	3'0"
DM-949CD-2S	•	•



Sidelight	1'0"	1'2"
DM-690CD	•	•
DM7-690CD	•	•
DM8-690CD	•	•



3/4 View SL

Sidelight	1'0"	1'2"
DM-422CD	•	•
DM8-422CD	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DM8-692CD	•	•

Greenfield (GRF)

Glass Textures:

Small Hammered Glass Pale Amber & Olive Soft Wave Glass

Privacy Rating | 7





Transoms - "Direct Set"



Rectangular 521GRF (Fits above 3'-0" door w/ (2) 12" sidelights) -13-1/2" frame height

Craftsman

6'8", 7'0"

Doors and Sidelights





Craftsman

Door	2'8"	2'10"	3'0"
DMC-866GRF	•	•	•
DMC7-866GRF	•	•	•



Crartsman 32			
Sidelight	1'0"	1'2"	
DMC-820GRF	•	•	
DMC7-820GRF	•	•	



Craftsman Full View SL

Sidelight	1'0"	1'2"
DMC-819GRF	•	•
DMC7-819GRF	•	•



Full View

Door	2'8"	2'10"	3'0"
DM-686GRF	•	•	•
DM7-686GRF	•	•	•
DM8-686GRF	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0
DM-607GRF	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-607GRF-1P	•	•	•
DM8-607GRF-1P	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-684GRF	•	•	•
DM7-684GRF	•	•	•
DM8-684GRF	•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-684GRF-1P	•	•	•
DM7-684GRF-1P	•	•	•
DM8-684GRF-1P	•	•	•



Full View SL

Sidelight	1'0"	1'2"
DM-690GRF	•	•
DM7-690GRF	•	•
DM8-690GRF	•	•



3/4 View SL

Sidelight	1'0"	1'2"
DM-422GRF	•	•
DM8-422GRF	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DM8-692GRF	•	•



Impressions (LI)

Glass Textures:

Clear Bevels



Transoms - "Direct Set"



Rectangular 507LI

(Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height







ruii view			
Door	2'8"	2'10"	3'0"
DM-686LI	•	•	•
DM7-686LI	•	•	•
DM8-686LI	•	•	•



1/2 Vie

1/2 View 2-Panel					
Door	2'8"	2'10"	3'0"		
DM-684LI	•	•	•		
DM7-684LI	•	•	•		



1/2 View 1-Panel

	Door	2'8"	2'10"	3'0"
1	DM-684LI-1P	•	•	•
]	DM7-684LI-1P	•	•	•



3/4 Ovai			
Door	2'8"	2'10"	3'0"
DM-949LI	•	•	•



3/4 Oval Scroll

Door	2'10"	3'0"
DM-949LI-2S	•	•



Full View SL

Sidelight	1'0"	1'2"
DM-690LI	•	•
DM7-690LI	•	•
DM8-690LI	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DM-692LI	•	•
DM7-692LI	•	•

Mohave (MOH)

Glass Textures: Micro-Iced Granite Glass Gray Soft Wave Glass Bronze Soft Wave Glass

Streamed Glass Small Hammered Glass



Oil-Rubbed Bronze



Full View

Door	2'8"	2'10"	3'0"
DM-686MOH	•	•	•
DM7-686MOH	•	•	•
DM8-686MOH	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-607MOH	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-607MOH-1P	•	•	•
DM8-607MOH-1P	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-684MOH	•	•	•
DM7-684MOH	•	•	•
DM8-684MOH	•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-684MOH-1P	•	•	•
DM7-684MOH-1P	•	•	•
DM8-684MOH-1P	•	•	•



Full View SL

Sidelight	1'0"	1'2"
DM-690MOH	•	•
DM7-690MOH	•	•
DM8-690MOH	•	•



3/4 View SL

Sidelight	1'0"	1'2"
DM-422MOH	•	•
DM8-422MOH	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DM-692MOH	•	•
DM7-692MOH	•	•
DM8-692MOH	•	•




Bristol (BT)

Glass Textures:

Clear Bevel Clusters Granite Glass

Clear Bevels





Transoms "Direct Set"



Rectangular 506BT (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Full View

Door	2'8"	2'10"	3'0"
DM-686BT	•	•	•
DM7-686BT	•	•	•
DM8-686BT	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-607BT	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-607BT-1P	•	•	•
DM8-607BT-1P	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-684BT	•	•	•
DM7-684BT	•	•	•
DM8-684BT	•	•	•



3/4 Oval

Door	2'8"	2'10"	3'0'
DM-949BT	•	•	•





3/4 Oval Scroll

JI T O Val JCI	011	
Door	2'10"	3'0"
DM-949BT-2S	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-684BT-1P	•	•	•
DM7-684BT-1P	•	•	•
DMAG COART 1D			-



Full View SL

Sidelight	1'0"	1'2"
DM-690BT	•	•
DM7-690BT	•	•
DM8-690BT	•	•



3/4 View SL

Sidelight	1'0"	1'2"
DM-422BT	•	•
DM8-422BT	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DM-692BT	•	•
DM7-692BT	•	•
DM8-692BT	•	•

Paris (PS)

Glass Textures:

Clear Bevels Arctic Glass Clear Renaissance Glass

Privacy Rating | 4





Transoms - "Direct Set"



Rectangular 507PS (Fits above 3'-0" door w/ (2) 14" sidelights) – 15-1/2" frame height

Rectangular 521PS (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Craftsman

6'8" and 7'0"

Doors and Sidelights





Craftsman

Door	2'8"	2'10"	3'0"
DMC-866PS	•	•	•
DMC7-866PS	•	•	•



Craftsman Full View SL

Sidelight	1'0"	1'2"
DMC-819PS	•	•
DMC7-819PS	•	•





Full View

Door	2'8"	2'10"	3'0"
DM-686PS	•	•	•
DM7-686PS	•	•	•
DM8-686PS	•	•	•



3/4 View 2-Panel

3/ 1 VICVV 2 1	unci		
Door	2'8"	2'10"	3'0"
DM-607PS	•	•	•



3/4 View 1-Panel

3/1 View i l'allei				
Door	2'8"	2'10"	3'0"	
DM-607PS-1P	•	•	•	
DM8-607PS-1P	•	•	•	



1/2 View 2-Panel

1/2 VIEW 2-Failei				
Door	2'8"	2'10"	3'0"	
DM-684PS	•	•	•	
DM7-684PS	•	•	•	
DM8-684PS	•	•	•	



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-684PS-1P	•	•	•
DM7-684PS-1P	•	•	•
DM8-684PS-1P	•	•	•



Full View SL

Sidelight	1'0"	1'2"
DM-690PS	•	•
DM7-690PS	•	•
DM8-690PS	•	•




3/4 View SL

Sidelight	1'0"	1'2"
DM-422PS	•	•
DM8-422PS	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DM-692PS	•	•
DM7-692PS	•	•
DM8-692PS	•	•



JACINTO

Jacinto (JA) Glass Textures:

Privacy Rating | 9

46 JELD-WEN.COM





Wrought Iron

Transoms - "Direct Set"



Rectangular 507JA

(Fits above 3'-0" door w/ (2) 14" sidelights) – 15-1/2" frame height

Rectangular 521JA (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



(Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Full View

Door	2'8"	2'10"	3'0"
DM-686JA	•	•	•
DM7-686JA	•	•	•
DM8-686JA	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-607JA	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-607JA-1P	•	•	•
DM8-607JA-1P	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"	
DM-684JA	•	•	•	
DM7-684JA	•	•	•	
DM8-684JA	•	•	•	



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-684JA-1P	•	•	•
DM7-684JA-1P	•	•	•
DM8-684JA-1P	•	•	•



Full View SL

Sidelight	1'0"	1"
DM-690JA	•	•
DM7-690JA	•	•
DM8-690JA	•	-



3/4 View SL

Sidelight	1'0"	1'2"
DM-422JA	•	•
DM8-422JA	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DM8-692JA	•	•

Majestic (ME)

Glass Textures:

Glue Chip Bevels Glue Chip Glass

Privacy Rating | 6





Patina Caming





Transoms - "Direct Set"



Rectangular 507ME (Brass or Nickel only) (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular 521ME (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height





Full View

Door	2'8"	2'10"	3'0"
DM-686ME	•	•	•
DM7-686ME	•	•	•
DM8-686MF		•	•

DM8-686ME Brass or Nickel Only



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-607ME	•	•	•

Brass or Nickel Only



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-607ME-1P	•	•	•
DM8-607ME-1P	•	•	•

DM-607ME-1P Brass or Nickel Only





1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-684ME	•	•	•
DM7-684ME	•	•	•
DM8-684ME	•	•	•

DM8-684ME Brass or Nickel Only



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-684ME-1P	•	•	•
DM7-684ME-1P	•	•	•
DM8-684ME-1P	•	•	•

DM8-684ME-1P Brass or Nickel Only



Full View SL

Sidelight	1'0"	1'2"
DM-690ME	•	•
DM7-690ME	•	•
DM8-690ME	•	•

DM8-690ME Brass or Nickel



3/4 View SL

Sidelight	1'0"	1'2"
DM-422ME	•	•
DM8-422ME	•	•

DM-422ME Brass or Nickel Only



1/2 View SL

Sidelight	1'0"	1'2"
DM-692ME	•	•
DM7-692ME	•	•
DM8-692ME	•	•

DM8-692ME Brass or Nickel



Prairie Bevel (PR)

Glass Textures:

Clear Bevels Thin Reed Glass Eaton Glass Granite Glass

Privacy Rating | 6





Craftsman

6'8", 7'0" and 8'0"

Doors and Sidelights





Craftsman

Door	2'8"	2'10"	3'0"
DMC-866PR	•	•	•
DMC7-866PR	•	•	•



Craftsman Full View SL
Sidelight 1'0" 1'2"

Sidelight	1'0"	1'2"
DMC-819PR	•	•
DMC7-819PR	•	•





Full View

Door	2'8"	2'10"	3'0"
DM-686PR	•	•	•
DM7-686PR	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-607PR	•	•	•
,			



3/4 View 1-Pane

3/4 VIEW I-Fallel				
Door	2'8"	2'10"	3'0"	
DM-607PR-1P	•	•	•	
DM8-607PR-1P	•	•	•	



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-684PR	•	•	•
DM7-684PR	•	•	•
DM8-684PR	•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-684PR-1P	•	•	•
DM7-684PR-1P	•	•	•
DM8-684PR-1P	•	•	•





Full View SL

Sidelight	1'0"	1'2"
DM-690PR	•	•
DM7-690PR	•	•



3/4 View SL

	Sidelight	1'0"	1'2"
	DM-422PR	•	•
ĺ	DM8-422PR	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DM-692PR	•	•
DM7-692PR	•	•
DM8-692PR	•	•

Topaz (TPZ)

Glass Textures:

Micro-Granite Glass Bronze Soft Wave Glass Thin Reed Glass Clear Bevel

Privacy Rating | 9





Craftsman

6'8" and 7'0"

Doors and Sidelights





Craftsman

Door	2'8"	2'10"	3'0"
DMC-866TPZ	•	•	•
DMC7-866TPZ	•	•	•



Craftsman SL

Sidelight	1'0"	1'2"
DMC-820TPZ	•	•
DMC7-820TPZ	•	•



Craftsman Full View SL

Sidelight	1'0"	1'2"
DMC-819TPZ	•	•
DMC7-819TPZ	•	•



Full View

Door	2'8"	2'10"	3'0"
DM-686TPZ	•	•	•
DM7-686TPZ	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-607TPZ	•	•	•



3/4 View 1-Panel

3/ 1 1/10/11 1 1 0	21101		
Door	2'8"	2'10"	3'0"
DM-607TPZ-1P	•	•	•
DM8-607TPZ-1P	•	•	•



1/2 View 2-Panel

1/2 VICW 2 Turier					
Door	2'8	" 2'10"	3'0"		
DM-684TF	PZ •	•	•		
DM7-6841	rpz •	•	•		
DM8-6841	rPZ •	•	•		



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-684TPZ-1P	•	•	•
DM7-684TPZ-1P	•	•	•
DM8-684TPZ-1P	•	•	•



Full View SL

Sidelight	1'0"	1'2"
DM-690TPZ	•	•
DM7-690TPZ	•	•



3/4 View SI

3/4 VIEW 3L		
Sidelight	1'0"	1'2"
DM-422TPZ	•	•
DM8-422TP7	•	



1/2 View SL

	Sidelight	1'0"	1'2"
	DM-692TPZ	•	•
	DM7-692TPZ	•	•
ſ	DM8-692TP7	•	•



Design-Pro Oak



PANEL DOORS

6'8", 7'0" and 8'0" Panel Doors



Flush

Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
DO-100	•	•	•	•	•	•
D07-100	•	•	•	•	•	•
DO8-100	•	•	•	•	•	•



6-Panel

o i dilci					
Door	2'6"	2'8"	2'10"	3'0"	
DO-60	•	•	•	•	
D08-60		•	•	•	



4-Panel

4-Panei					
Door	2'8"	2'10"	3'0"		
DO-40	•	•	•		



3-Panel 3/4 Top

Door	2'8"	2'10"	3'0"
DO-30	•	•	•



3-Panel Scroll

Door	2'10"	3'0"
DO-31	•	•



2-Panel Euro

E l'allei Ealo				
Door	2'8"	2'10"	3'0"	
DO-27	•	•	•	




2-Panel 3/4 Arch Top

Door	2'8"	2'10"	3'0"		
D08-26	•	•	•		

DO = 6'8" DO7 = 7'0" DO8 = 8'0"

JELD-WEN has the lasting beauty of Oak in a number of enduring designs. Our Oak woodgrain pattern varie from tight, vertical grain to beautiful arches.








DIRECT GLAZE



- Wider Viewing Area
- Easy to Clean
- No Screw Holes or Plugs
- Low-E Energy Efficient Glass



Clear Low-E (LE)

Craftsman

6'8", 7'0" and 8'0" Doors and Sidelights



Craftsman 1-Lite Door 2'10" 3'0" DOC-866DG-LE DOC8-866DG-LE •



Craftsman Full View SL Sidelight 1'0" 1'2" DOC-819DG-LE DOC8-819DG-LE • •



SIMULATED DIVIDED LITES - DIRECT GLAZE

Simulated Divided Lites (SD) Craftsman Style 1-1/8" Grille

Available in Stainable Oak Grain





Low-E glass standard on all SD glass options

6'8" and 8'0" Clear Glass Doors and Sidelights



Craftsman 3-Lite

	Crartsman 5 Lite				
	Door	2'10"	3'0"		
ĺ	DOC-866DG-SD3-LE	•	•		
	DOC8-866DG-SD3-LE	•	•		




Craftsman 6-Lite

		-	
Do	or	2'10"	3'0"
DO	C-866DG-SD6-LE	•	•
DO	C8-866DG-SD6-LE	•	•



(3 Little 3L 0 0)		
Sidelight	1'0"	1'2"
DOC-819DG-SD4-LE	•	•
DOC8-819DG-SD5-LE	•	•





CLEAR GLASS

6'8", 7'0" and 8'0" Clear Glass Doors and Sidelights



Full View

Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
DO-686LE	•	•	•	•	•	•
DO7-686LE	•	•	•	•	•	•
DO8-686LE	•	•	•	•	•	•





Full Oval

Door	2'8"	2'10"	3'0"
DO-919CL	•	•	•
D07-919CL	•	•	•
D08-919CL	•	•	•



3/4 View 1-Panel

3/1 view i runei				
Door	2'8"	2'10"	3'0"	
DO-607CL-1P	•	•	•	
D08-607LE-1P	•	•	•	

DO8-607LE-1P Low-E Only



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-607CL	•	•	•



3/4 Oval

5, . 0			
Door	2'8"	2'10"	3'0"
DO-949CL	•	•	•



3/4 Oval Scroll

Door	2'10"	3'0"
DO-949CL-2S	•	•



1/2 view 2-Panei				
Door	2'8"	2'10"	3'0"	
DO-684LE	•	•	•	
D08-684CL	•	•	•	
DO-684LE Low-E Only				



Door	2'8"	2'10"	3'0"
DO-673CL	•	•	•



1/2 View Round Top

		- 1	
Door	2'8"	2'10"	3'0"
DO-637LE	•	•	•
Low-E Only			



Twin 1/2 View

100111 1/2 010			
Door	2'8"	2'10"	3'0
DO-692LE	•	•	•
Low E Only			



Camber Top

Door	2'8"	2'10"	3'0
DO-648CL	•	•	•



Sunburst

	bullbulst			
	Door	2'8"	2'10"	3'0
Ī	DO-659CL	•	•	•
	Clear Only			



Twin Top Lite

Door	2'8"	2'10"	3'0
DO-680CL	•	•	•
Clear Only			



Full View SL

Sidelight	10"	1'0"	1'2"
DO-690CL	•	•	•
DO8-690LE		•	•

10" DO-690CL and DO8-690LE



3/4 View SL

Sidelight	1'0"	1'2"
DO-422CL	•	•
D08-422CL	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DO-692LE	•	•
D08-692CL	•	•

DO-692LE Low-E Only

FIXED EXTERNAL GRILLES

Fixed External Grilles (FG) 5/8" Grille

Available in Stainable Oak Grain





6'8", 7'0" and 8'0" Doors and Sidelights



Full View 15-Lite (18-Lite - 8'0")

Door	2'6"	2'8"	2'10"	3'0"
DO-686FG15	•	•	•	•
D07-686FG15	•	•	•	•
D08-686FG18		•	•	•



Full View 10-Lite (12-Lite - 8'0")

Door	2'6"	2'8"	2'10"	3'0"
DO-686FG10	•	•	•	•
D07-686FG10	•	•	•	•
D08-686FG12		•	•	•




3/4 View 2-Panel 12-Lite

DO-607FG12	Door	2'8"	2'10"	3'0"
00 00/1012	DO-607FG12	•	•	•



3/4 View 1-Panel 12-Lite (15-Lite - 8'0")





3/4 View 1-Panel 10-Lite

Door	2'8"	2'10"	3'0"
DO8-607FG10	•	•	•



1/2 View 2-Panel 9-Lite (12-Lite - 8'0")

	,		
Door	2'8"	2'10"	3'0"
DO-684FG9	•	•	•
D08-684FG12	•	•	•



Full View Prairie Lite

DO-686PFG • • •	Door	2'8"	2'10"	3'0"
	DO-686PFG	•	•	•



1/2 View Round Top

Door	2'8"	2'10"	3'0"
DO-637FG11	•	•	•



Twin 3-L

Lite	Su	nb

2'8" 2'10" 3'0"

DO-692FG3 • • •

ourst 5-Lite

DO-659FG5 • •



Sunburst 7-Lite

Door	2'8"	2'10"	3'0"
DO-626FG7	•	•	•



Camber Top 11-Lite



4-Lite



Gothic 4-Lite



(6-Lite SL - 8'0")



3/4 View 4-Lite SL 1/2 View 3-Lite SL (5-Lite SL - 8'0")




2'8" 2'10" 3'0"


(4-Lite SL - 8'0")




\boldsymbol{e}	
Full View	
Prairie Lite	SI
Sidelight	10
DO COOREC	Π.










Full View 5-Lite SL Sidelight





SIMULATED DIVIDED LITES

Simulated Divided Lites (SD) Traditional Style 1-1/8" Grille

Available in Stainable Oak Grain





Low-E glass standard on all SD glass options

6'8", 7'0" and 8'0" Doors and Sidelights - Traditional Style 1-1/8" Grille



Full View 8-Lite

Door	2'6"	2'8"	2'10"	3'0"
DO-686SD8-LE	•	•	•	•
D07-686SD8-LE	•	•	•	•



3/4 View 2-Panel 6-Lite

Door	2'8"	2'10"	3'0"
DO-607SD6-LE	•	•	•



3/4 View 1-Panel 6-Lite (8-Lite - 8'0")

Door	2'8"	2'10"	3'0"
DO-607SD6-LE-1P	•	•	•
DO8-607SD8-LE-1P	•	•	•



3/4 View 2-Panel 4-Lite

Door	2'8"	2'10"	3'0"
DO-607SD4-LE	•	•	•



3/4 View 1-Panel 4-Lite

Door	2'8"	2'10"	3'0"
DO-607SD4-LE-1P	•	•	•



1/2 View 2-Panel 4-Lite

Door	2'8"	2'10"	3'0"
DO8-684SD4-LE	•	•	•



1/2 View 2-Panel 6-Lite

Door	2'8"	2'10"	3'0'
DO8-684SD6-LE	•	•	•



Full View 4-Lite SL

Sidelight	10"	1'0"	1'2"
DO-690SD4-LE	•	•	•



3/4 View 3-Lite SL (4-Lite SL - 8'0")

Sidelight	1'0"	1'2"
DO-422SD3-LE	•	•
DO8-422SD4-LE	•	•



3/4 View 2-Lite SL

Sidelight	1'0"	1'2"
DO-422SD2-LE	•	•

BLINDS BETWEEN GLASS

Blinds Between the Glass (RLB) Raise, Lower and Tilt Doorglass Blinds





No dusting

No dangling cords or swinging blinds

Single operator lets you raise, lower and tilt blinds



6'8", 7'0" and 8'0" Doors and Sidelights



Full View

Door	2'6"	2'8"	2'10"	3'0"
DO-686RLB	•	•	•	•
DO7-686RLB	•	•	•	•
DO8-686RLB	•	•	•	•



3/4 View 2-Panel

DO-607RLB • • •	Door	2'8"	2'10"	3'0"
	DO-607RLB	•	•	•



3/4 View 1-Panel

3/4 VIEW 1-1 dilei				
Door	2'8"	2'10"	3'0"	
DO-607RLB-1P	•	•	•	
DO8-607RLB-1P	•	•	•	



1/2 View 2-Panel

1/2 VIEW 2-Failer				
Door	2'8"	2'10"	3'0"	
DO-684RLB	•	•	•	
DO8-684RLB	•	•	•	



Twin 1/2 View

Door	2'8"	2'10"	3'0'
DO-692RLB	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
DO-690RLB	•	•	•
D08-690RLB		•	•



3/4 View SL

Sidelight	1'0"	1'2"
DO8-422RLB	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DO-692RLB	•	•

6'8", 7'0" and 8'0" Doors and Sidelights with Tan Blinds



Full View

Door	2'6"	2'8"	2'10"	3'0"
DO-686RLB	•	•	•	•
DO7-686RLB		•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-684RLB	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0
DO8-607RLB-1P	•	•	•



Full View SL

Tun Victo SE		
Sidelight	1'0"	1'2"
DO-690RLB	•	•



3/4 View SL

Sidelight	1'0"	1'2'
DO8-422RLB	•	•

PRIVACY GLASS



Textured Rain Glass (RN)




Textured Double Glue Chip (DGC)



Textured Micro-Granite (MG)

Privacy rating applies to RN, DGC and MG glass

Privacy Rating | 9



6'8", 7'0" and 8'0" Doors and Sidelights - Low-E glass standard on all privacy glass options



Full View

Door	2'6"	2'8"	2'10"	3'0"
DO-686RN	•	•	•	•
D07-686RN	•	•	•	•
DO8-686RN		•	•	•
DO-686DGC	•	•	•	•
D07-686DGC	•	•	•	•
D08-686DGC		•	•	•
DO-686MG	•	•	•	•
D07-686MG	•	•	•	•
D08-686MG		•	•	•



3/4 View 2-Panel

57 1 11011 2 1 41101					
Door	2'8"	2'10"	3'0"		
DO-607RN	•	•	•		
DO-607DGC	•	•	•		
DO-607MG	•	•	•		



3/4 View 2-Panel 12-Lite

Door	2'8"	2'10"	3'0"
DO-607FG12-RN	•	•	•



3/4 View 1-Panel					
Door	2'8"	2'10"	3'0"		
DO-607RN-1P	•	•	•		
D08-607RN-1P	•	•	•		
DO-607DGC-1P	•	•	•		
D08-607DGC-1P	•	•	•		
DO-607MG-1P	•	•	•		
D08-607MG-1P	•	•	•		



3/4 View 1-Panel 12-Lite

Door	2'8"	2'10"	3'0"
DO-607FG12-RN-1P	•	•	•



3/4 Oval

Door	2'8"	2'10"	3'0"
DO-949RN	•	•	•



3/4 Oval Scroll

Door	2'10"	3'0"
DO-949RN-2S	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
D08-684RN	•	•	•
DO-684DGC	•	•	•
D08-684DGC	•	•	•
D08-684MG	•	•	•



1/2 View Camber Top

Door Door		2'10"	3'0"
DO-673RN	•	•	•



Twin 1/2 View

Door	2'8"	2'10"	3'0"
DO-692RN	•	•	•
DO-692DGC	•	•	•



Sunburst 5-Lite

Door	2'8"	2'10"	3'0"
DO-659FG5-RN	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
DO-690RN	•	•	•
DO-690DGC	•	•	•
D08-690DGC		•	•
DO-690MG	•	•	•
DO8-690MG		•	•



3/4 View SL

Sidelight	1'0"	1'2"
DO8-422RN	•	•
D08-422DGC	•	•
D08-422MG	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DO-692RN	•	•
DO-692DGC	•	•

HEIRLOOMS

Heirlooms (HM)

Glass Textures: Clear Bevel Clusters

Privacy Rating | 6

Granite Glass







Transoms - "Direct Set"



Rectangular 506HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular 507HM (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular 521HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Full View

Door	2'6"	2'8"	2'10"	3'0"
DO-686HM	•	•	•	•
D07-686HM	•	•	•	•
D08-686HM		•	•	•



Full View Round Top

Door	2'8"	2'10"	3'0"
DO-636HM	•	•	•
D07-636HM	•	•	•



Full Oval

Door	2'8"	2'10"	3'0"
DO-919HM	•	•	•
D07-919HM	•	•	•
D08-919HM	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-607HM	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-684HM	•	•	•
DO8-684HM	•	•	•



Twin 1/2 View

Door	2'8"	2'10"	3'0"
DO-692HM	•	•	•



3/4 Oval

Door	2'8"	2'10"	3'0"
DO-949HM	•	•	•



3/4 Oval Scroll

Door	2'10"	3'0
DO-949HM-2S	•	•





Full View SL

Sidelight	10"	1'0"	1'2"	Sidelight
DO-690HM	•	•	•	DO-422HM
D08-690HM		•	•	D08-422HM



3/4 View SL

v /:	CI		- 1	12 1	r:	
Н			ш		J	
	1				Ш	F
d			-1			
ı	100		- 1			
п				-		
				ш	п	

1'0" 1'2" Sidelight

	172 VICTO 32		
	Sidelight	1'0"	1'2"
	DO-692HM	•	•
Ī	DO8-603HW	•	•

HEIRLOOMS



Elliptical 503HM (Fits above 3'-0" door w/ (2) 14" sidelights) 15-1/2" frame height

Elliptical 578HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Segment 532HM (Fits above 3'-0" door w/(2) 12" sidelights) – 15-1/2" frame height



Rectangular | Satin Nickel Only | 517HM (Fits above 3'-0" Door) — 13-1/2" frame height



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DO-607HM-1P	•	•	•
DO8-607HM-1P	•	•	•



Sunburst

Door	2'8"	2'10"	3'0"
DO-659HM	•	•	•



NOUVEAU

Nouveau (MN)

Glass Textures:

Clear Bevel Clusters Clear Bevels





Patina Caming



Nickel Caming



Brass Caming

Transoms

"Direct Set"

Rectangular 507MN

(Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular 521MN (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Elliptical 578MN

(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



6'8", 7'0" and 8'0" Doors and Sidelights



Full View

Door	2'6"	2'8"	2'10"	3'0"
DO-686MN	•	•	•	•
D07-686MN	•	•	•	•



Full Oval

Door	2'8"	2'10"	3'0"
DO-919MN	•	•	•
D07-919MN	•	•	•
DO8-919MN	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-607MN	•	•	•



3/4 View 1-Panel

3/1 VICW I Tallel					
Door	2'8"	2'10"	3'0"		
DO-607MN-1P	•	•	•		
D08-607MN-1P	•	•	•		



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-684MN	•	•	•
D08-684MN	•	•	•



Twin 1/2 View

Door	2'8"	2'10"	3'0"
DO-692MN	•	•	•



1/2 Vic

1/2 view Round Top				
Door	2'8"	2'10"	3'0"	
DO-637MN	•	•	•	



3/4 Oval

3/4 Ovai			
Door	2'8"	2'10"	3'0
DO-949MN	•	•	•



3/4 Oval Scroll

	Door	2'10" 3'	U.
DO-949MN-2S • •	DO-949MN-2S	•	•



Camber Top

Door	2'8"	2'10"	3'0'
DO-648MN	•	•	•





Sunburst Door DO-659MN

2'8" 2'10" 3'0"

• • •



uli view SL					
idelight	10"	1'0"	1'2"		
O-690MN	•	•	•		



3/4 View SL

Sidelight	1'0"	1'2"
DO-422MN	•	•
DO8-422MN	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DO-692MN	•	•
DO8-692MN	•	•

Bellflower (BLF)

Glass Textures:

Hammered Glass Thin Reed Glass Yellow Swirl Glass Clear Bevels Ruby Red & Olive Soft Wave Glass

Privacy Rating | 8





Patina Caming

Transoms - "Direct Set"



Rectangular 521BLF (Fits above 3'-0" door w/ (2) 12" sidelights) – 13-1/2" frame height



Full View

Door	2'8"	2'10"	3'0"
DO-686BLF	•	•	•
D07-686BLF	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-607BLF	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DO-607BLF-1P	•	•	•
DO8-607BLF-1P	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DO8-684BLF	•	•	•



Top Lite

100			
Door	2'8"	2'10"	3'0"
DO 663BLE			



Sidelight	10"	1'0"	1'2
DO-690BLF	•	•	•



3/4 View SL

Sidelight	1'0"	1'2"
DO-422BLF	•	•
DO8-422BLF	•	•



1/2 View SL

Sidelight	1'0"	1'2'
DO8-692BLF	•	•



OAK PARK

Oak Park (KP)

Glass Textures:

Clear Bevels Crinkle Glass Seedy Glass

Privacy Rating | 5






Transoms "Direct Set"



(Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular 521KP (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Full View

ruii view				
Door	2'6"	2'8"	2'10"	3'0"
DO-686KP	•	•	•	•
D07-686KP	•	•	•	•
D08-686KP		•	•	•



3/4 View 2-Panel

J/4 VICW 2 I dilci					
Door	2'8"	2'10"	3'0"		
DO-607KP	•	•	•		



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DO-607KP-1P	•	•	•
D08-607KP-1P	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-684KP	•	•	•
DO8-684KP	•	•	•



Twin 1/2 View

Door	2'8"	2'10"	3'0"
DO-692KP	•	•	•



Full View SL

Sidelight		10"	1'0"	1'2"
DO-690K	(P	•	•	•
D08-690	KP		•	•



3/4 View SL

Sidelight	1'0"	1'2"
DO-422KP	•	•
D08-422KP	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DO-692KP	•	•
DO8-692KP	•	•

Delray (DRY)

Glass Textures:
Alabaster Glass Clear Bevels
Hammered Glass Micro-Iced Granite Glass

Gray Soft Wave Glass





Patina Caming



Transoms "Direct Set"

Rectangular 521DRY (Fits above 3'-0" door w/ (2) 12" sidelights) – 13-1/2" frame height



Full View

Door	2'8"	2'10"	3'0"
DO-686DRY	•	•	•
DO7-686DRY	•	•	•
DO8-686DRY	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DO-607DRY-1P	•	•	•
DO8-607DRY-1P	•	•	•



3/4 View 2-Panel

	3/4 VICW 2 Tallet						
	Door	2'8"	2'10"	3'0"			
Ì	DO-607DRY	•	•	•			



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
D08-684DRY	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
DO-690DRY	•	•	•
DO8-690DRY		•	•



3/4 View SL		
Sidelight	1'0"	1'2"
DO-422DRY	•	•
DO8-422DRY	•	•



1/2 View SL

	1/2 11011 32			
'	Sidelight	1'0"	1'2"	
	D08-692DRY	•	•	



CADENCE

Cadence (CD)

Glass Textures: Clear Bevel Clusters Hammered Glass Ripple Glass

Privacy Rating | 5







Round Top 516CD (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height

6'8", 7'0" and 8'0" Doors and Sidelights



Full View

64

JELD-WEN.COM

Door	2'6"	2'8"	2'10"	3'0"
DO-686CD	•	•	•	•
D07-686CD	•	•	•	•
D08-686CD		•	•	•



Full Oval

Door	2'8"	2'10"	3'0"
DO-919CD	•	•	•
D07-919CD	•	•	•
D08-919CD	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-607CD	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DO-607CD-1P	•	•	•
DO8-607CD-1P	•	•	•





1/2 View 2-Panel

1/2 VIEW Z-Failei				
Door	2'8"	2'10"	3'0"	
D08-684CD	•	•	•	



3/4 Oval

riew z-Panei			3/4 Ovai				
	2'8"	2'10"	3'0"	Door	2'8"	2'10"	3'0"
684CD	•	•	•	DO-949CD	•	•	•



Door	2'10"	3'0"
DO-949CD-2S	•	•



Full View SL

10"	1'0"	1'2"
•	•	•
	•	•
	10"	10" 1'0"



3/4 View SL

57 1 11011 52		
Sidelight	1'0"	1'2"
DO-422CD	•	•
D08-422CD	•	•



1/2 View SL

Sidelight	1'0"	1'2"
D08-692CD	•	•

DO = 6'8" DO7 = 7'0" DO8 = 8'0"

Greenfield (GRF)

Glass Textures:

Thin Reed Glass Pale Amber & Olive Soft Wave Glass







Oil-Rubbed Bronze

Transoms - "Direct Set"



Rectangular 521GRF (Fits above 3'-0" door w/ (2) 12" sidelights) -13-1/2" frame height



Full View

Door	2'6"	2'8"	2'10"	3'0"
DO-686GRF	•	•	•	•
D07-686GRF	•	•	•	•
D08-686GRF		•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-607GRF	•	•	•



3/4 VIEW 1-P	anei		
Door	2'8"	2'10"	3'0"
DO-607GRF-1P	•	•	•
DO8-607GRE-1P			



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-684GRF	•	•	•
D08-684GRF	•	•	•



Full Vi





1/2	View	ς
1/2	VICVV	_

Full View SL				3/4 View SL			1/2 View SL		
Sidelight	10"	1'0"	1'2"	Sidelight	1'0"	1'2"	Sidelight	1'0"	1'2"
DO-690GRF	•	•	•	DO-422GRF	•	•	D08-692GRF	•	•
D08-690GRF		•	•	D08-422GRF	•	•			



IMPRESSIONS

Impressions (LI)

Glass Textures:

Clear Bevels Iced Granite Glass Streamed Glass Clear Renaissance Glass





Transoms



Rectangular 507LI (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height



Full View

Door	2'8"	2'10"	3'0"
DO-686LI	•	•	•
D07-686LI	•	•	•
D08-686LI	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DO8-607LI-1P	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-684LI	•	•	•



Twin 1/2 View

Door	2'8"	2'10"	3'0"
DO-692LI	•	•	•



3/4 Oval

Door	2'8"	2'10"	3'0"
DO-949LI	•	•	•



3/4 Oval Scroll

ĺ	Door	2'10"	3'0"
	DO-949LI-2S	•	•



Sunburst

Door	2'8"	2'10"	3'0"
DO-659LI	•	•	•





Full View SL

Sidelight	10"	1'0"	1'2"
DO-690LI	•	•	•
DO8-690LI		•	•



3/4 View SL

Sidelight	1'0"	1'2"
DO8-422LI	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DO-692LI	•	•

Mohave (MOH)

Glass Textures: Micro-Iced Granite Glass Gray Soft Wave Glass Bronze Soft Wave Glass

Streamed Glass Small Hammered Glass









Full View

Doo	r	2'6"	2'8"	2'10"	3'0"
DM-	686MOH	•	•	•	•
DM	7-686MOH	•	•	•	•
DM	8-686MOH		•	•	•

3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-607MOH	•	•	•





3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DM-607MOH-1P	•	•	•
DM8-607MOH-1P	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DM-684MOH	•	•	•
DM8-684MOH	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
DM-690MOH	•	•	•
DM8-690MOH		•	•




3/4 View SL

Sidelight	1'0"	1'2"
DM-422MOH	•	•
DM8-422MOH	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DM-692MOH	•	•
DM8-692MOH	•	•



BRISTOL


Bristol (BT)

Glass Textures: Clear Bevel Clusters

Granite Glass

Clear Bevels





Transoms



Rectangular 506BT

(Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Full View

Door	2'6"	2'8"	2'10"	3'0"
DO-686BT	•	•	•	•
D07-686BT	•	•	•	•
DO8-686BT		•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-607BT	•	•	•



3/4 view i-Panei			
Door	2'8"	2'10"	3'0"
DO-607BT-1P	•	•	•
DO8-607BT-1P	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-684BT	•	•	•
DO8-684BT	•	•	•



Twin 1/2 View

Door	2'8"	2'10"	3'0"
DO-692BT	•	•	•



3/4 Oval

Door	2'8"	2'10"	3'0"
DO-949RT			•



3/4 Oval Scroll

3/4 Oval Scroll				
Door	2'10"	3'0"		
DO-949BT-2S	•	•		



Top Lite

Door	2'8"	2'10"	3'0"
DO-662RT			•





Full View SL

Sidelight	10"	1'0"	1'2"
DO-690BT	•	•	•
DO8-690BT		•	•



3/4 View SL

Sidelight	1'0"	1'2"
DO-422BT	•	•
DO8-422BT	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DO-692BT	•	•
DO8-692BT	•	•

Paris (PS)

Glass Textures: Clear Bevels Arctic Glass Clear Renaissance Glass








Patina Caming

Transoms - "Direct Set"



Rectangular 507PS (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular 521PS (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Full View

ruii view					
Door	2'6"	2'8"	2'10"	3'0"	
DO-686PS	•	•	•	•	
D07-686PS	•	•	•	•	
DO8-686PS		•	•	•	



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-607PS	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DO-607PS-1P	•	•	•
DO8-607PS-1P	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-684PS	•	•	•
DO8-684PS	•	•	•



Twin 1/2 View

100111 1/2 010			
Door	2'8"	2'10"	3'0"
DO-692PS	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
DO-690PS	•	•	•
DO8-690PS		•	•



3/4 View SL

Sidelight	1'0"	1'2"
DO-422PS	•	•
DO8-422PS	•	•



1/2 View SL

.,	•	
Sidelight	1'0"	1'2"
DO-692PS	•	•
DO8-692PS		•



JACINTO

Jacinto (JA) Glass Textures:

Privacy Rating | 9





Wrought Iron

Transoms - "Direct Set"



Rectangular 507JA (Fits above 3'-0" door w/ (2) 14" sidelights) – 15-1/2" frame height

Rectangular 521JA (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



(Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Full View

Door	2'6"	2'8"	2'10"	3'0"
DO-686JA	•	•	•	•
D07-686JA	•	•	•	•
D08-686JA		•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-607JA	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DO-607JA-1P	•	•	•
DO8-607JA-1P	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-684JA	•	•	•
DO8-6841A	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
DO-690JA	•	•	•
DO8-690JA		•	•



3/4 View SL

Sidelight	1'0"	1'2"
DO-422JA	•	•
D08-422JA	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DO8-692JA	•	•

MAJESTIC

Majestic (ME)

Glass Textures:

Glue Chip Bevels Glue Chip Glass Gray Soft Wave Glass







Patina Caming





Transoms - "Direct Set"



Rectangular 507ME – Brass or Nickel Only (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular 521ME (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Full View

Door	2'6"	2'8"	2'10"	3'0"
DO-686ME	•	•	•	•
DO7-686ME	•	•	•	•
DO8-686ME		•	•	•

2'6" and DO8 - Brass or Nickel only




3/4 View 2-Panel

Door	2'8"	2'10"	3'0
DO-607ME	•	•	•
Brass or Nickel only			



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DO-607ME-1P	•	•	•
DO8-607ME-1P	•	•	•





1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-684ME	•	•	•
DO8-684ME	•	•	•

DO8 - Brass or Nickel only



Twin 1/2 View

Door	2'8"	2'10"	3'0"
DO-692ME	•	•	•



1/2 View Round Top

	Door	2'8"	2'10"	3'0"
	DO-637ME	•	•	•
Brass or Nickel only				



Full View SL

Sidelight	10"	1'0"	1'2"
DO-690ME	•	•	•
DO8-690ME		•	•

DO8 - Brass or Nickel only



3/4 View SL

JIT VICVO JE			
Sidelight	1'0"	1'2"	
DO-422ME	•	•	
DO8-422MF	•	•	

DO-422ME Brass or Nickel only



1/2 View SL

1/2 01000	JL	
Sidelight	1'0"	1'2'
DO-692ME	•	•
DO8-692M	E •	•

DO8 - Brass or Nickel only



PRAIRIE BEVEL

Prairie Bevel (PR)

Glass Textures:

Clear Bevels Thin Reed Glass Granite Glass










6'8", 7'0" and 8'0" Doors and Sidelights



Full View





3/4 View 2-Panei			
Door	2'8"	2'10"	3'0"
DO-607PR	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
DO-607PR-1P	•	•	•
DO8-607PR-1P	•	•	•



Twin 1/2 View

Door	2'8"	2'10"	3'0"
DO-692PR	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-684PR	•	•	•
DO8-684PR	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
DO-690PR	•	•	•



3/4 View SL

Sidelight	1'0"	1'2"
DO-422PR	•	•
DO8-422PR	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DO-692PR	•	•
DO8-692PR	•	•

Topaz (TPZ)

Glass Textures:

Micro-Granite Glass Bronze Soft Wave Glass

Clear Bevel







Patina Caming



Full View

Door	2'6"	2'8"	2'10"	3'0"
DO-686TPZ	•	•	•	•
D07-686TPZ	•	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
DO-607TPZ	•	•	•



3/4 View 1-Panel

3/4 VIEW I-Fallel					
Door	2'8"	2'10"	3'0"		
DO-607TPZ-1P	•	•	•		
DO8-607TPZ-1P	•	•	•		



Twin 1/2 View

Door	2'8"	2'10"	3'0"
DO-692TPZ	•	•	•



1/2 View 2-Panel

1/2 VIEW 2-1 dilei						
Door	2'8"	2'10"	3'0"			
D0-684TPZ	•	•	•			
D08-684TPZ	•	•	•			



Top Lite

- 1			
Door	2'8"	2'10"	3'0"
DO-662TPZ	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
D0-690TPZ	•	•	•



3/4 View SL

Sidelight	1'0"	1'2"
DO-422TPZ	•	•
DO8-422TP7		•



1/2 View SL

	Sidelight	1'0"	1'2"
	DO-692TPZ	•	•
	DO8-692TPZ	•	•



Design-Pro Fin



6'8", 7'0" and 8'0" Panel Doors



6-Panel

Door	2'6"	2'8"	2'10"	3'0"
DF-60	•	•	•	•
DF7-60		•	•	•
DF8-60		•	•	•



2-Panel Square Top

Door	2'8"	2'10"	3'0"	
DF-21	•	•	•	
DF7-21	•	•	•	
DF8-21	•	•	•	



2-Panel Arch Top

2-1 dilei Alcii Top					
Door	2'8"	2'10"	3'0"		
DF-20	•	•	•		
DF7-20	•	•	•		
DF8-20	•	•	•		



2-Panel Plank Arch Top

2 Turici Flurik Arch Top					
Door	2'8"	2'10"	3'0"		
DF-24	•	•	•		
DF7-24	•	•	•		
DF8-24	•	•	•		

DF = 6'8" DF7 = 7'0" DF8 = 8'0"

The distinctive look of Fir sets your front door apart from the rest. The texture of Fir woodgrain is smooth with a straight even grain creating a beautiful entry door.







DIRECT GLAZE

New!



- Wider Viewing Area
- Easy to Clean
- No Screw Holes or Plugs
- Low-E Energy Efficient Glass available in Clear and Micro-Granite

Craftsman

6'8", 7'0" and 8'0" Doors and Sidelights



Craftsi	

Door	2'8"	2'10"	3'0"
DFC-866DG-LE	•	•	•
DFC7-866DG-LE	•	•	•
DFC8-866DG-LE	•	•	•
DFC-866DG-MG	•	•	•
DFC7-866DG-MG	•	•	•
DFC8-866DG-MG	•	•	•
DFC-866DG-GRF	•	•	•
DFC7-866DG-GRF	•	•	•
DFC8-866DG-GRF	•	•	•
DFC-866DG-KP	•	•	•
DFC7-866DG-KP	•	•	•
DFC8-866DG-KP	•	•	•
DFC-866DG-TPZ	•	•	•
DFC7-866DG-TPZ	•	•	•
DFC8-866DG-TPZ	•	•	•



Beadboard

Door	2'8"	2'10"	3'0"
DFB-866DG-LE	•	•	•
DFB7-866DG-LE	•	•	•
DFB8-866DG-LE	•	•	•
DFB-866DG-MG	•	•	•
DFB7-866DG-MG	•	•	•
DFB8-866DG-MG	•	•	•
DFB-866DG-GRF	•	•	•
DFB7-866DG-GRF	•	•	•
DFB8-866DG-GRF	•	•	•
DFB-866DG-KP	•	•	•
DFB7-866DG-KP	•	•	•
DFB8-866DG-KP	•	•	•
DFB-866DG-TPZ	•	•	•
DFB7-866DG-TPZ	•	•	•
DFB8-866DG-TPZ	•	•	•




Craftsman SL

Sidelight	1'0"	1'2"
DFC-820DG-LE	•	•
DFC7-820DG-LE	•	•
DFC8-820DG-LE	•	•
DFC-820DG-MG	•	•
DFC7-820DG-MG	•	•
DFC8-820DG-MG	•	•
DFC-820DG-GRF	•	•
DFC7-820DG-GRF	•	•
DFC8-820DG-GRF	•	•
DFC-820DG-KP	•	•
DFC7-820DG-KP	•	•
DFC8-820DG-KP	•	•
DFC-820DG-TPZ	•	•
DFC7-820DG-TPZ	•	•
DFC8-820DG-TPZ	•	•



Beadboard SL		
Sidelight	1'0"	1'2"
DFB-820DG-LE	•	•
DFB7-820DG-LE	•	•
DFB8-820DG-LE	•	•
DFB-820DG-MG	•	•
DFB7-820DG-MG	•	•
DFB8-820DG-MG	•	•
DFB-820DG-GRF	•	•
DFB7-820DG-GRF	•	•
DFB8-820DG-GRF	•	•
DFB-820DG-KP	•	•
DFB7-820DG-KP	•	•
DFB8-820DG-KP	•	•
DFB-820DG-TPZ	•	•
DFB7-820DG-TPZ	•	•
DFB8-820DG-TPZ	•	•



Clear Low-E (LE)



Micro-Granite (MG)



Greenfield (GRF)



Oak Park (KP)



Topaz (TPZ)

Optional Shelf

6'8", 7'0" and 8'0" Doors and Sidelights - Clear Glass Low-E



Full View

Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
DF-686DG-LE	•	•*	•	•	•	•
DF7-686DG-LE	•	•*	•	•	•	•
DF8-686DG-LE			•*	•	•	•



Full View SL

Sidelight	1'0"	1'2"
DF-690DG-LE	•	•
DF7-690DG-LE	•	•
DF8-690DG-LE	•	•

Craftsman

6'8" and 7'0" Clear Glass Doors and Sidelights



Ciarconnan			
Door	2'8"	2'10"	3'0"
DFC-866LE	•	•	•
DFC7-866LE	•	•	•





Craftsman SL

Sidelight	1'0"	1'2"
DFC-820LE	•	•
DFC7-820LE	•	•
Low-E Only		



Craftsman Full View SL

6:11:1:	4101	41011
Sidelight	1'0"	1'2"
DFC-819LE	•	•
DFC7-819LE	•	•
Low-E Only		



6'8", 7'0" and 8'0" Clear Glass Doors and Sidelights



Full View

Door	2'6"	2'8"	2'10"	3'0'
DF-686LE	•	•	•	•
DF7-686LE		•	•	•
DF8-686LE		•	•	•

Low-E Only



1/2 View 2-Panel

.,	۵				
Door	2'6"	2'8"	2'10"	3'0"	
DF-684LE	•	•	•	•	
DF7-684LE		•	•	•	
DF8-684CL		•	•	•	

DF/DF7-684LE Low-E Only



1/2 View 1-Panel

1/2 VIEW I-Fallel						
Door	2'8"	2'10"	3'0"			
DF-684LE-1P	•	•	•			
DF7-684LE-1P	•	•	•			
DF8-684CL-1P	•	•	•			

DF/DF7-684LE-1P Low-E Only



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
DF-684LE-1PL	•	•	•
DF7-684LE-1PL	•	•	•
DF8-684CL-1PL	•	•	•

DF/DF7-684-1PL Low-E Only



1/2 View 1-Panel Camber Top

Door	2'8"	2'10"	3'0"
DF-673CL-1P	•	•	•
DF7-673CL-1P	•	•	•



1/2 View 1-Panel Plank **Camber Top**

Door	2'8"	2'10"	3'0"
DF-673CL-1PL	•	•	•
DF7-673CL-1PL	•	•	•



Twin Top Lite

Door	2'8"	2'10"	3'0"
DF-680CL	•	•	•
DF7-680CL	•	•	•
Clear Only			



Full View SL

Sidelight	1'0"	1'2'
DF-690CL	•	•
DF7-690CL	•	•
DF8-690LE	•	•

DF8-690LE Low-E Only



1/2 View SL

Sidelight	1'0"	1'2"
DF-692LE	•	•
DF7-692LE	•	•
DF8-692CL	•	•

DF/DF7-692LE Low-E Only

FIXED EXTERNAL GRILLES

Fixed External Grilles (FG) 5/8" Grille

Available in Stainable Tan



6'8", 7'0" and 8'0" Doors and Sidelights



Full View 15-Lite (18-Lite - 8'0")

Door	2'6"	2'8"	2'10"	3'0"	
DF-686FG15	•	•	•	•	
DF7-686FG15		•	•	•	
DF8-686FG18		•	•	•	



1/2 View 1-Panel 9-Lite (12-Lite - 8'0")

Door	2'8"	2'10"	3'0"
DF-684FG9-1P	•	•	•
DF7-684FG9-1P	•	•	•
DF8-684FG12-1P	•	•	•



Full View 5-Lite SL (6-Lite - 8'0")

Sidelight	1'0"	1'2"
DF-690FG5	•	•
DF7-690FG5	•	•
DF8-690FG6	•	•



Full View 10-Lite (12-Lite - 8'0")

•				
Door	2'6"	2'8"	2'10"	3'0"
DF-686FG10	•	•	•	•
DF7-686FG10		•	•	•
DF8-686FG12		•	•	•



1/2 View 1-Panel Plank 9-Lite (12-Lite - 8'0")

Door	2'8"	2'10"	3'0"
DF-684FG9-1PL	•	•	•
DF7-684FG9-1PL	•	•	•
DF8-684FG12-1PL	•	•	•



1/2 View 2-Panel 9-Lite (12-Lite - 8'0")

Door	2'6"	2'8"	2'10"	3'0"
DF-684FG9	•	•	•	•
DF7-684FG9		•	•	•
DF8-684FG12		•	•	•



4-Lite

Door	2'8"	2'10"	3'0"
DF-662FG4	•	•	•
DF7-662FG4	•	•	•
Clear Only			



1/2 View 3-Lite SL (4-Lite - 8'0")

Sidelight	1'0"	1'2"
DF-692FG3	•	•
DF7-692FG3	•	•
DF8-692FG4	•	•

@ Low-E Glass available, check with your local dealer for availability of clear (CL) glass.

SIMULATED DIVIDED LITES

Simulated Divided Lites (SD) Craftsman Style 7/8" Grille

Available in Stainable Tan



Low-E glass standard on all SDL glass options.



Simulated Divided Lites (SD) Traditional Style 1-1/8" Grille

Available in Stainable Tan



Low-E glass standard on all SDL glass options.



Craftsman

6'8" and 7'0" Doors

Craftsman Style 7/8" Grille





Craftsman 3-Lite

Door	2'8"	2'10"	3'0"
DFC-866SD3-LE	•	•	•
DFC7-866SD3-LE	•	•	•



Craftsman 6-Lite

Door	2'8"	2'10"	3'0'
DFC-866SD6-LE	•	•	•
DFC7-866SD6-LE	•	•	•

6'8", 7'0" and 8'0" Doors and Sidelights - Traditional Style 1-1/8" Grille



Full View 8-Lite

Tall View o El				
Door	2'6"	2'8"	2'10"	3'0"
DF-686SD8-LE	•	•	•	•
DF7-686SD8-LE		•	•	•



$e^{\parallel \parallel \parallel \parallel \parallel \parallel}$			
1/2 View 2-Pa	nel 4	l-Lite	
Door	2'8"	2'10"	3'0"



1/2 View 2-Panel 6-Lite 2'8" 2'10" 3'0" DF8-684SD6-LE • • •



1/2 View 1-Panel 4-Lite 2'8" 2'10" 3'0" DF8-684SD4-LE-1P • • •



1/2 View 1-Panel 6-Lite 2'8" 2'10" 3'0" Door DF8-684SD6-LE-1P • • •



1/2 View 1-Panel Plank 4-Lite

Door	2'8"	2'10"	3'0"
DF8-684SD4-LE-1PL	•	•	•



1/2 View 1-Panel Plank 6-Lite

Door	2'8"	2'10"	3'0
DF8-684SD6-LE-1PL	•	•	•



Full View 4-Lite SL

1			
	Sidelight	1'0"	1'2"
	DF-690SD4-LE	•	•
	DF7-690SD4-LE	•	•
	DF-690SD4-LE	•	•



1/2 View 2-Lite SL

Sidelight	1'0"	1'2"
DF8-692SD2-LE	•	•



1/2 View 3-Lite SL

Sidelight	1'0"	1'2"
DF8-692SD3-LE	•	•

BLINDS BETWEEN GLASS

Blinds Between the Glass (RLB) Raise, Lower and Tilt Doorglass Blinds





No dusting

No dangling cords or swinging blinds

Single operator lets you raise, lower and





6'8", 7'0" and 8'0" Doors and Sidelights



Full View

Door	2'6"	2'8"	2'10"	3'0"
DF-686RLB	•	•	•	•
DF7-686RLB		•	•	•
DF8-686RLB		•	•	•



1/2 View 2-Panel

Door	2'6"	2'8"	2'10"	3'0"
DF-684RLB	•	•	•	•
DF7-684RLB		•	•	•
DF8-684RLB		•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DF-684RLB-1P	•	•	•
DF7-684RLB-1P	•	•	•
DF8-684RLB-1P	•	•	•



1/2 View 1-Panel Plank

1/2 VICVV I I dilettidik					
Door	2'8"	2'10"	3'0"		
DF-684RLB-1PL	•	•	•		
DF7-684RLB-1PL	•	•	•		
DF8-684RLB-1PL	•	•	•		



Sidelight	1'0"	1'2"
DF-690RLB	•	•
DF7-690RLB	•	•
DF8-690RLB	•	•



1/2 View SL

Sidelight	1'0"	1'2'
DF-692RLB	•	•
DF7-692RLB	•	•

6'8" and 7'0" Doors and Sidelights with Tan Blinds



Full View

Door	2'6"	2'8"	2'10"	3'0"
DF-686RLB	•	•	•	•
DF7-686RLB		•	•	•



1/2 View 2-Panel

Door	2'6"	2'8"	2'10"	3'0"
DF-684RLB	•	•	•	•
DF7-684RLB		•	•	•
21611 61 0				





1/2 View 1-Panel

	Door	2'8"	2'10"	3'0"
Ì	DF-684RLB-1P	•	•	•
	DF7-684RLB-1P	•	•	•



1/2 View 1-Panel Plank

	2'8"	2'10"	3'0"	D	oor	2'8"	2'10"	3'0
	•	•	•	D	F-684RLB-1PL	•	•	•
)	•	•	•	D	F7-684RLB-1PL	•	•	•



Full View SL

Sidelight	1'0"	1'2"
DF-690RLB	•	•
DF7-690RLB	•	•

PRIVACY GLASS



Textured Rain Glass (RN)



Textured Double Glue Chip (DGC)



Textured Micro-Granite (MG)

Low-E glass standard on all Privacy glass options.

Privacy Rating | 9



Craftsman

6'8" and 7'0" Doors - Craftsman Style 7/8" Grille (SDL)



Craftsman 1-Lite

Door	2'8"	2'10"	3'0"
DFC-866RN	•	•	•
DFC7-866RN	•	•	•
DFC-866DGC	•	•	•
DFC7-866DGC	•	•	•
DFC-866MG	•	•	•
DFC7-866MG	•	•	•



Craftsman 3-Lite SDL

Door	2'8"	2'10"	3'0"
DFC-866SD3-RN	•	•	•
DFC7-866SD3-RN	•	•	•
DFC-866SD3-DGC	•	•	•
DFC7-866SD3-DGC	•	•	•
DFC-866SD3-MG	•	•	•
DFC7-866SD3-MG	•	•	•



Craftsman 6-Lite SDL

C. G. (5)G. (5		1-	
Door	2'8"	2'10"	3'0"
DFC-866SD6-RN	•	•	•
DFC7-866SD6-RN	•	•	•
DFC-866SD6-DGC	•	•	•
DFC7-866SD6-DGC	•	•	•
DFC-866SD6-MG	•	•	•
DFC7-866SD6-MG	•	•	•





Cuaftanaan Cl

	_	
Sidelight	1'0"	1'2"
DFC-820MG	•	•
DFC7-820MG	•	•



Craftsman Full View SL

Crarcomani	un v	
Sidelight	1'0"	1'2"
DFC-819RN	•	•
DFC7-819RN	•	•
DFC-819DGC	•	•
DFC7-819DGC	•	•
DFC-819MG	•	•
DFC7-819MG	•	•



PRIVACY GLASS



Textured Rain Glass (RN)



Textured Double Glue Chip (DGC)



Textured Micro-Granite (MG)

Low-E glass standard on all Privacy glass options.

Privacy Rating | 9



6'8", 7'0" and 8'0" Doors and Sidelights



Full View

	_		_	_
Door	2'6"	2'8"	2'10"	3'0"
DF-686RN	•	•	•	•
DF7-686RN		•	•	•
DF8-686RN		•	•	•
DF-686DGC	•	•	•	•
DF7-686DGC		•	•	•
DF8-686DGC		•	•	•
DF-686MG	•	•	•	•
DF7-686MG		•	•	•
DF8-686MG		•	•	•



1/2 View 2-Panel

2'8"	2'10"	3'0"
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
	2'8"	2'8" 2'10"



1/2 View 2-Panel 12-Lite

1/2 VICW 2 I UI	101 12	LICC	
Door	2'8"	2'10"	3'0"
DF8-684FG12-RN	•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DF8-684RN-1P	•	•	•
DF-684DGC-1P	•	•	•
DF7-684DGC-1P	•	•	•
DF8-684DGC-1P	•	•	•
DF8-684MG-1P	•	•	•



1/2 View 1-Panel 12-Lite

Door	2'8"	2'10"	3'0"
DF8-684FG12-RN-1F		•	•



1/2 View 1-Panel Plank

1/2 VIEW I-Fall	iei Fi	alik	
Door	2'8"	2'10"	3'0"
DF8-684RN-1PL	•	•	•
DF-684DGC-1PL	•	•	•
DF7-684DGC-1PL	•	•	•
DF8-684DGC-1PL	•	•	•
DF8-684MG-1PL	•	•	•



1/2 View 1-Panel Plank 12-Lite

Door	2'8"	2'10"	3'0"
DF8-684FG12-RN-1PL	•	•	•



1/2 View 1-Panel Camber Top

Door	2'8"	2'10"	3'0"
DF-673RN-1P	•	•	•
DF7-673RN-1P	•	•	•



1/2 View 1-Panel Plank **Camber Top**

Door	2'8"	2'10"	3'0"
DF-673RN-1PL	•	•	•
DF7-673RN-1PL	•	•	•



Full View SL

uli view JL		
Sidelight	1'0"	1'2"
DF-690RN	•	•
DF7-690RN	•	•
DF-690DGC	•	•
DF7-690DGC	•	•
DF8-690DGC	•	•
DF-690MG	•	•
DF7-690MG	•	•
DF8-690MG	•	•



1/2 View SL

I/Z VIEW JL		
Sidelight	1'0"	1'2"
DF-692RN	•	•
DF7-692RN	•	•
DF-692DGC	•	•
DF7-692DGC	•	•

NOUVEAU

Nouveau (MN)

Glass Textures: Clear Bevel Clusters Glue Chip Glass Clear Bevels

Privacy Rating | 6





6'8", 7'0" and 8'0" Doors and Sidelights



Nickel Caming



Brass Caming

Transoms - "Direct Set"



Rectangular 507MN (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular 521MN (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Elliptical 578MN (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Full View

Door	2'6"	2'8"	2'10"	3'0"
DF-686MN	•	•	•	•
DF7-686MN		•	•	•



1/2 View 2-Panel

Door	2'6"	2'8"	2'10"	3'0"
DF-684MN	•	•	•	•
DF7-684MN		•	•	•
DF8-684MN		•	•	•



1/2 View 1-Panel

1/2 VICW I Tullel					
Door	2'8"	2'10"	3'0"		
DF-684MN-1P	•	•	•		
DF7-684MN-1P	•	•	•		
DF8-684MN-1P	•	•	•		



1/2 View 1-Panel Plank

1/2 VICW I Tallet Halle					
Door	2'8"	2'10"	3'0"		
DF-684MN-1PL	•	•	•		
DF7-684MN-1PL	•	•	•		
DF8-684MN-1PI	•	•	•		




Full View SL

Sidelight	1'0"	1'2"
DF-690MN	•	•
DF7-690MN	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DF-692MN	•	•
DF7-692MN	•	•
DF8-692MN	•	•



HEIRLOOMS

Heirlooms (HM)

Glass Textures: Clear Bevel Clusters Granite Glass

Privacy Rating | 6







6'8", 7'0" and 8'0" Doors and Sidelights



Full View

Door	2'6"	2'8"	2'10"	3'0"
DF-686HM	•	•	•	•
DF7-686HM		•	•	•
DF8-686HM		•	•	•



1/2 View 2-Panel

Door	2'6"	2'8"	2'10"	3'0"
DF-684HM	•	•	•	•
DF7-684HM		•	•	•
DF8-684HM		•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DF-684HM-1P	•	•	•
DF7-684HM-1P	•	•	•
DF8-684HM-1P	•	•	•





Rectangular 506HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular 507HM

(Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular 521HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Elliptical 503HM

(Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Segment 532HM

(Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Rectangular | Satin Nickel Only | 517HM (Fits above 3'-0" Door) — 13-1/2" frame height



1/2 View 1-Panel Plank

1/2 VICVV	i dilci	I IGITIK	•
Door	2'8"	2'10"	3'0"
DF-684HM-11	PL •	•	•
DF7-684HM-	1PL •	•	•
DF8-684HM-	1PL •	•	•



Full View SI

I dii view 3L			
Sidelight	1'0"	1'2"	
DF-690HM	•	•	
DF7-690HM	•	•	
DF8-690HM	•	•	



1/2 View SL

Sidelight	1'0"	1'2"
DF-692HM	•	•
DF7-692HM	•	•
DF8-692HM	•	•

BELLFLOWER

Bellflower (BLF)

Glass Textures:

Hammered Glass
Yellow Swirl Glass
Ruby Red & Olive Soft Wave Glass

Privacy Rating | 8





Patina Caming

Transoms - "Direct Set"



Rectangular 521BLF

(Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Craftsman

6'8"and 7'0"

Doors and Sidelights



Optional Shelf




Craftsman

Door	2'8"	2'10"	3'0"
DFC-866BLF	•	•	•
DFC7-866BLF	•	•	•



Craftsman Full View SL

Sidelight	1'0"	1'2"
DFC-819BLF	•	•
DFC7-819BLF	•	•



6'8", 7'0" and 8'0" Panel Doors



Full View

Door	2'8"	2'10"	3'0"
DF-686BLF	•	•	•
DF7-686BLF	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DF8-684BLF	•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DF8-684BLF-1P	•	•	•



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
DF8-684BLF-1PL	•	•	•



Top Lite

Door	2'8"	2'10"	3'0"
DF-662BLF	•	•	•
DF7-662BLF	•	•	•



Full View SL

Sidelight	1'0"	1'2"
DF-690BLF	•	•
DF7-690BLF	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DF8-692BLF	•	•



OAK PARK

Oak Park (KP)

Glass Textures:

Clear Bevels Crinkle Glass Seedy Glass

Privacy Rating | 5





Transoms - "Direct Set"



Rectangular 507KP (Fits above 3'-0" door w/ (2) 14" sidelights) – 15-1/2" frame height

Rectangular 521KP (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Craftsman

6'8", 7'0" and 8'0"

Doors and Sidelights





Craftsman 2'8" 2'10" 3'0" Door DFC-866KP DFC7-866KP



Craftsman SL 1'0" 1'2" Sidelight DFC-820KP DFC7-820KP



DFC7-819KP

Craftsman Full View SL 1'0" 1'2" Sidelight DFC-819KP

•



Full View

Door	2'6"	2'8"	2'10"	3'0"
DF-686KP	•	•	•	•
DF7-686KP		•	•	•
DF8-686KP		•	•	•



1/2 View 2-Panel

1/2 VICW 2 I dilci					
Door	2'8"	2'10"	3'0"		
DF-684KP	•	•	•		
DF7-684KP	•	•	•		
DF8-684KP	•	•	•		



1/2 View 1-Panel

1/2 VICW I Tullel				
	Door	2'8"	2'10"	3'0"
	DF-684KP-1P	•	•	•
	DF7-684KP-1P	•	•	•
	DF8-684KP-1P	•	•	•



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
DF-684KP-1PL	•	•	•
DF7-684KP-1PL	•	•	•
DF8-684KP-1PL	•	•	•





ruli view 3L		
Sidelight	1'0"	1'2"
DF-690KP	•	•
DF7-690KP	•	•
DEG COUND		



1/2 View SL

1'0"	1'2"	Side	elight	1'0"	1'2'
•	•	DF-6	692KP	•	•
•	•	DF7	-692KP	•	•
•	•	DF8	-692KP	•	•

Delray (DRY)

Glass Textures:

Alabaster Glass Clear Bevels Hammered Glass Micro-Iced Granite Glass

Gray Soft Wave Glass





Patina Caming



Transoms "Direct Set"

Rectangular 521DRY (Fits above 3'-0" door w/ (2) 12" sidelights) – 13-1/2" frame height



Full View

Door	2'8"	2'10"	3'0"
DF-686DRY	•	•	•
DF7-686DRY	•	•	•
DF8-686DRY	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DF8-684DRY	•	•	•



1/2 View 1-Panel

	-		
Door	2'8"	2'10"	3'0"
DF8-684DRY-1P	•	•	•



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
DF8-684DRY-1PL	•	•	•




Full View SL

Sidelight	1'0"	1'2"
DF-690DRY	•	•
DF7-690DRY	•	•
DF8-690DRY	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DF8-692DRY	•	•



CADENCE

Cadence (CD)

Glass Textures: Clear Bevel Clusters Hammered Glass Ripple Glass

Privacy Rating | 5









Round Top 516CD (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height



Full View

Door	2'8"	2'10"	3'0"
DF-686CD	•	•	•
DF7-686CD	•	•	•
DF8-686CD	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DF8-684CD	•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DF8-684CD-1P	•	•	•



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
DF8-684CD-1PL	•	•	•



Sidelight	1'0"	1'2"
DF-690CD	•	•
DF7-690CD	•	•
DF8-690CD	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DF8-692CD	•	•



GREENFIELD


Greenfield (GRF)

Glass Textures:

Small Hammered Glass Pale Amber & Olive Soft Wave Glass

Privacy Rating | 7





Transoms - "Direct Set"



Rectangular 521GRF (Fits above 3'-0" door w/ (2) 12" sidelights) -13-1/2" frame height

Craftsman

6'8" and 7'0"

Door and Sidelights





Craftsman

Door	2'8"	2'10"	3'0"
DFC-866GRF	•	•	•
DFC7-866GRF	•	•	•



Craftsman SL

Sidelight	1'0"	1'2"
DFC-820GRF	•	•
DFC7-820GRF	•	•



Craftsman Full View SL

Sidelight	1'0"	1'2"
DFC-819GRF	•	•
DFC7-819GRF	•	•



Full View

Tull view					
Door	2'6"	2'8"	2'10"	3'0"	
DF-686GRF	•	•	•	•	
DF7-686GRF		•	•	•	
DF8-686GRF		•	•	•	



1/2 View 2-Panel

1/2 VICW 2 I dilci						
Door	2'6"	2'8"	2'10"	3'0"		
DF-684GRF	•	•	•	•		
DF7-684GRF		•	•	•		
DF8-684GRF		•	•	•		



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DF-684GRF-1P	•	•	•
DF7-684GRF-1P	•	•	•
DE8-684GRE-1P	•	•	•



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
DF-684GRF-1PL	•	•	•
DF7-684GRF-1PL	•	•	•
DF8-684GRF-1PL	•	•	•



ull View SL		
Sidelight	1'0"	1'2"
DF-690GRF	•	•
DF7-690GRF	•	•
DF8-690GRF	•	•



1/2 View SL

1'0"	1'2"	Sidelight	1'0"	1'2"
•	•	DF8-692GRF	•	•
•	•			



IMPRESSIONS

Impressions (LI)

Glass Textures:

Clear Bevels Iced Granite Glass
Streamed Glass Clear Renaissance Glass



Transoms - "Direct Set"



Rectangular 507L1 (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height









Full View

i all vievv			
Door	2'8"	2'10"	3'0"
DF-686LI	•	•	•
DF7-686LI	•	•	•
DF8-686LI	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0'
DF-684LI	•	•	•
DF7-684LI	•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DF-684LI-1P	•	•	•
DF7-684LI-1P	•	•	•



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
DF-684LI-1PL	•	•	•
DF7-684LI-1PL	•	•	•



Full View SL

Sidelight	1'0"	1'2"
DF-690LI	•	•
DF7-690LI	•	•
DF8-690LI	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DF-692LI	•	•

Mohave (MOH)

Glass Textures: Micro-Iced Granite Glass Gray Soft Wave Glass Bronze Soft Wave Glass

Privacy Rating | 7

Streamed Glass Small Hammered Glass



Oil-Rubbed Bronze



Full View

Door	2'6"	2'8"	2'10"	3'0"
DF-686MOH	•	•	•	•
DF7-686MOH		•	•	•
DF8-686MOH		•	•	•



1/2 View 2-Panel

Door	2'6"	2'8"	2'10"	3'0"
DF-684MOH	•	•	•	•
DF7-684MOH		•	•	•
DF8-684MOH		•	•	•




1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DF-684MOH-1P	•	•	•
DF7-684MOH-1P	•	•	•
DF8-684MOH-1P	•	•	•



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
DF-684MOH-1PL	•	•	•
DF7-684MOH-1PL	•	•	•
DF8-684MOH-1PI	•	•	•




Full View SL

Sidelight	1'0"	1'2"
DF-690MOH	•	•
DF7-690MOH	•	•
DF8-690MOH	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DF-692MOH	•	•
DF7-692MOH	•	•
DE8-692MOH		•



BRISTOL

Bristol (BT)

Glass Textures: Clear Bevel Clusters Hammered Glass

Clear Bevels



Transoms



Rectangular 506BT

(Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

6'8", 7'0" and 8'0" Doors and Sidelights



Full View

Door	2'6"	2'8"	2'10"	3'0"
DF-686BT	•	•	•	•
DF7-686BT		•	•	•
DF8-686BT		•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DF-684BT	•	•	•
DF7-684BT	•	•	•
DF8-684BT	•	•	•



Top Lite

TOP LITE			
Door	2'8"	2'10"	3'0"
DF-662BT	•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DF-684BT-1P	•	•	•
DF7-684BT-1P	•	•	•
DF8-684BT-1P	•	•	•





1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
DF-684BT-1PL	•	•	•
DF7-684BT-1PL	•	•	•
DF8-684BT-1PL	•	•	•



Full View SL

i dii viciv 3L		
Sidelight	1'0"	1'2"
DF-690BT	•	•
DF7-690BT	•	•
DF8-690BT	•	•



1/2 View SL

Sidelight	1'0"	1'2"	
DF-692BT	•	•	
DF7-692BT	•	•	
DF8-692BT	•	•	

DF = 6'8"

Paris (PS)

Glass Textures:

Clear Bevels Arctic Glass Clear Renaissance Glass

Privacy Rating | 4





Patina Caming

Transoms - "Direct Set"

		-
11071	iololololol	- 110

Rectangular 507PS (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular 521PS (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Craftsman

6'8" and 7'0"

Doors and Sidelights



Crartsman			
Door	2'8"	2'10"	3'0"
DFC-866PS	•	•	•
DFC7-866PS	•	•	•



Craftsman Full View SL

Sidelight	1'0"	1'2"
DFC-819PS	•	•
DFC7-819PS	•	•



Full View

Door	2'6"	2'8"	2'10"	3'0"
DF-686PS	•	•	•	•
DF7-686PS		•	•	•
DF8-686PS		•	•	•



1/2 View 2-Panel

I/E VICW E l'allei						
Door	2'6"	2'8"	2'10"	3'0"		
DF-684PS	•	•	•	•		
DF7-684PS		•	•	•		
DF8-684PS		•	•	•		



1/2 View 1-Panel

1/2 VIEW 1-1 dilei					
Door	2'8"	2'10"	3'0"		
DF-684PS-1P	•	•	•		
DF7-684PS-1P	•	•	•		
DF8-684PS-1P	•	•	•		



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
DF-684PS-1PL	•	•	•
DF7-684PS-1PL	•	•	•
DF8-684PS-1PL	•	•	•




Full View SL

Sidelight	1'0"	1'2"
DF-690PS	•	•
DF7-690PS	•	•
DF8-690PS	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DF-692PS	•	•
DF7-692PS	•	•
DE8_692PS		



JACINTO

Jacinto (JA) Glass Textures: Arctic Glass

Privacy Rating | 9





Transoms - "Direct Set"




Rectangular 507JA (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular 521JA (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



(Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Full View

Door	2'6"	2'8"	2'10"	3'0"
DF-686JA	•	•	•	•
DF7-686JA		•	•	•
DF8-686JA		•	•	•



1/2 View 2-Panel

Door	2'6"	2'8"	2'10"	3'0"
DF-684JA	•	•	•	•
DF7-684JA		•	•	•
DF8-684JA		•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DF-684JA-1P	•	•	•
DF7-684JA-1P	•	•	•
DF8-684JA-1P	•	•	•



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
DF-684JA-1PL	•	•	•
DF7-684JA-1PL	•	•	•
DF8-684JA-1PL	•	•	•



Full View SL

Sidelight	1'0"	1'2"
DF-690JA	•	•
DF7-690JA	•	•
DF8-690JA	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DF8-692JA	•	•

MAJESTIC

Majestic (ME)

Glass Textures:

Gray Soft Wave Glass







Patina Caming





Transoms - "Direct Set"



Rectangular 507ME (Brass & Nickel Caming Only) (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Elliptical 578ME

Rectangular 521ME (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

6'8", 7'0" and 8'0" Doors and Sidelights



Full View

Door	2'6"	2'8"	2'10"	3'0"
DF-686ME	•	•	•	•
DF7-686ME		•	•	•
DF8-686ME		•	•	•

2'6" and DF8 Brass or Nickel Only



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
DF-684ME	•	•	•
DF7-684ME	•	•	•
DF8-684ME	•	•	•

DF8 - Brass or Nickel Only



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"		
DF-684ME-1P	•	•	•		
DF7-684ME-1P	•	•	•		
DF8-684ME-1P	•	•	•		

DF8 - Brass or Nickel Only





1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
DF-684ME-1PL	•	•	•
DF7-684ME-1PL	•	•	•
DE8_68/IME_1 PI			

DF8 - Brass or Nickel Only



Full View SL

Sidelight	1'0"	1'2"
DF-690ME	•	•
DF7-690ME	•	•
DF8-690ME	•	•


DF8 - Brass or Nickel Only



1/2 View SL

Sidelight	1'0"	1'2"
DF-692ME	•	•
DF7-692ME	•	•
DF8-692ME	•	•

DF8 - Brass or Nickel Only



PRAIRIE BEVEL

Prairie Bevel (PR)

Glass Textures:

Clear Bevels Thin Reed Glass Eaton Glass Granite Glass

Privacy Rating | 6





Craftsman

6'8" and 7'0" Doors and Sidelights





Door	2'8"	2'10"	3'0'
DFC-866PR	•	•	•
DFC7-866PR	•	•	•



Craftsman Full View SL

Sidelight	1'0"	1'2'
DFC-819PR	•	•
DFC7-819PR	•	•



6'8", 7'0" and 8'0" Doors and Sidelights



Full View

ı anı v					
Door		2'6"	2'8"	2'10"	3'0"
DF-686	PR	•	•	•	•
DF7-68	6PR		•	•	•



1/2 View 2-Panel

1/2 VICW 2 I dilci					
Door	2'8"	2'10"	3'0"		
DF-684PR	•	•	•		
DF7-684PR	•	•	•		
DF8-684PR	•	•	•		



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
DF-684PR-1P	•	•	•
DF7-684PR-1P	•	•	•
DF8-684PR-1P	•	•	•



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
DF-684PR-1PL	•	•	•
DF7-684PR-1PL	•	•	•
DF8-684PR-1PL	•	•	•



Full View SL

Sidelight	1'0"	1'2"
DF-690PR	•	•
DF7-690PR	•	•



1/2 View SL

Sidelight	1'0"	1'2"
DF-692PR	•	•
DF7-692PR	•	•
DF8-692PR	•	•

Topaz (TPZ)

Glass Textures:

Micro-Granite Glass Bronze Soft Wave Glass Thin Reed Glass Clear Bevel

Privacy Rating | 9





Craftsman

6'8" and 7'0"

Doors and Sidelights



Craftsman

Door	2'8"	2'10"	3'0"
DFC-866TPZ	•	•	•
DFC7-866TPZ	•	•	•



Craftsman SL

Sidelight	1'0"	1'2"
DFC-820TPZ	•	•
DFC7-820TPZ	•	•



Craftsman Full View SL

Sidelight	1'0"	1'2"
DFC-819TPZ	•	•
DFC7-819TPZ	•	•



Full View

DF-686TP7 • • •	
DF-0801PZ • • •	•
DF7-686TPZ • •	•



1/2 View 2-Panel

Door	2'6"	2'8"	2'10"	3'0"	
DF-684TPZ	•	•	•	•	
DF7-684TPZ		•	•	•	
DF8-684TPZ		•	•	•	



1/2 View 1-Panel

1/2 VIEW I-Fallel				
Door	2'8"	2'10"	3'0"	
DF-684TPZ-1P	•	•	•	
DF7-684TPZ-1P	•	•	•	
DF8-684TPZ-1P	•	•	•	



1/2 View 1-Panel Plank

1/2 VIEW 1-Fallel Flatik				
Door	2'8"	2'10"	3'0"	
DF-684TPZ-1PL	•	•	•	
DF7-684TPZ-1PL	•	•	•	
DF8-684TPZ-1PL	•	•	•	



Top Lite

Door	2'8"	2'10"	3'0"
DF-662TPZ	•	•	•
DF7-662TPZ	•	•	•



Full View SL

Sidelight	1'0"	1'2"
DF-690TPZ	•	•
DF7-690TPZ	•	•




1/2 View SL

Sidelight	1'0"	1'2"
DF-692TPZ	•	•
DF7-692TPZ	•	•
DF8-692TPZ	•	•



Smooth-Pro





6'8", 7'0" and 8'0" Panel Doors



Flush

Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
SP-100	•	•	•	•	•	•
SP7-100	•	•	•	•	•	•
SP8-100	•	•	•	•	•	•



6-Panel

0					
Door	2'6"	2'8"	2'10"	3'0"	
SP-60	•	•	•	•	
SP7-60		•	•	•	
SP8-60		•	•	•	Ġ.



4-Panel

1 I dilici			
Door	2'8"	2'10"	3'0"
SP-40	•	•	•



8-Panel Center Arch

o i dilici c	circoi	,
Door	2'10"	3'0"
SP-80	•	•



2-Panel Euro

Door	2'8"	2'10"	3'0"
SP-27	•	•	•



3-Panel 3/4 Top

Door	2'8"	2'10"	3'0"
SP-30	•	•	•



2-Panel 3/4 Arch Top

Door	2'8"	2'10"	3'0"
SP8-26	•	•	•



2-Panel Square Top

	1			
Door	2'8"	2'10"	3'0"	
SP-21	•	•	•	
SP7-21	•	•	•	
SP8-21	•	•	•	占
				9



2-Panel Arch Top

Door	2'8"	2'10"	3'0"
SP-20	•	•	•
SP7-20	•	•	•
SP8-20	•	•	•



2-Panel Plank Arch Top

Door	2'8"	2'10"	3'0"			
SP-24	•	•	•			
SP7-24	•	•	•			
SP8-24	•	•	•			



Symbol indicates Smooth-Pro 3'0" x 8'0" doors available with a minimum 10" bottom rail to meet ADA 404.2.10 accessibility guidelines. Other door styles may be available. Ask your JELD-WEN dealer for details.

New!



- Wider Viewing Area
- Easy to Clean
- No Screw Holes or Plugs
- Low-E Energy Efficient Glass

Craftsman

6'8", 7'0" and 8'0" Doors and Sidelights



_	c.	
(ra	aftsn	าลท
C	<i>x</i> : c5::	1411

2'8"	2'10"	3'0"
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
	•	· · · · · · · · · · · · · · · · · · ·



Beadboard

Door	2'8"	2'10"	3'0"
SPB-866DG-LE	•	•	•
SPB7-866DG-LE	•	•	•
SPB8-866DG-LE	•	•	•
SPB-866DG-MG	•	•	•
SPB7-866DG-MG	•	•	•
SPB8-866DG-MG	•	•	•
SPB-866DG-GRF	•	•	•
SPB7-866DG-GRF	•	•	•
SPB8-866DG-GRF	•	•	•
SPB-866DG-KP	•	•	•
SPB7-866DG-KP	•	•	•
SPB8-866DG-KP	•	•	•
SPB-866DG-TPZ	•	•	•
SPB7-866DG-TPZ	•	•	•
SPB8-866DG-TPZ	•	•	•




Craftsman SL

Sidelight	1'0"	1'2"
SPC-820DG-LE	•	•
SPC7-820DG-LE	•	•
SPC8-820DG-LE	•	•
SPC-820DG-MG	•	•
SPC7-820DG-MG	•	•
SPC8-820DG-MG	•	•
SPC-820DG-GRF	•	•
SPC7-820DG-GRF	•	•
SPC8-820DG-GRF	•	•
SPC-820DG-KP	•	•
SPC7-820DG-KP	•	•
SPC8-820DG-KP	•	•
SPC-820DG-TPZ	•	•
SPC7-820DG-TPZ	•	•
SPC8-820DG-TP7	•	•



beauboaru 31	-	
Sidelight	1'0"	1'2"
SPB-820DG-LE	•	•
SPB7-820DG-LE	•	•
SPB8-820DG-LE	•	•
SPB-820DG-MG	•	•
SPB7-820DG-MG	•	•
SPB8-820DG-MG	•	•
SPB-820DG-GRF	•	•
SPB7-820DG-GRF	•	•
SPB8-820DG-GRF	•	•
SPB-820DG-KP	•	•
SPB7-820DG-KP	•	•
SPB8-820DG-KP	•	•
SPB-820DG-TPZ	•	•
SPB7-820DG-TPZ	•	•
SPB8-820DG-TPZ	•	•



Clear Low-E (LE)



Micro-Granite (MG)



Greenfield (GRF)



Oak Park (KP)



Topaz (TPZ)

Optional Craftsman Shelf

Craftsman Clear and Micro-Granite designs only available in Low-E

6'8", 7'0" and 8'0" Doors and Sidelights - Clear Glass Low-E



Full View							
Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	
SP-686DG-LE	•	•*	•	•	•	•	(
SP7-686DG-LE	•	•*	•	•	•	•	C
SP8-686DG-LE			•*	•	•	•	C





3/4 View 1-Panel					1
Door	2'6"	2'8"	2'10"	3'0"	
SP-607DG-LE	•*	•	•	•	!
SP7-607DG-LE	•*	•	•	•	1
SP8-607DG-LE	•*	•	•	•	-



1/2 View SP-684DG-LE SP7-684DG-LE



Full View SL 2'8" 2'10" 3'0" | Sidelight | 1'0" 1'2" | Sidelight | SP-690DG-1F | Sidelight | SP-690DG-1F | Sidelight | SP-690DG-1F | SP-690DG SP-690DG-LE • •

SP8-690DG-LE • •



3/4 View SL

SP8-422DG-LE

1/2 View SL 1'0" 1'2" Sidelight SP-422DG-LE • • • SP7-422DG-LE • • SP-692DG-LE SP7-692DG-LE

6'8", 7'0" and 8'0" Doors and Sidelights - Grilles Between Glass (White)



Full View 15-Lite (18-Lite - 8'0")

Door	2'6"	2'8"	2'10"	3'0"	
SP-686DG-CM15-LE	•	•	•	•	ቴ
SP7-686DG-CM15-LE	•	•	•	•	ቴ
SP-686DG-IM15-LE	•	•	•	•	ቴ
SP7-686DG-IM15-LE	•	•	•	•	ቴ
SP8-686DG-IM18-LE	•	•	•	•	ቴ

SP-686 & SP7-686DG-IM15 available as 7/8"



Full View 10-Lite (12-Lite - 8'0")

. ,							
Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	
SP-686DG-IM10-LE	•	•	•	•	•	•	ቴ
SP7-686DG-IM10-LE	•	•	•	•	•	•	ቴ
SP8-686DG-IM12-LE			•	•	•	•	ቴ



3/4 View 12-Lite (15-Lite - 8'0")

Door	2'6"	2'8"	2'10"	3'0"
SP-607DG-IM12-LE	•	•	•	•
SP7-607DG-IM12-LE	•	•	•	•
SP8-607DG-IM15-LE	•	•	•	•



5/8" Internal Muntin Grille (IM)



11/16" Contoured Internal Muntin Grille (CM)



1/2 View 9-Lite

Door	2'8"	2'10"	3'0"
SP-684DG-IM9-LE	•	•	•
SP7-684DG-IM9-LE	•	•	•



Full View 5-Lite SL (6-Lite SL - 8'0")

(O LICE SE O O)	,	
Sidelight	1'0"	1'2"
SP-690DG-CM5-LE	•	•
SP7-690DG-CM5-LE	•	•
SP-690DG-IM5-LE	•	•
SP7-690DG-IM5-LE	•	•
SP8-690DG-IM6-LE	•	•

SP-690 & SP7-690DG-IM5 available as 7/8" muntin



3/4 View 4-Lite SL (5-Lite SL - 8'0")

(5-Lite SL - 8'0")					
Sidelight	1'0"	1'2"			
SP-422DG-IM4-LE	•	•			
SP7-422DG-IM4-LE	•	•			
SP8-422DG-IM5-LE	•	•			



1/2 View 3-Lite SL

1/2 VIEW J-LILE JL						
Sidelight	1'0"	1'2"				
SP-692DG-IM3-LE	•	•				
SP7-692DG-IM3-LE	•	•				

6'8", 7'0" and 8'0" Doors and Sidelights – Blinds Between Glass



Full View

Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	
SP-686DG-RLB-LE	•	•	•	•	•	•	F
SP7-686DG-RLB-LE	•	•	•	•	•	•	£
SP8-686DG-RLB-LE			•	•	•	•	£



Full View SL

Sidelight	1'0"	1'2"
SP-690DG-RLB-LE	•	•
SP7-690DG-RLB-LE	•	•
SP8-690DG-RLB-LE	•	•



Symbol indicates Smooth-Pro Direct Glaze 3'0" doors have a minimum 10" bottom rail to meet ADA 404.2.10 accessibility guidelines. Other door styles may be available. Ask your JELD-WEN dealer for details.

CLEAR GLASS

Craftsman

6'8" and 7'0"

Doors and Sidelights





Craftsman

Ciarconnan						
Door	2'8"	2'10"	3'0"			
SPC-866LE	•	•	•			
SPC7-866LE	•	•	•			
Available in Low E Only						



Craftsman SL

C. C						
Sidelight	1'0"	1'2"				
SPC-820LE	•	•				
SPC7-820LE	•	•				
Available in Law F Only						



Craftsman Full View SL

Sidelight	1'0"	1'2"	
SPC-819LE	•	•	
SPC7-819LE	•	•	

Available in Low-E Only

6'8", 7'0" and 8'0" Clear Glass Doors



Full View

Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
SP-686CL	•	•	•	•	•	•
SP7-686CL	•	•	•	•	•	•
SP8-686CL	•	•	•	•	•	•



Full Oval

Door	2'8"	2'10"	3'0"
SP-919CL	•	•	•
SP7-919CL	•	•	•
SP8-919CL	•	•	•



3/4 View 1-Panel

2'8"	2'10"	3'0"	
•	•	•	
•	•	•	
	2'8"	2'8" 2'10"	2'8" 2'10" 3'0"



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
SP-607CL	•	•	•



3/4 Oval

Door	2'8"	2'10"	3'0"
SP-949CL	•	•	•



1/2 View 2-Panel

Door	2'6"	2'8"	2'10"	3'0"
SP-684CL	•	•	•	•
SP7-684CL		•	•	•
SP8-684CL		•	•	•



1/2 view i-	1/2 View I-Parier				
Door	2'8"	2'10"	3'0"		
SP-684CL-1P	•	•	•		
SP7-684CL-1P	•	•	•		
SP8-684CL-1P	•	•	•		



1/2 View 1-Panel Plank

17 E TTOTT T T GITTOTT TGTTK				
Door	2'8"	2'10"	3'0"	
SP-684CL-1PL	•	•	•	
SP7-684CL-1PL	•	•	•	
CD0_60/CL 1DI				

6'8", 7'0" and 8'0" Clear Glass Doors and Sidelights



1/2 View Camber

Door	2'8"	2'10"	3'0"
SP-673CL	•	•	•



1/2 View 1-Panel Camber Top

Door	2'8"	2'10"	3'0"
SP-673CL-1P	•	•	•
SP7-673CL-1P	•	•	•



1/2 View 1-Panel Plank Camber Top

Door	2'8"	2'10"	3'0"
SP-673CL-1PL	•	•	•
SP7-673CL-1PL	•	•	•



1/2 View Round Top

Door	2'8"	2'10"	3'0"		
SP-637LE	•	•	•		
Available in Low-F Only					



Twin 1/2 View

Door	2'8"	2'10"	3'0"
SP-692CL	•	•	•



Camber Top

	camber rop			
Door		2'8"	2'10"	3'0"
SP-6	48CL	•	•	•



Sunburst

Door	2'8"	2'10"	3'0"
SP-659CL	•	•	•



	Square
"	Door
	SP-696CL
	SP7-696CL
	3P7-090CL



2'0" 2'4" 2'6" 2'8" 2'10" 3'0"

Diamonu						
Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0
SP-412CL	•	•	•	•	•	•
SP7-412CL	•	•	•	•	•	•



Twin Top Lite

)"	Door	2'8"	2'10"	3'0"
	SP-680CL	•	•	•
	SP7-680CL	•	•	•



ruii view 3L					
Sidelight	10"	1'0"	1'2"		
SP-690CL	•	•	•		
SP7-690CL	•	•	•		
SP8-690CL		•	•		



3/4 View SL

	Sidelight	1'0"	1'2"
	SP-422CL	•	•
	SP8-422CL	•	•
П			




1/2 View SL

]	Sidelight	10"	1'0"	1'2"
1	SP-692CL	•	•	•
	SP7-692CL	•	•	•
	SP8-692CL		•	•

10" Sidelight - Clear Only







Contoured Internal Muntin Grilles (CM) 11/16" Grille

Available in Champagne or White







Craftsman

6'8" and 7'0" Clear Glass Doors 7/8" Grille



Optional Craftsman Shelf



Craftsman 6-Lite

Door	2'8"	2'10"	3'0"
SPC-866FG6	•	•	•
SPC7-866FG6	•	•	•

6'8", 7'0" and 8'0" Doors



Full View 15-Lite (18-Lite - 8'0")

•					
Door	2'6"	2'8"	2'10"	3'0"	
SP-686FG15	•	•	•	•	
SP7-686FG15	•	•	•	•	
SP8-686FG18	•	•	•	•	
SP-686CM15	•	•	•	•	
SP7-686CM15	•	•	•	•	
SP8-686CM18	•	•	•	•	
SP-686IM15	•	•	•	•	WM
SP7-686IM15	•	•	•	•	WM
SP8-686IM18	•	•	•	•	WM

SP8-686CM18 - Low-E Only



Full View 10-Lite (12-Lite - 8'0")

Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	
SP-686FG10	•	•	•	•	•	•	
SP7-686FG10	•	•	•	•	•	•	
SP-686CM10			•	•	•	•	
SP7-686CM10			•	•	•	•	
SP-686IM10	•	•	•	•	•	•	WM
SP7-686IM10	•	•	•	•	•	•	WM
SP8-686FG12			•	•	•	•	
SP8-686CM12			•	•	•	•	
SP8-686IM12	•	•	•	•	•	•	WM

SP8-686CM12 - Low-E Only




Full View Round Top 17-Lite

Door	2'8"	2'10"	3'0"
SP-636FG17	•	•	•
SP7-636FG17	•	•	•

WM = Wide Internal Muntin Grilles available

Internal Muntin sizes shown are for White 11/16" Contoured Muntin (CM) and White 5/8" Internal Muntin (IM) Grilles. Check with your local dealer for availability of other grille colors and widths.



6'8", 7'0" and 8'0" Doors



3/4 View 2-Panel 12-Lite

Door	2'8"	2'10"	3'0"	
SP-607FG12	•	•	•	
SP-607CM12	•	•	•	
SP-607IM12	•	•	•	w

SP-607CM12 - Low-E Only



3/4 View 1-Panel 12-Lite (15-Lite - 8'0")

(13-Lite - 6 0)							
Door	2'8"	2'10"	3'0"				
SP-607FG12-1P	•	•	•				
SP8-607FG15-1P	•	•	•				
SP-607CM12-1P	•	•	•				
SP8-607CM15-1P	•	•	•				
SP-607IM12-1P	•	•	•	WM			
SP8-607IM15-1P	•	•	•	WM			

SP-607CM12-1P - Low-E Only



3/4 VIEW 1-1 dilet 10-Lite							
2'8"	2'10"	3'0"					
•	•	•					
•	•	•					
•	•	•	WM				
	2'8"	2'8" 2'10" • • •	2'8" 2'10" 3'0" • • • • • • •				



1/2 View 2-Panel 9-Lite (12-Lite- 8'0")

(12 Little 00)	,				
Door	2'6"	2'8"	2'10"	3'0"	
SP-684FG9	•	•	•	•	
SP7-684FG9		•	•	•	1
SP8-684FG12		•	•	•	1
SP-684CM9	•	•	•	•]
SP7-684CM9		•	•	•	1
SP8-684CM12		•	•	•	1
SP-684IM9	•	•	•	•	WM
SP7-684IM9		•	•	•	WM
SP8-684IM12		•	•	•	WM

2'6" SP-684CM9 - White Only SP8-684CM12 - Low-E Only



1/2 View 1-Panel 9-Lite

(12-Lite - 8'0"	')			
Door	2'8"	2'10"	3'0"	
SP-684FG9-1P	•	•	•	
SP7-684FG9-1P	•	•	•	
SP8-684FG12-1P	•	•	•	
SP-684CM9-1P	•	•	•	
SP7-684CM9-1P	•	•	•	
SP8-684CM12-1P	•	•	•	
SP-684IM9-1P	•	•	•	WM
SP7-684IM9-1P	•	•	•	WM
SP8-684IM12-1P	•	•	•	WM

SP8-684CM12-1P - Low-E Only



1/2 View 1-Panel Plank 9-Lite (12-Lite - 8'0")

(12-Litte - 0 0)				1
Door	2'8"	2'10"	3'0"	
SP-684FG9-1PL	•	•	•	
SP7-684FG9-1PL	•	•	•	
SP8-684FG12-1PL	•	•	•	
SP-684CM9-1PL	•	•	•	
SP7-684CM9-1PL	•	•	•	
SP8-684CM12-1PL	•	•	•	
SP-684IM9-1PL	•	•	•	w
SP7-684IM9-1PL	•	•	•	w
SP8-684IM12-1PL	•	•	•	W

SP8-684CM12-1PL - Low-E Only



3/4 View 2-Panel 6-Lite

Door	2'8"	2'10"	3'0"		
SP-607FG6	•	•	•		
SP-607WM6	•	•	•		
Accellable to Leave F Ook					

Available in Low-E Only White 7/8" Grille



3/4 View 1-Panel 6-Lite

Door	2'8"	2'10"	3'0"
SP-607FG6-1P	•	•	•
SP-607WM6-1P	•	•	•

Available in Low-E Only White 7/8" Grille

Fixed External Grilles (FG)
Contoured Internal Muntin Grilles (CM)
Internal Muntin Grilles (IM)
Wide Internal Muntin Grilles (WM)
Continued

6'8", 7'0" and 8'0" Doors and Sidelights



1/2 View 2-Panel 6-Lite

Door	2'8"	2'10"	3'0"
SP8-684FG6-LE	•	•	•
SP8-684WM6-LE	•	•	•

Available in Low-E Only WM = White Only



1/2 View 1-Panel 6-Lite

Door	2'8"	2'10"	3'0"
SP8-684FG6-LE-1P	•	•	•
SP8-684WM6-LE-1P	•	•	•

Available in Low-E Only WM = White Only



1/2 View 1-Panel Plank 6-Lite

1/2 VICW I TUITET HUIR O LICE						
Door	2'8"	2'10"	3'0"			
SP8-684FG6-LE-1PL	•	•	•			
SP8-684WM6-LE-1PL	•	•	•			
Available in Low-E Only WM = White Only						



1/2 View 2-Panel 4-Lite

2'8"	2'10"	3'0"
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
•	•	•
	2'8"	• •

Available in Low-E only



1/2 View 1-Panel 4-Lite

Door	2'8"	2'10"	3'0"	
SP-684FG4-LE-1P	•	•	•	
SP7-684FG4-LE-1P	•	•	•	
SP8-684FG4-LE-1P	•	•	•	
SP-684WM4-LE-1P	•	•	•	
SP7-684WM4-LE-1P	•	•	•	
SP8-684WM4-LE-1P	•	•	•	

Available in Low-E only



1/2 View 1-Panel Plank 4-Lite

Door	2'8"	2'10"	3'0"
SP-684FG4-LE-1PL	•	•	•
SP7-684FG4-LE-1PL	•	•	•
SP8-684FG4-LE-1PL	•	•	•
SP-684WM4-LE-1PL	•	•	•
SP7-684WM4-LE-1PL	•	•	•
SP8-684WM4-LE-1PL	•	•	•

Available in Low-E only



1/2 View 2-Panel Diamond

Door	2'8"	2'10"	3'0"
SP-684DFG	•	•	•
SP7-684DFG	•	•	•



1/2 View 1-Panel Diamond

Door	2'8"	2'10"	3'0"
SP-684DFG-1P	•	•	•
SP7-684DFG-1P	•	•	•



1/2 View Round Top

1/2 VICW Round Top					
Door	2'8"	2'10"	3'0		
SP-637FG11	•	•	•		



Twin 3-Lite

Door	2'8"	2'10"	3'0"	
SP-692FG3	•	•	•	
SP-692CM3	•	•	•	
SP-692IM3	•	•	•	W٨



Sunburst 5-Lite

Door	2'8"	2'10"	3'0"
SP-659FG5	•	•	•
SP-659IM5	•	•	•

IM - White & Champagne Only Champagne IM - Clear Only



Sunburst 7-Lite

5411541567			
Door	2'8"	2'10"	3'0"
SP-626FG7	•	•	•



Camber Top 11-Lite

camber rop in and					
Door	2'8"	2'10"	3'0"		
SP-648FG11	•	•	•		



4-Lite

1 Litte				
Door	2'8"	2'10"	3'0"	
SP-662FG4	•	•	•	
SP7-662FG4	•	•	•	
SP-662IM4	•	•	•	
SP7-662IM4	•	•	•	
IM - White & Champagne Only				

Simulated Divided Lites (SD) Craftsman Style 7/8" Grille


Available in White





Craftsman

6'8" and 7'0" Simulated **Divided Lites**



Optional Craftsman Shelf



Craftsman 3-Lite SDL

Door	2'8"	2'10"	3'0"
SPC-866SD3-LE	•	•	•
SPC7-866SD3-LE	•	•	•

Available in Low-E only



Craftsman 6-Lite SDL

Door	2'8"	2'10"	3'0"
SPC-866SD6-LE	•	•	•
SPC7-866SD6-LF	•	•	•

Available in Low-E only

6'8", 7'0" and 8'0" Sidelights



Full View 5-Lite SL (6-Lite SL - 8'0")

(0-Lite 3L - 0 0)					
Sidelight	10"	1'0"	1'2"		
SP-690FG5	•	•	•		
SP7-690FG5	•	•	•		
SP8-690FG6		•	•		
SP-690CM5	•	•	•		
SP7-690CM5	•	•	•		
SP8-690CM6		•	•		
SP-690IM5	•	•	•	WM	
SP7-690IM5	•	•	•	WM	
SP8-690IM6		•	•	WM	

SP8-690CM6 Low-E Only SP8-690IM6 White & Champagne Only



3/4 View 4-Lite SL

(5-Lite SL - 8'0")					
Sidelight	1'0"	1'2"			
SP-422FG4	•	•			
SP8-422FG5	•	•			
SP-422CM4	•	•			
SP8-422CM5	•	•			
SP-422IM4	•	•	w		
SP8-422IM5	•	•	w		
SP-422CM4 & SPS	2-/1221	MSI			

SP-42 Only

SP-422IM4 White & Champagne Only



1/2 View 3-Lite SL (4-Lite SL - 8'0")

٠,			
10"	1'0"	1'2"	
•	•	•	
•	•	•	
	•	•	
	•	•	
	•	•	
	•	•	
•	•	•	wм
•	•	•	WM
	•	•	WM
	10"	10" 1'0"	10" 1'0" 1'2"

SP8-692CM4 Low-E Only SP8-692IM4 White & Champagne 10" FG3 & IM3 Clear White Only



1/2 View

2-Lite SL				
Sidelight	1'0"	1'2"		
SP-692FG2-LE	•	•		
SP8-692FG2-LE	•	•		
SP-692WM2-LE	•	•		
SP7-692WM2-LE	•	•		
SP8-692WM2-LE	•	•		
Available in Low-E Only				



3/4 View

3-Lite SL			
Sidelight	1'0"	1'2	
SP-422FG3	•	•	
SP-422WM3	•	•	
Available in Low-E Only			



1/2 View 3-Lite SL - 8'0"

Sidelight	1'0"	1'2"
SP8-692FG3	•	•
SP8-692WM3	•	•

Available in Low-E Only

GRILLES BETWEEN GLASS

Prairie Muntin Grilles (PM) 5/8" Grille

Available in Champagne* and White



Available in Tan and White







Full View Prairie Lite

Door	2'6"	2'8"	2'10"	3'0"
SP-686PFG*		•	•	•
SP7-686PFG*		•	•	•
SP-686PM	•	•	•	•
SP7-686PM	•	•	•	•
SP8-686PM	•	•	•	•
SP-686WPM	•	•	•	•
SP7-686WPM	•	•	•	•

*Model PFG Fixed External Grille



3/4 View Prairie Lite

Door	2'8"	2'10"	3'0'
SP-607PM	•	•	•
SP-607WPM	•	•	•



3/4 View 1-Panel Prairie Lite

2'8"	2'10"	3'0"
•	•	•
•	•	•
•	•	•
•	•	•
	2'8"	2'8" 2'10"



1/2 View Prairie Lite

.,				
2'8"	2'10"	3'0"		
•	•	•		
•	•	•		
•	•	•		
•	•	•		
•	•	•		
•	•	•		
	2'8"	2'8" 2'10"		



1/2 View 1-Panel Prairie Lite

I fairle Lite			
Door	2'8"	2'10"	3'0"
SP-684PM-1P	•	•	•
SP7-684PM-1P	•	•	•
SP8-684PM-1P	•	•	•
SP-684WPM-1P	•	•	•
SP7-684WPM-1P	•	•	•
SP8-684WPM-1P	•	•	•



1/2 View 1-Panel Plank **Prairie Lite**

Door	2'8"	2'10"	3'0"
SP-684PM-1PL	•	•	•
SP7-684PM-1PL	•	•	•
SP8-684PM-1PL	•	•	•
SP-684WPM-1PL	•	•	•
SP7-684WPM-1PL	•	•	•
SP8-684WPM-1PL	•	•	•



Twin 1/2 View Prairie Lite

Door	2'8"	2'10"	3'0'
SP-692PM	•	•	•
SP-692WPM	•	•	•



Full View Prairie Lite SL

Sidelight	10"	1'0"	1'2"
SP-690PFG*	•	•	•
SP7-690PFG*	•	•	•
SP-690PM	•	•	•
SP7-690PM	•	•	•
SP8-690PM		•	•
SP-690WPM	•	•	•
SP7-690WPM	•	•	•

Model PFG - Fixed External Grille



SL

3/4 View Prairie Lite S			
Sidelight	1'0"	1'2"	
SP-422PM	•	•	
SP8-422PM	•	•	
SP-422WPM	•	•	
SP8-422WPM	•	•	



1/2 View Prairie Lite SL

Sidelight	1'0"	1'2"
SP-692PM	•	•
SP7-692PM	•	•
SP8-692PM	•	•
SP-692WPM	•	•
SP7-692WPM	•	•
SP8-692WPM	•	•

SP7 = 7'0"

GRILLES BETWEEN GLASS

Top Down Internal Muntin Grilles (AC) 5/8" Grille

Available in White







Full View 4-Lite

Door	2'6"	2'8"	2'10"	3'0"
SP-686AC4	•	•	•	•
SP7-686AC4	•	•	•	•
SP8-686AC4	•	•	•	•



Full View 3-Lite

Door	2'6"	2'8"	2'10"	3'0"
SP-686AC3	•	•	•	•
SP7-686AC3	•	•	•	•
SP8-686AC3	•	•	•	•



3/4 View 4-Lite

Door	2'8"	2'10"	3'0"
SP-607AC4	•	•	•



3/4 View 3-Lite

3/4 VIEW 3-LITE				
Door	2'8"	2'10"	3'0"	
SP-607AC3	•	•	•	



3/4 View 1-Panel 4-Lite

Door	2'8"	2'10"	3'0"
SP-607AC4-1P	•	•	•
SP8-607AC4-1P	•	•	•



3/4 View 1-Panel 3-Lite

Door	2'8"	2'10"	3'0"	
SP-607AC3-1P	•	•	•	
SP8-607AC3-1P	•	•	•	



1/2 View 2-Panel 4-Lite

1/2 11011	Litte		
Door	2'8"	2'10"	3'0"
SP-684AC4	•	•	•
SP7-684AC4	•	•	•
SP8-684AC4	•	•	•



1/2 View 2-Panel 3-Lite

.,			
Door	2'8"	2'10"	3'0"
SP-684AC3	•	•	•
SP7-684AC3	•	•	•
SP8-684AC3	•	•	•



1/2 View 1-Panel 4-Lite

1/2 VICW I Tullet 4 Lite				
Door	2'8"	2'10"	3'0"	
SP-684AC4-1P	•	•	•	
SP7-684AC4-1P	•	•	•	
SP8-684AC4-1P	•	•	•	



1/2 View 1-Panel 3-Lite

Door	2'8"	2'10"	3'0"
SP-684AC3-1P	•	•	•
SP7-684AC3-1P	•	•	•
SP8-684AC3-1P	•	•	•



1/2 View 1-Panel Plank 4-Lite

Door	2'8"	2'10"	3'0"
SP-684AC4-1PL	•	•	•
SP7-684AC4-1PL	•	•	•
SP8-684AC4-1PL	•	•	•



1/2 View 1-Panel Plank 3-Lite

Door	2'8"	2'10"	3'0"
SP-684AC3-1PL	•	•	•
SP7-684AC3-1PL	•	•	•
SP8-684AC3-1PL	•	•	•




Full View 3-Lite SL

I dii vicvv	Tall VICW 5 Litte 5L					
Sidelight	10"	1'0"	1'2"			
SP-690AC3	•	•	•			
SP7-690AC3	•	•	•			
SP8-690AC3		•	•			



3/4 View 3-Lite SL

Sidelight	1'0"	1'2"
SP8-422AC3	•	•




BLINDS AND GRILLES BETWEEN GLASS

Triple-Glazed Doorglass Blinds & Grilles Between Glass (BL)

Raise, Lower and Tilt Doorglass Blinds 11/16" Contoured Grille with Low-E Glass

Available in White



Blinds completely disappear into top valance when fully raised.



6'8", 7'0" and 8'0" Doors



Full View 15-Lite

Door	2'8"	2'10"	3'0"
SP-686BL15-LE	•	•	•
SP7-686BL15-LE	•	•	•



Full View 10-Lite

Door	2'8"	2'10"	3'0"
SP-686BL10-LE	•	•	•
SP7-686BL10-LE	•	•	•



Full View

Door	2'8"	2'10"	3'0"
SP-686BL-LE	•	•	•
SP7-686BL-LE	•	•	•



3/4 View 1-Panel 15-Lite

Door	2'8"	2'10"	3'0"
SP8-607BL15-LE-1P	•	•	•



3/4 View 1-Panel 10-Lite

-			
Door	2'8"	2'10"	3'0"
SP8-607BL10-LE-1P	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
SP8-607BL-LE-1P	•	•	•



1/2 View 2-Panel 9-Lite

Door	2'8"	2'10"	3'0"		
SP-684BL9-LE	•	•	•		
SP7-684BL9-LE	•	•	•		



1/2 View 1-Panel 9-Lite

1	Door	2'8"	2'10"	3'0"
9	SP-684BL9-LE-1P	•	•	•
9	SP7-684BL9-LE-1P	•	•	•



1/2 View 1-Panel Plank 9-Lite

Door	2'8"	2'10"	3'0"
SP-684BL9-LE-1PL	•	•	•
SP7-684BL9-LE-1PL	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
SP-684BL-LE	•	•	•
SP7-684BL-LE	•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
SP-684BL-LE-1P	•	•	•
SP7-684BL-LE-1P	•	•	•



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
SP-684BL-LE-1PL	•	•	•
SP7-684BL-LE-1PL	•	•	•

BLINDS BETWEEN GLASS

Blinds Between the Glass (RLB) Raise, Lower and Tilt Doorglass Blinds

Available in Tan* or White





No dusting

No dangling cords or swinging blinds

Single operator lets you raise, lower and tilt blinds



6'8", 7'0" and 8'0" Doors and Sidelights



Full View

Tall view							
Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	
SP-686RLB	•	•	•	•	•	•	
SP7-686RLB	•	•	•	•	•	•	
SP8-686RLB	•	•	•	•	•	•	

2'0" & 2'4" sizes Clear Glass with White Blinds Only



3/4 View

Door	2'8"	2'10"	3'0"
SP-607RLB	•	•	•



3/4 View I-Panei			
Door	2'8"	2'10"	3'0"
SP-607RLB-1P	•	•	•
SP8-607RLB-1P	•	•	•



1/2 View 2-Panel

Door	2'6"	2'8"	2'10"	3'0"
SP-684RLB	•	•	•	•
SP7-684RLB		•	•	•
SP8-684RLB		•	•	•

2'6" - Clear Glass with White Blinds Only



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"	
SP-684RLB-1P	•	•	•	
SP7-684RLB-1P	•	•	•	
SP8-684RI R-1P	•	•	•	



1/2 View 1-Panel Plank

.,	۵		
Door	2'8"	2'10"	3'0"
SP-684RLB-1PL	•	•	•
SP7-684RLB-1PL	•	•	•
SP8-684RLB-1PL	•	•	•



Twin 1/2 View

Door	2'8"	2'10"	3'0"
SP-692RLB	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
SP-690RLB	•	•	•
SP7-690RLB	•	•	•
SP8-690RLB		•	•

10" size Tilt Function Only



3/4 View SL

Sidelight	1'0"	1'2"
SP8-422RLB	•	•




1/2 View SL

Sidelight	1'0"	1'2"
SP-692RLB	•	•
SP7-692RLB	•	•

*Tan Blinds have a tan frame and are only available in SP/SP7-684, SP/SP7-686, SP8-607, SP8-422 and SP/SP7-690 models. See dealer for sizes.





VENTS

Vents

Lets in Fresh Air Includes Screen

Available in White





6'8" and 7'0" Doors



1/2 View Clear

Door	2'8"	2'10"	3'0"
SP-799CL	•	•	•
SP7-799CL	•	•	•



1/2 View Rain Glass

Door	2'8"	2'10"	3'0"
SP-799RN	•	•	•
SP7-799RN	•	•	•

Available in Low-E Only



1/2 View 12-Lite Clear

Door	2'8"	2'10"	3'0"
SP-799IM	•	•	•
SP7-799IM	•	•	•





1/2 View 12-Lite Rain Glass

Door	2'8"	2'10"	3'0"
SP-799IM-RN	•	•	•
SP7-799IM-RN	•	•	•

5/8" Internal Muntin Grille Available in Low-E Only

Also available in 1/2 View 1-Panel and 1-Panel Plank Doors



112 JELD-WEN.COM SP = 6'8" SP7 = 7'0"

PRIVACY GLASS




Textured Rain Glass (RN)



Textured Double Glue Chip (DGC)



Textured Micro-Granite (MG)



Privacy Rating | 9



Craftsman
6'8" and 7'0" Doors - Craftsman Style 7/8" Grille (SDL)



Craftsman 1-Lite

Door	2'8"	2'10"	3'0"
SPC-866RN	•	•	•
SPC7-866RN	•	•	•
SPC-866DGC	•	•	•
SPC7-866DGC	•	•	•
SPC-866MG	•	•	•
SPC7-866MG	•	•	•



Craftsman 3-Lite SDL

Door	2'8"	2'10"	3'0"
SPC-866SD3-RN	•	•	•
SPC7-866SD3-RN	•	•	•
SPC-866SD3-DGC	•	•	•
SPC7-866SD3-DGC	•	•	•
SPC-866SD3-MG	•	•	•
SPC7-866SD3-MG	•	•	•



Craftsman 6-Lite SDL

Crartsman o E	Crartoman o Litte 3DL				
Door	2'8"	2'10"	3'0"		
SPC-866SD6-RN	•	•	•		
SPC7-866SD6-RN	•	•	•		
SPC-866SD6-DGC	•	•	•		
SPC7-866SD6-DGC	•	•	•		
SPC-866SD6-MG	•	•	•		
SPC7-866SD6-MG	•	•	•		



Optional Craftsman Shelf



Ciai tsinan se						
Sidelight	1'0"	1'2"				
SPC-820MG	•	•				
SPC7-820MG						



Craftsman Full View SL

Sidelight	1'0"	1'2"
SPC-819RN	•	•
SPC7-819RN	•	•
SPC-819DGC	•	•
SPC7-819DGC	•	•
SPC-819MG	•	•
SPC7-819MG	•	•

Note: Craftsman glass styles shown on this page available as a lip light only, not direct glaze.

PRIVACY GLASS



Textured Rain Glass (RN)



Textured Double Glue Chip (DGC)



Textured Micro-Granite (MG)

Available in Low-E Only

Privacy rating applies to RN, DGC and MG glass.

Privacy Rating | 9



6'8", 7'0" and 8'0" Doors and Sidelights



Full View

Full View						
Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
SP-686RN	•	•	•	•	•	•
SP7-686RN	•	•	•	•	•	•
SP8-686RN				•	•	•
SP-686DGC			•	•	•	•
SP7-686DGC			•	•	•	•
SP8-686DGC				•	•	•
SP-686MG			•	•	•	•
SP7-686MG			•	•	•	•
SP8-686MG				•	•	•



Full View 15-Lite

Door	2'6"	2'8"	2'10"	3'0"
SP-686FG15-RN	•	•	•	•
SP7-686FG15-RN	•	•	•	•



3/4 View 1-Panel

3/4 View I-Panei					
Door	2'8"	2'10"	3'0"		
SP-607RN-1P	•	•	•		
SP8-607RN-1P	•	•	•		
SP-607DGC-1P	•	•	•		
SP8-607DGC-1P	•	•	•		
SP-607MG-1P	•	•	•		
SP8-607MG-1P	•	•	•		



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
SP-607RN	•	•	•
SP-607DGC	•	•	•
SP-607MG	•	•	•



3/4 Oval

57 . 5 . 4.						
Door	2'8"	2'10"	3'0"			
SP-949RN	•	•	•			

1/2 View 1-Panel

Door

SP-684RN-1P SP7-684RN-1P

SP8-684RN-1P SP-684DGC-1P SP7-684DGC-1P SP8-684DGC-1P

SP8-684MG-1P •

2'8" 2'10" 3'0"



3/4 View 1-Panel 15-Lite

1/2 View 1-Panel 9-Lite

SP7-684FG9-RN-1P

Door SP-684FG9-RN-1P

2'8" 2'10" 3'0"

Door	2'8"	2'10"	3'0"
SP8-607FG15-RN-1P	•	•	•



1/2 View 2-Panel 9-Lite

1/2 VICW 2 I dilet 5 Lite					
Door	2'8"	2'10"	3'0"		
SP-684FG9-RN	•	•	•		
SP7-684FG9-RN	•	•	•		



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
SP-684RN	•	•	•
SP7-684RN	•	•	•
SP8-684RN	•	•	•
SP-684DGC	•	•	•
SP7-684DGC	•	•	•
SP8-684DGC	•	•	•
SP8-684MG	•	•	•

1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
SP-684RN-1PL	•	•	•
SP7-684RN-1PL	•	•	•
SP8-684RN-1PL	•	•	•
SP-684DGC-1PL	•	•	•
SP7-684DGC-1PL	•	•	•
SP8-684DGC-1PL	•	•	•
SP8-684MG-1PL	•	•	•



1/2 View 1-Panel Plank 9-Lite

Door	2'8"	2'10"	3'0"
SP-684FG9-RN-1PL	•	•	•
SP7-684FG9-RN-1PL	•	•	•

SP = 6'8" SP7 = 7'0" SP8 = 8'0"



PRIVACY GLASS



Textured Rain Glass (RN)



Textured Double Glue Chip (DGC)



Textured Micro-Granite (MG)

Available in Low-E Only

Privacy rating applies to RN, DGC and MG glass.

Privacy Rating | 9





1/2 View Camber Top
 Door
 2'8"
 2'10"
 3'0"

 SP-673RN
 •
 •
 •



1/2 View 1-Panel **Camber Top**

Door	2'8"	2'10"	3'0"
SP-673RN-1P	•	•	•
SP7-673RN-1P	•	•	•



1/2 View 1-Panel Plank

Calliber Top				
Door	2'8"	2'10"	3'0"	
SP-673RN-1PL	•	•	•	
SP7-673RN-1PL	•	•	•	



1/2 View Round Top

2'8"	2'10"	3'0"
•	•	•
	2'8"	2'8" 2'10"



Twin 1/2 View

Door	2'8"	2'10"	3'0
SP-692RN	•	•	•
SP-692DGC	•	•	•



Twin 1/2 View 3-Lite

Door	2'8"	2'10"	3'0"
SP-692FG3-RN	•	•	•



Sunburst 5-Lite

Door	2'8"	2'10"	3'0"
SP-659FG5-RN	•	•	•



4-Lite

4-Lite			
Door	2'8"	2'10"	3'0"
SP-662FG4-RN	•	•	•
SP7-662FG4-RN	•	•	•



Twin Top Lite

Door	2'8"	2'10"	3'0"	
SP-680RN	•	•	•	
SP7-680RN	•	•	•	



Full View SI

ruii view 3L				
Sidelight	10"	1'0"	1'2"	
SP-690RN	•	•	•	
SP7-690RN	•	•	•	
SP-690DGC	•	•	•	
SP7-690DGC	•	•	•	
SP8-690DGC		•	•	
SP-690MG	•	•	•	
SP7-690MG	•	•	•	
SP8-690MG		•	•	



Full View 5-Lite SL

Sidelight	10"	1'0"	1'2"
SP-690FG5-RN	•	•	•
SP7-690FG5-RN	•	•	•



3/4 View 5-Lite SL

JIT VICVV J L	5	_
Sidelight	1'0"	1'2'
SP8-422FG5-RN	•	•



1/2 View SI

1/2 VIEW 3L				
Sidelight	1'0"	1'2"		
SP-692RN	•	•		
SP7-692RN	•	•		
SP-692DGC	•	•		
SP7-692DGC	•	•		



1/2 View 3-Lite SL

Sidelight	1'0"	1'2'
SP-692FG3-RN	•	•
SP7-692FG3-RN	•	•

HEIRLOOMS

Heirlooms (HM)

Glass Textures:

Clear Bevel Clusters Glue Chip Glass Granite Glass

Privacy Rating | 6





Transoms - "Direct Set"



Rectangular 506HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height

Rectangular 507HM (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular 521HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Full View

Door	2'6"	2'8"	2'10"	3'0"
SP-686HM	•	•	•	•
SP7-686HM	•	•	•	•
SP8-686HM		•	•	•



Full View Round Top

Door	2'8"	2'10"	3'0"
SP-636HM	•	•	•
SP7-636HM	•	•	•



Full Oval

Door	2'8"	2'10"	3'0"
SP-919HM	•	•	•
SP7-919HM	•	•	•
SP8-919HM	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
SP-607HM	•	•	•



1/2 Viow 1 Panel

1/2 view i-railei					
Door	2'8"	2'10"	3'0"		
SP-684HM-1P	•	•	•		
SP7-684HM-1P	•	•	•		



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
SP-684HM-1PL	•	•	•
SP7-684HM-1PL	•	•	•
SP8-684HM-1PL	•	•	•



IWIN 1/2 view						
Door	2'8"	2'10"	3'0"			
SP-692HM	•	•	•			



3/4 Oval

Door	2'8"	2'10"	3'0"
CD-QAQHM	•		





Full View SL

Sidelight	10"	1'0"	1'2"
SP-690HM	•	•	•
SP7-690HM	•	•	•
SP8-690HM		•	•



3/4 View SL

JIT VICW JE	3/4 VICW 3L				
Sidelight	1'0"	1'2			
SP-422HM	•	•			
SP8-422HM	•	•			



1/2 View SL

Sidelight	1'0"	1'2"
SP-692HM	•	•
SP7-692HM	•	•
SP8-692HM	•	•

HEIRLOOMS



Elliptical 503HM (Fits above 3'-0" door w/ (2) 14" sidelights) 15-1/2" frame height

Elliptical 578HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Segment 532HM (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Rectangular | Satin Nickel Only | 517HM (Fits above 3'-0" Door) — 13-1/2" frame height



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
SP-607HM-1P	•	•	•
SP8-607HM-1P	•	•	•



1/2 View 2-Panel

Door	2'6"	2'8"	2'10"	3'0"
SP-684HM	•	•	•	•
SP7-684HM		•	•	•
SP8-684HM		•	•	•



Center Arch

Door	2'10"	3'0"
SP-632HM	•	•



Sunburst

Door	2'8"	2'10"	3'0"
SP-	•	•	•



NOUVEAU

Nouveau (MN)

Glass Textures: Clear Bevel Clusters Glue Chip Glass Clear Bevels

Privacy Rating | 6








6'8", 7'0" and 8'0" Doors and Sidelights



Full View

Door	2'6"	2'8"	2'10"	3'0"
SP-686MN	•	•	•	•
SP7-686MN	•	•	•	•



Door	2'8"	2'10"	3'0"
SP-919MN	•	•	•
SP7-919MN	•	•	•
SP8-919MN	•	•	•



3/4 View 2-Panei					
Door	2'8"	2'10"	3'0"		
SP-607MN	•	•	•		



3/4 View 1-Panel


Door	2'8"	2'10"	3'0"
SP-607MN-1P	•	•	•
SP8-607MN-1P	•	•	•



1/2 View 1-Panel Plank

118 JELD-W

Door	2'8"	2'10"	3'0"
SP-684MN-1PL	•	•	•
SP7-684MN-1PL	•	•	•
SP8-684MN-1PL	•	•	•



Twin 1/2 View

Door	2'8"	2'10"	3'0"
SP-692MN	•	•	•



1/2 View Round Top

Door	2'8"	2'10"	3'0'
SP-637MN	•	•	•



3/4 Oval

Door	2'8"	2'10"	3'0
SP-949MN	•	•	•





Full View SL

I dii VicW JE					
Sidelight	10"	1'0"	1'2"		
SP-690MN	•	•	•		
SP7-690MN			•		



			3/4 VIEW 3L	-	
10"	1'0"	1'2"	Sidelight	1'0"	1'2"
•	•	•	SP-422MN	•	•
•	•	•	SP8-422MN	•	•



1/2 View SL

Sidelight	1'0"	1'2"
SP-692MN	•	•
SP7-692MN	•	•
SP8-692MN	•	•

NOUVEAU

Transoms "Direct Set"




Rectangular 507MN (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular 521MN (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Elliptical 578MN (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



1/2 View 2-Panel

Door	2'6"	2'8"	2'10"	3'0"
SP-684MN	•	•	•	•
SP7-684MN		•	•	•
SP8-684MN		•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
SP-684MN-1P	•	•	•
SP7-684MN-1P	•	•	•
SP8-684MN-1P	•	•	•



Camber Top

Door	2'8"	2'10"	3'0"
SP-648MN	•	•	•



Sunburst

Door	2'8"	2'10"	3'0"
SP-659MN	•	•	•



OAK PARK



Clear Bevels Thin Reed Glass Crinkle Glass Seedy Glass

Privacy Rating | 5





Craftsman

6'8" and 7'0"

Doors and Sidelights



Optional Craftsman Shelf



 Craftsman

 Door
 2'8"
 2'10"
 3'0"

 SPC-866KP
 •
 •
 •

 SPC7-866KP
 •
 •
 •



 Craftsman SL

 Sidelight
 1'0"
 1'2"

 SPC-820KP
 •
 •

 SPC7-820KP
 •
 •



 Craftsman Full View SL

 Sidelight
 1'0"
 1'2"

 SPC-819KP
 •
 •

 SPC7-819KP
 •
 •





Full View

Door	2'6"	2'8"	2'10"	3'0"
SP-686KP	•	•	•	•
SP7-686KP	•	•	•	•
SP8-686KP		•	•	•




3/4 View 2-Panel

Door	2'8"	2'10"	3'0"	
SP-607KP	•	•	•	



3/4 View 1-Panel

3/4 view i-Panei					
Door	2'8"	2'10"	3'0"		
SP-607KP-1P	•	•	•		
SP8-607KP-1P	•	•	•		



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
SP-684KP	•	•	•
SP7-684KP	•	•	•
SP8-684KP	•	•	•



Transoms "Direct Set"



Rectangular 507KP (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular 521KP (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
SP-684KP-1P	•	•	•
SP7-684KP-1P	•	•	•
SP8-684KP-1P	•	•	•



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
SP-684KP-1PL	•	•	•
SP7-684KP-1PL	•	•	•
SP8-684KP-1PL	•	•	•



Twin 1/2 View

Door	2'8"	2'10"	3'0"
SP-692KP	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
SP-690KP	•	•	•
SP7-690KP	•	•	•
SP8-690KP		•	•




3/4 View SL

Sidelight	1'0"	1'2"
SP-422KP	•	•
SP8-422KP	•	•



1/2 View SL

	Sidelight	1'0"	1'2"
	SP-692KP	•	•
1	SP7-692KP	•	•
	SP8-692KP	•	•





Cadence (CD) Glass Textures:

Glass Textures: Clear Bevel Clusters Hammered Glass Ripple Glass

Privacy Rating | 5





Transoms
"Direct Set"



Half Round 516CD (Fits above 3'-0" door w/ (2) 14" sidelights) — 35" frame height


6'8", 7'0" and 8'0" Doors and Sidelights



Full View

JELD-WEN.COM

Door	2'8"	2'10"	3'0"
SP-686CD	•	•	•
SP7-686CD	•	•	•
SP8-686CD	•	•	•



Full Oval

Door	2'8"	2'10"	3'0"
SP-919CD	•	•	•
SP7-919CD	•	•	•
SP8-919CD	•	•	•



3/4 View 2-Panel

S/ 1 VICW E I dilei				
Door	2'8"	2'10"	3'0"	
SP-607CD	•	•	•	
5. 007.05				



3/4 View 1-Panel

3/4 view i-Panei			
Door	2'8"	2'10"	3'0"
SP-607CD-1P	•	•	•
SP8-607CD-1P	•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"	
SP8-684CD-1P	•	•	•	



1/2 View 1-Panel Plank

1/2 VICW I Tallet Hallic				
Door	2'8"	2'10"	3'0"	
SP8-684CD-1PL	•	•	•	



1/2 View 2-Panel

1/2 View 2-Panel				
	Door	2'8"	2'10"	3'0"
	SP8-684CD	•	•	•



3/4 Oval

Door	2'8"	2'10"	3'0"
SP-949CD	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
SP-690CD	•	•	•
SP7-690CD	•	•	•
SP8-690CD		•	•



3/4 View SL

Sidelight	1'0"	1'2"
SP-422CD	•	•
SP8-422CD	•	•



1/2 View SL

Sidelight	1'0"	1'2"
SP8-692CD	•	•


Bellflower (BLF)

Glass Textures:

Hammered Glass Thin Reed Glass Yellow Swirl Glass Clear Bevels Ruby Red & Olive Soft Wave Glass

Privacy Rating | 8





Patina Caming

Transoms - "Direct Set"



Rectangular 521BLF (Fits above 3'-0" door w/ (2) 12" sidelights) -13-1/2" frame height

Craftsman

6'8" and 7'0"

Doors and Sidelights



Optional Craftsman Shelf



Craftsman

Door	2'8"	2'10"	3'0'
SPC-866BLF	•	•	•
SPC7-866BLF	•	•	•



Craftsman Full View SL

Sidelight	1'0"	1'2"
SPC-819BLF	•	•
SPC7-819BLF	•	•





ruii view					
Door	2'8"	2'10"	3'0"		
SP-686BLF	•	•	•		
SP7-686BLF	•	•	•		



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
SP-607BLF	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
SP-607BLF-1P	•	•	•
SP8-607BLF-1P	•	•	•




1/2 View 2-Panel

				.,		• • •
	2'8"	2'10"	3'0"	Door	2'8"	2'
F-1P	•	•	•	SP8-684BLF	•	
LF-1P	•	•	•			



0"	3'0"	[
•	•	9
		7



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
SP8-684BLF-1P	•	•	•



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
SP8-684BLF-1PL	•	•	•



Top Light

, ,			
Door	2'8"	2'10"	3'0"
SP-662BLF	•	•	•
SP7-662BLF	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
SP-690BLF	•	•	•
SP7-690BLF	•	•	•



3/4 View SL

Sidelight	1'0"	1'2"
SP-422BLF	•	•
SP8-422BLF	•	•



1/2 View SL

	.,	-	
"	Sidelight	1'0"	1'2
	SP8-692BLF	•	•



IMPRESSIONS

Impressions (LI)

Glass Textures:

Clear Bevels

Privacy Rating | 7



Transoms



Rectangular 507LI

(Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

6'8", 7'0" and 8'0" Doors and Sidelights



Full View

JELD-WEN.COM

Door	2'8"	2'10"	3'0"
SP-686LI	•	•	•
SP7-686LI	•	•	•
SP8-686LI	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
SP8-607LI-1P	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"	
SP-684LI	•	•	•	
SP7-684LI	•	•	•	



1/2 VIEW I	1/2 VIEW I-Fallel				
Door	2'8"	2'10"	3'0"		
SP-684LI-1P	•	•	•		
SP7-684LI-1P	•	•	•		



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
SP-684LI-1PL	•	•	•
SP7-684LI-1PL	•	•	•





2'8"	2'10"	3'0"
•	•	•
	2'8" •	2'8" 2'10"



3-Faile	3-Fallel With 3/4 Oval				
Door	2'8"	2'10"	3'0"		
SP-949LI	•	•	•		



Sunburst

Door	2'8"	2'10"	3'0'
SP-659LI	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
SP-690LI	•	•	•
SP7-690LI	•	•	•
SP8-690LI		•	•



3/4 View SL

Sidelight	1'0"	1'2"
SP8-422LI	•	•



1/2 View SL

Sidelight	1'0"	1'2"
SP-692LI	•	•
SP7-692LI	•	•



Delray (DRY)

Glass Textures:

Alabaster Glass Clear Bevels Hammered Glass Micro-Iced Granite Glass

Gray Soft Wave Glass

Privacy Rating | 7





Patina Caming



ickel Caming

Transoms "Direct Set"



Rectangular 521DRY (Fits above 3'-0" door w/ (2) 12" sidelights) – 13-1/2" frame height



Full View

Door	2'8"	2'10"	3'0"
SP-686DRY	•	•	•
SP7-686DRY	•	•	•
SP8-686DRY	•	•	•



3/4 View 1-Panel

3/1 VICW I I dilei				
Door	2'8"	2'10"	3'0"	
SP-607DRY-1P	•	•	•	
SP8-607DRY-1P	•	•	•	



1/2 View 2-Panel

.,					
Door	2'8"	2'10"	3'0"		
SP8-684DRY	•	•	•		



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
SP8-684DRY-1P	•	•	•



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
SP8-684DRY-1PL	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
SP-607DRY	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
SP-690DRY	•	•	•
SP7-690DRY		•	•
SP8-690DRY		•	•



3/4 View SL

Sidelight	1'0"	1'2"
SP8-422DRY	•	•



1/2 View SL

Sidelight	1'0"	1'2"
SP8-692DRY	•	•



Bristol (BT) Glass Textures: Clear Bevel Clusters Hammered Glass Clear Bevels Privacy Rating | 7

Transoms "Direct Set"



Rectangular 506BT (Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Full View

Door	2'6"	2'8"	2'10"	3'0"
SP-686BT	•	•	•	•
SP7-686BT		•	•	•
SP8-686BT		•	•	•



3/4 View 2-Panel 2'8" 2'10" 3'0" Door SP-607BT • • •



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
SP-607BT-1P	•	•	•
SP8-607BT-1P	•	•	•



1/2 View 2-Panel

172 VICW 2 Tarret					
Door	2'8"	2'10"	3'0"		
SP-684BT	•	•	•		
SP7-684BT	•	•	•		
SP8-684BT	•	•	•		



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
SP-684BT-1P	•	•	•
SP7-684BT-1P	•	•	•
SP8-684BT-1P	•	•	•





1/2 View 1-Panel Plank

The view is a disconnection.					
Door	2'8"	2'10"	3'0"		
SP-684BT-1PL	•	•	•		
SP7-684BT-1PL	•	•	•		
SP8-684BT-1PL	•	•	•		



Iwin 1/2 View					
Door	2'8"	2'10"	3'0"		
SP-692BT	•	•	•		
	•	•	3		



3/4 Oval

Door	2'8"	2'10"	3'0"
SP-949BT	•	•	•



Top Lite

Door	2'8"	2'10"	3'0"
SP-662BT	•	•	•
SP7-662BT	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
SP-690BT	•	•	•
SP7-690BT	•	•	•
SP8-690BT		•	•



3/4 View SL

Sidelight	1'0"	1'2"
SP-422BT	•	•
SP8-422BT	•	•



1/2 View SL

'2"	Sidelight	1'0"	1'2"
•	SP-692BT	•	•
•	SP7-692BT	•	•
	SP8-692BT	•	•

GREENFIELD

Greenfield (GRF)

Glass Textures:

Thin Reed Glass Small Hammered Glass Pale Amber & Olive Soft Wave Glass

Privacy Rating | 7







Craftsman

6'8" and 7'0"

Doors and Sidelights



Optional Craftsman Shelf



 Craftsman

 Door
 2'8"
 2'10"
 3'0"


 SPC-866GRF
 •
 •
 •

 SPC7-866GRF
 •
 •
 •



Craftsman Full View SL

Sidelight	1'0"	1'2"
SPC-819GRF	•	•
SPC7-819GRF	•	•



6'8", 7'0" and 8'0" Doors and Sidelights



Full View

ruii view				
Door	2'6"	2'8"	2'10"	3'0"
SP-686GRF	•	•	•	•
SP7-686GRF	•	•	•	•
SP8-686GRF		•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
SP-607GRF	•	•	•



3/4 View 1-Panel

3/4 VICW I Tullel				
Door	2'8"	2'10"	3'0"	
SP-607GRF-1P	•	•	•	
SP8-607GRF-1P	•	•	•	



1/2 View 2-Panel

Door	2'6"	2'8"	2'10"	3'0"
SP-684GRF	•	•	•	•
SP7-684GRF		•	•	•
SP8-684GRF		•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
SP-684GRF-1P	•	•	•
SP7-684GRF-1P	•	•	•
SP8-684GRF-1P	•	•	•

SP = 6'8" SP7 = 7'0" SPC = 6'8" SPC7 = 7'0"



1/2 View 1-Panel Plank

SP8 = 8'0"

Door	2'8"	2'10"	3'0"
SP-684GRF-1PL	•	•	•
SP7-684GRF-1PL	•	•	•
SP8-684GRF-1PL	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
SP-690GRF	•	•	•
SP7-690GRF	•	•	•
SP8-690GRF		•	•



3/4 View SL

3/4 VICW 3L				
Sidelight	1'0"	1'2"		
SP-422GRF	•	•		
SP8-422GRF	•	•		



1/2 View SL

.,	_	
Sidelight	1'0"	1'2"
SP8-692GRF	•	•

JACINTO

Jacinto (JA) Glass Textures: Arctic Glass

Privacy Rating | 9





Wrought Iron

Transoms - "Direct Set"



Rectangular 507JA (Fits above 3'-0" door w/ (2) 14" sidelights) – 15-1/2" frame height

Rectangular 521JA (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



(Fits above 3'-0" door w/ (2) 12" sidelights) — 15-1/2" frame height



Full View

Door	2'6"	2'8"	2'10"	3'0"
SP-686JA	•	•	•	•
SP7-686JA	•	•	•	•
SP8-686JA		•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
SP-607JA	•	•	•



3/4 View 1-Panel

S/ 1 VICV 1 1 dilei				
Door	2'8"	2'10"	3'0"	
SP-607JA-1P	•	•	•	
SP8-607JA-1P	•	•	•	



1/2 View 2-Panel

Door	2'6"	2'8"	2'10"	3'0"
SP-684JA	•	•	•	•
SP7-684JA		•	•	•
SP8-684JA		•	•	•



1/2 View 1-Panel

1/2 VICW I TUITCI					
Door	2'8"	2'10"	3'0"		
SP-684JA-1P	•	•	•		
SP7-684JA-1P	•	•	•		
SP8-684JA-1P	•	•	•		



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
SP-684JA-1PL	•	•	•
SP7-684JA-1PL	•	•	•
SP8-6841Δ-1PI	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
SP-690JA	•	•	•
SP7-690JA	•	•	•
SP8-690JA		•	•



3/4 View SL

Sidelight	1'0"	1'2"
SP-422JA	•	•
SP8-422JA	•	•



1/2 View SL

Sidelight	1'0"	1'2"
SP8-692JA	•	•



Paris (PS)

Glass Textures:

Clear Bevels Arctic Glass Clear Renaissance Glass

Privacy Rating | 4





Patina Caming

Transoms - "Direct Set"

DATE:	MANANA .	
100G	TATATATA T	13-6

Rectangular 507PS

(Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular 521PS (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height

Craftsman

6'8" and 7'0"

Doors and Sidelights



Optional Craftsman Shelf



Craftsman

Door	2'8"	2'10"	3'0"
SPC-866PS	•	•	•
SPC7-866PS	•	•	•



Craftsman Full View SL

Sidelight	1'0"	1'2"
SPC-819PS	•	•
SPC7-819PS	•	•



Full View

Door	2'6"	2'8"	2'10"	3'0"
SP-686PS	•	•	•	•
SP7-686PS	•	•	•	•
SP8-686PS		•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0
SP-607PS	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
SP-607PS-1P	•	•	•
SP8-607PS-1P	•	•	•



1/2 View 2-Panel

172 VICW 2 Tarret						
Door	2'8"	2'10"	3'0"			
SP-684PS	•	•	•			
SP7-684PS	•	•	•			
SP8-684PS	•	•	•			



1/2 View 1-Panel

Door	2'8"	2'10"	3'0'
SP-684PS-1P	•	•	•
SP7-684PS-1P	•	•	•
SP8-684PS-1P	•	•	•



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
SP-684PS-1PL	•	•	•
SP7-684PS-1PL	•	•	•
SP8-684PS-1PL	•	•	•



Twin 1/2 View

Door	2'8"	2'10"	3'0
SP-692PS	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
SP-690PS	•	•	•
SP7-690PS	•	•	•
SP8-690PS		•	•



3/4 View SL

	5,	-	
2"	Sidelight	1'0"	1'2"
•	SP-422PS	•	•
•	SP8-422PS	•	•



1/2 VIEW 3L					
Sidelight	1'0"	1'2"			
SP-692PS	•	•			
SP7-692PS	•	•			
SP8-692PS	•	•			



MOHAVE

Mohave (MOH)

Glass Textures: Micro-Iced Granite Glass Gray Soft Wave Glass Bronze Soft Wave Glass

Privacy Rating | 7



Clear Bevels Streamed Glass Small Hammered Glass



Oil-Rubbed Bronze Caming

6'8", 7'0" and 8'0" Doors and Sidelights



Full View

Door	2'6"	2'8"	2'10"	3'0"
SP-686MOH	•	•	•	•
SP7-686MOH	•	•	•	•
SP8-686MOH		•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
SP-607MOH	•	•	•



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
SP-607MOH-1P	•	•	•
SP8-607MOH-1P	•	•	•



1/2 View 2-Panel

1/2 VICW 2 I dilei					
Door	2'6"	2'8"	2'10"	3'0"	
SP-684MOH	•	•	•	•	
SP7-684MOH		•	•	•	
SP8-684MOH		•	•	•	



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
SP-684MOH-1P	•	•	•
SP7-684MOH-1P	•	•	•
SP8-684MOH-1P	•	•	•





1/2 view 1-Panei Plank						
Door	2'8"	2'10"	3'0"			
SP-684MOH-1PL	•	•	•			
SP7-684MOH-1PL	•	•	•			
SP8-684MOH-1PL	•	•	•			



Twin 1/2 View

Door	2'8"	2'10"	3'0'
SP-692MOH	•	•	•



idelight	10"	1'0"	1'2"	Sidelight	1'0"	1'2"
P-690MOH	•	•	•	SP-422MOH	•	•
P7-690MOH	•	•	•	SP8-422MOH	•	•
P8-690MOH		•	•			



1/2 View SL

Sidelight	1'0"	1'2"
SP-692MOH	•	•
SP7-692MOH	•	•
SP8-692MOH	•	•

SP8 = 8'0"

MAJESTIC

Majestic (ME)

Glass Textures: Glue Chip Bevels Glue Chip Glass Gray Soft Wave Glass

Privacy Rating | 6





Patina Caming



Nickel Caming



Brass Caming

Transoms "Direct Set"



Rectangular 507ME | Brass or Nickel Only (Fits above 3'-0" door w/ (2) 14" sidelights) — 15-1/2" frame height

Rectangular 521ME (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



Elliptical 578ME (Fits above 3'-0" door w/ (2) 12" sidelights) — 13-1/2" frame height



6'8", 7'0" and 8'0" Doors and Sidelights



Full View

Door	2'6"	2'8"	2'10"	3'0"
SP-686ME	•	•	•	•
SP7-686ME	•	•	•	•
SP8-686ME		•	•	•

2'6" & SP8 Sizes - Brass or Nickel only




3/4 View 2-Panel

3/4 VIEW 2-Parier					
Door	2'8"	2'10"	3'0"		
SP-607ME	•	•	•		
Brass or Nickel only					



SP-607ME-1P - Brass or Nickel only

SP8-607ME-1P



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
SP-684ME	•	•	•
SP7-684ME	•	•	•
SP8-684ME	•	•	•

SP8 - Brass or Nickel only



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
SP-684ME-1P	•	•	•
SP7-684ME-1P	•	•	•
SP8-684ME-1P	•	•	•

SP8 - Brass or Nickel only



1/2 View 1-Panel Plank

1/2 VICW I Tallel Halik				
Door	2'8"	2'10"	3'0"	
SP-684ME-1PL	•	•	•	
SP7-684ME-1PL	•	•	•	
SP8-684ME-1PL	•	•	•	

SP8 - Brass or Nickel only



1/2 View Round Top

Door	2'8"	2'10"	3'0"
SP-637ME	•	•	•
Brass or Nick	cel onl	у	



Twin 1/2 View

Door	2'8"	2'10"	3'0'
SP-692ME	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
SP-690ME	•	•	•
SP7-690ME	•	•	•
SP8-690ME		•	•

SP8-690ME •
SP8 - Brass or Nickel only



3/4 View SL

Sidelight	1'0"	1'2"
SP-422ME	•	•
SP8-422ME	•	•
SP-422ME Brass or	Nickel	only



1/2 View SL

Sidelight	1'0"	1'2"
SP-692ME	•	•
SP7-692ME	•	•
SP8-692ME	•	•



Prairie Bevel (PR)

Glass Textures:

Clear Bevels Thin Reed Glass Eaton Glass Granite Glass

Privacy Rating | 6





Craftsman

6'8" and 7'0"

Doors and Sidelights



Optional Craftsman Shelf



Craftsman

Door	2'8"	2'10"	3'0"
SPC-866PR	•	•	•
SPC7-866PR	•	•	•



Craftsman Full View SL

		• • • •
Sidelight	1'0"	1'2"
SPC-819PR	•	•
SPC7-819PR	•	•



6'8", 7'0" and 8'0" Doors and Sidelights



Full View

Door	2'6"	2'8"	2'10"	3'0"
SP-686PR	•	•	•	•
SP7-686PR	•	•	•	•





3/4 View 2-Panel						
Door	2'8"	2'10"	3'0"			
SP-607PR	•	•	•			



3/4 View 1-Panel

Door	2'8"	2'10"	3'0"
SP-607PR-1P	•	•	•
SP8-607PR-1P	•	•	•



1/2 View 2-Panel

Door	2'8"	2'10"	3'0"
SP-684PR	•	•	•
SP7-684PR	•	•	•
SP8-684PR	•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"		
SP-684PR-1P	•	•	•		
SP7-684PR-1P	•	•	•		
SP8-684PR-1P	•	•	•		



Twin 1/2 View

	Door	2'8"	2'10"	3'
[SP-692PR	•	•	





1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"
SP-684PR-1PL	•	•	•
SP7-684PR-1PL	•	•	•
SP8-684PR-1PL	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
SP-690PR	•	•	•
SP7-690PR	•	•	•



3/4 View SL

Sidelight	1'0"	1'2"
SP-422PR	•	•
SP8-422PR	•	•



1/2 View SL

	1'0"	1'2"	Sidelight 1'0"	1'2'
	•	•	SP-692PR •	•
R	•	•	SP7-692PR •	•
			SP8-692PR •	

SP8 = 8'0" SP = 6'8"SP7 = 7'0" SPC = 6'8" SPC7 = 7'0"

Topaz (TPZ)

Glass Textures:

Micro-Granite Glass Bronze Soft Wave Glass

Thin Reed Glass Clear Bevel





Craftsman

6'8" and 7'0"

Doors and Sidelights



Optional Craftsman Shelf



Craftsman

Door	2'8"	2'10"	3'0"
SPC-866TPZ	•	•	•
SPC7-866TPZ	•	•	•



Craftsman Full View SL


Sidelight	1'0"	1'2"
SPC-819TPZ	•	•
SPC7-819TPZ	•	•





Full View

Door	2'6"	2'8"	2'10"	3'0"
SP-686TPZ	•	•	•	•
SP7-686TPZ	•	•	•	•



3/4 View 2-Panel

Door	2'8"	2'10"	3'0"
SP-607TPZ	•	•	•



3/4 View 1-Panel

3/4 VIEW I-Fallel					
Door	2'8"	2'10"	3'0"		
SP-607TPZ-1P	•	•	•		
SP8-607TP7-1P	•	•	•		




1/2 View 2-Panel

72 1.011 2 1 4.101					
Door	2'6"	2'8"	2'10"	3'0'	
SP-684TPZ	•	•	•	•	
SP7-684TPZ		•	•	•	
SP8-684TPZ		•	•	•	



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"
SP-684TPZ-1P	•	•	•
SP7-684TPZ-1P	•	•	•
SP8-684TPZ-1P	•	•	•



Twin 1/2 View

Door	2'8"	2'10"	3'0"
SP-692TPZ	•	•	•



Top Lite

Door	2'8"	2'10"	3'0"
SP-662TPZ	•	•	•
SP7-662TPZ	•	•	•



1/2 View 1-Panel Plank

Door	2'8"	2'10"	3'0"	
SP-684TPZ-1PL	•	•	•	
SP7-684TPZ-1PL	•	•	•	
SP8-684TPZ-1PL	•	•	•	



Full View SL

ruii view	JL		
Sidelight	10"	1'0"	1'2
SP-690TPZ	•	•	•
SP7-690TPZ	•	•	•




3/4 VIEW 3L				
Sidelight	1'0"	1'2"		
SP-422TPZ	•	•		
SD8-422TD7	•			



1/2 View SL

1'2"	Sidelight	1'0"	1'2
•	SP-692TPZ	•	•
•	SP7-692TPZ	•	•
	SD8_602TD7	•	

Contours & Gladiator Steel



These premium steel Contours doors have a tough, galvanized steel facing with baked-on enamel primer and feature our exclusive high definition beaded sticking and double-hip panel profile. Other panel profiles are available in selected designs. They are available with an optional steel edge that delivers added security and a fire rating of up to 90 minutes. Many of the decorative glass options shown in Smooth-Pro Fiberglass may be used in Contours Steel Doors.



CT - Contours Beaded Sticking



CT - Contours Tiered Sticking



CT - Contours Ovolo Sticking



CC - Contours Craftsman Sticking



Standard utility grade Gladiator steel doors in basic door styles provide a great value for any home. Galvanized steel facings are factory primed with neutral low-sheen baked-on enamel primer for easy finishing.



GL - Gladiator Ovolo Sticking

Craftsman

6'8"Door



6'8", 7'0" and 8'0" Panel Doors



	-	h	

1 10311							
Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	3'6"
CT-100	•	•	•	•	•	•	•
CT7-100	•	•	•	•	•	•	•
CT8-100	•	•	•	•	•	•	
GI-100							



1-Panel Eyebrow Beaded Door

CT-11



3-Panel - Beaded
 Door
 2'8"
 2'10"
 3'0"

 CT-30
 •
 •
 •



4-Panel - Ovolo Door 2'8" 2'10" 3'0"
CT-40 • • •



6-Panel - Beaded

o . ac. Deaaca							
Door	2'6"	2'8"	2'10"	3'0"			
CT-60	•	•	•	•			
CT7-60		•	•	•			

6-Panel - Ovolo

0-1 arier - Ovolo								
Door	2'6"	2'8"	2'10"	3'0"	3'6"			
CT-60					•			
CT7-60		•	•	•	•			
CT8-60	•	•	•	•				
GL-60	•	•	•	•				



8-Panel - Beaded Door 2'8" 2'10" 3'0"



9-Panel - Beaded Door 2'8" 2'10" 3'0" CT-90 •



2-Panel - Tiered Door 2'8" 2'10" 3'0" CT-21 • • •



2-Panel Arch Top Tiered Door 2'8" 2'10" 3'0" CT-20



2-Panel Plank Arch Top - Tiered Door 2'8" 2'10" 3'0" CT-24

Craftsman

6'8"Door and Sidelight







6'8", 7'0" and 8'0" Clear Glass Doors



Full View

Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	3'6"
CT-686CL	•	•	•	•	•	•	•
CT7-686CL	•	•	•	•	•	•	•
CT8-686CL	•	•	•	•	•	•	
GL-686CL			•	•	•	•	



Full Oval

[Door	2'8"	2'10"	3'0"	3'6"
(CT-919CL	•	•	•	•
(CT7-919CL	•	•	•	•
(CT8-919CL	•	•	•	
(GL-919CL	•	•	•	



3/4 View 2-Panel - Beaded

Door	2'8"	2'10"	3'0"
CT-607CL	•	•	•



1/2 View 2-Panel - Beaded

Door	2'6"	2'8"	2'10"	3'0"
CT-684CL	•	•	•	•
CT7-684CL		•	•	•

1/2 View 2-Panel - Ovolo

				-
Door	2'6"	2'8"	2'10"	3'0"
CT8-684CL		•	•	•
GL-684CL	•	•	•	•



1/2 View 1-Panel - Tiered

Door	2'8"	2'10"	3'0"
CT-684CL-1P	•	•	•



1/2 View 1-Panel Plank

Hered			
Door	2'8"	2'10"	3'0'
CT-684CL-1PL	•	•	•



1/2 View Camber Top Beaded

Door	2'8"	2'10"	3'0'
CT-673CL	•	•	•

1/2 View Camber Top Ovolo

0 10.0			
Door	2'8"	2'10"	3'0"
GL-673CL	•	•	•



1/2 View 1-Panel Camber Top - Tiered

	1.		
Door	2'8"	2'10"	3'0
CT-673CL-1P	•	•	•



1/2 View 1-Panel Plank Camber Top - Tiered

Door	2'8"	2'10"	3'0
CT-673CL-1PL	•	•	•

6'8", 7'0" and 8'0" Clear Glass Doors and Sidelights



1/2 View Round Top Beaded

Door	2'8"	2'10"	3'0"
CT-637LE	•	•	•

Low-E Only

1/2 View Round Top Ovolo

0.0.0						
Door	2'8"	2'10"	3'0"			
GL-637LE	•	•	•			
Low-E only						



Twin 1/2 View - Beaded					
Door	2'8"	2'10"	3'0"		
CT-692CL	•	•	•		
CT7-692CI					

Twin 1/2 View - Ovolo					
	Door	2'8"	2'10"	3'0"	
	CT8-692CL	•	•	•	
	GL-692CL	•	•	•	



Twin 3/4 \	win 3/4 View - Ovo				
Door	2'8"	2'10"	3'0"		
CT-422CI					



3/4 Oval 3-Panel Beaded 2'8" 2'10" 3'0"

• •

CT-949CL



Camber Top - Beaded* Door 2'8" 2'10" 3'0" CT-648CL • • •

Camber Top - Ovolo*					
Door	oor 2'8"		3'0"		
GL-648CL	•	•	•		



Sunburst - Beaded* 2'8" 2'10" 3'0" CT-659CL • • •

Sunburst - Ovolo*

Door	2'8"	2'10"	3'0"
GL-659CL	•	•	•



Center Lite

beaueu				
Door	2'8"	2'10"	3'0"	
CT-640CL	•	•	•	



Square							
Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	3'6"
CT-696CL	•	•	•	•	•	•	•
CT7-696CL	•	•	•	•	•	•	•
GL-696CL			•	•	•	•	



Diamond								
Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	3'6"	
CT-412CL	•	•	•	•	•	•	•	
CT7-412CL	•	•	•	•	•	•	•	
GL-412CL			•	•	•	•		



Twin Top Lite - Beaded

Door	2'8"	2'10"	3'0"
CT-680CL	•	•	•
CT7-680CL	•	•	•

Twin Top Lite - Ovolo

Door	2'8"	2'10"	3'0"			
GL-680CL	•	•	•			



Full View SL

I dii vicv	JL		
Sidelight	10"	1'0"	1'2"
CT-690CL	•	•	•
CT7-690CL		•	•
CT8-690CL		•	•



3/4 View SL - Beaded

3/4 VIEW 3	L - De	eaue
Sidelight	1'0"	1'2"
CT-422CL	•	•



1/2 View SL - Beaded

Sidelight	10"	1'0"	1'2"
CT-692CL	•	•	•
CT7-692CL		•	•

10" sidelight in Clear Only

1/2 View SL - Ovolo

Sidelight	10"	1'0"	1'2"
CT-692CL	•	•	•
CT8-692CL		•	•

^{10&}quot; sidelight in Clear Only

*Contours and Gladiator Sunburst and Camber Top designs may have different top rail dimensions than shown. Contact your JELD-WEN Facility for details.

Fixed External Grilles (FG) 5/8" Grille

Available in White





Contoured Internal Muntin Grilles (CM) 11/16" Grille

Available in Champagne or White





Craftsman

6'8"Clear Glass Door 7/8" Grille



Craftsman 6-Lite

Door	2'6"	2'8"	2'10"	3'0"
CC-866FG6	•	•	•	•
Clear Only				



6'8", 7'0" and 8'0" Doors



Full View 15-Lite (18-Lite - 8'0")

Door	2'6"	2'8"	2'10"	3'0"	3'6"
CT-686FG15	•	•	•	•	•
CT7-686FG15	•	•	•	•	•
CT8-686FG18	•	•	•	•	
CT-686CM15	•	•	•	•	•
CT7-686CM15	•	•	•	•	•
CT8-686CM18	•	•	•	•	
CT-686IM15	•	•	•	•	•
CT7-686IM15	•	•	•	•	•
CT8-686IM18	•	•	•	•	
GL-686FG15	•	•	•	•	
GL-686CM15	•	•	•	•	
GL-686IM15	•	•	•	•	



Full View 10-Lite (12-Lite - 8'0")

•								
Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	3'6"	
CT-686FG10	•	•	•	•	•	•	•	
CT7-686FG10	•	•	•	•	•	•	•	
CT-686CM10			•	•	•	•	•	
CT7-686CM10			•	•	•	•	•	
CT-686IM10	•	•	•	•	•	•	•	WM
CT7-686IM10	•	•	•	•	•	•	•	WM
CT8-686FG12			•	•	•	•		
CT8-686CM12			•	•	•	•		
CT8-686IM12	•	•	•	•	•	•		WM
GL-686FG10			•	•	•	•		
GL-686CM10			•	•	•	•		
GL-686IM10			•	•	•	•		

CM12 Low-E Only



Full View 8-Lite

Door	2'6"	2'8"	2'10"	3'0"	3'6"
CT-686FG8-LE	•	•	•	•	•
CT7-686FG8-LE	•	•	•	•	•
CT-686WM8-LE	•	•	•	•	•
CT7-686WM8-LE	•	•	•	•	•
GL-686FG8-LE	•	•	•	•	
GL-686WM8-LE	•	•	•	•	

Low-E Only



Full View Round Top

Door	2'8"	2'10"	3'0"	3'6"
CT-636FG17	•	•	•	•
CT7-636FG17	•	•	•	•
GL-636FG17	•	•	•	

WM = Wide Internal Muntin Grilles available

Internal Muntin sizes shown are for White 11/16" Contoured Muntin (CM) and White 5/8" Internal Muntin (IM). See dealer for availability of other grille colors and widths.

FIXED EXTERNAL GRILLES & GRILLES BETWEEN GLASS

Internal Muntin Grilles (IM) 5/8" Grille

Available in Champagne, Bronze or White





Wide Internal Muntin Grilles (WM) 7/8" Grille

Available in Tan and White





6'8", 7'0" and 8'0" Doors



3/4 View 2-Panel 12-Lite **Beaded**

Door	2'8"	2'10"	3'0"	
CT-607FG12	•	•	•	
CT-607CM12	•	•	•	
CT-607IM12	•	•	•	WN

CM12 - LE Only



3/4 View 2-Panel 6-Lite Beaded

Door	2'8"	2'10"	3'0"
CT-607FG6-LE	•	•	•
CT-607WM6-LE	•	•	•

Low-E Only WM - White Only



1/2 View 2-Panel 6-Lite Ovolo

Door	2'8"	2'10"	3'0"
CT8-684FG6-LE	•	•	•
CT8-684WM6-LE	•	•	•

Low-E Only WM - White Only



3/4 View 2-Panel 4-Lite Beaded

Door	2'8"	2'10"	3'0"
CT-607FG4-LE	•	•	•
CT-607WM4-LE	•	•	•

Low-E Only



1/2 View 2-Panel 9-Lite - Beaded

Door	2'6"	2'8"	2'10"	3'0"	
CT-684FG9	•	•	•	•	
CT7-684FG9		•	•	•	
CT-684CM9	•	•	•	•	
CT7-684CM9		•	•	•	
CT-684IM9	•	•	•	•	w
CT7-684IM9		•	•	•	W

1/2 View 2-Panel 12-Lite - Ovolo

Door	2'8"	2'10"	3'0"	
CT8-684FG12	•	•	•	
CT8-684CM12	•	•	•	
CT8-684IM12	•	•	•	W١

1/2 View 2-Panel 9-Lite - Ovolo

Door	2'6"	2'8"	2'10"	3'0"	
GL-684FG9	•	•	•	•	
GL-684CM9	•	•	•	•	
GL-684IM9	•	•	•	•	w w



1/2 View 1-Panel 9-Lite

Tiered				
Door	2'8"	2'10"	3'0"	
CT-684FG9-1P	•	•	•	
CT-684CM9-1P	•	•	•	
CT-684IM9-1P	•	•	•	WM



1/2 View 1-Panel Plank 9-Lite - Tiered

Door	2'8"	2'10"	3'0"	
CT-684FG9-1PL	•	•	•	
CT-684CM9-1PL	•	•	•	
CT-684IM9-1PL	•	•	•	WM



1/2 View 2-Panel 4-Lite Beaded

Door	2'8"	2'10"	3'0"
CT-684FG4-LE	•	•	•
CT7-684FG4-LE	•	•	•
CT-684WM4-LE	•	•	•
CT7-684WM4-LE	•	•	•

Low-E Only

1/2 View 2-Panel 4-Lite Ovolo

Door	2'8"	2'10"	3'0"
CT8-684FG4-LE	•	•	•
CT8-684WM4-LE	•	•	•

Low-E Only

1/2 View 2-Panel 4-Lite Ovolo

Door	2'8"	2'10"	3'0"
GL-684WM4-LE	•	•	•
Low-F Only			

Low-E Only

Fixed External Grilles (FG)

Contoured Internal Muntin Grilles (CM)

Internal Muntin Grilles (IM)

Wide Internal Muntin Grilles (WM)

Continued

6'8", 7'0" and 8'0" Doors and Sidelights



1/2 View 1-Panel 4-Lite Tiered

Door	2'8"	2'10"	3'0"
CT-684WM4-LE-1P	•	•	•

Low-E Only



1/2 View 1-Panel Plank 4-Lite - Tiered

Door	2'8"	2'10"	3'0"
CT-684WM4-LE-1PL	•	•	•
Low-E Only			



1/2 View 2-Panel Diamond Beaded

Door	2'8"	2'10"	3'0"
CT-684DFG	•	•	•
CT7-684DFG	•	•	•

1/2 View Diamond - Ovolo					
Door	2'8"	2'10"	3'0"		
GL-684DFG	•	•	•		



1/2 View 1-Panel Diamond

Hered			
Door	2'8"	2'10"	3'0"
CT-684DFG-1P	•	•	•



1/2 View Round Top

beaueu			
Door	2'8"	2'10"	3'0"
CT-637FG11	•	•	•
1/2 View	Roui	nd To	n

Ovoio			
Door	2'8"	2'10"	3'0"
GI-637FG11	•	•	•



Twin 3-Lite - Beaded

Door	2'8"	2'10"	3'0"	
CT-692FG3	•	•	•	
CT7-692FG3	•	•	•	
CT-692CM3	•	•	•	
CT7-692CM3	•	•	•	
CT-692IM3	•	•	•	WM
CT7-692IM3	•	•	•	WM

Twin 4-Lite - Ovolo

Door	2'8"	2'10"	3'0"	
CT8-692FG4	•	•	•	
CT8-692CM4	•	•	•	
CT8-692IM4	•	•	•	W١
CM4-Low-E O	nly			

Twin 3-Lite - Ovolo

TWILL S ELLC OVOID					
Door	2'8"	2'10"	3'0"		
GL-692FG3	•	•	•		
GL-692CM3	•	•	•		
GL-692IM3	•	•	•	WM	



Sunburst 5-Lite Beaded* 2'8" 2'10" 3'0"

C1-659FG5	•	•	•
CT-659IM5	•	•	•
Sunburst	5-Li	te	
Ovolo*			
Door	2'8"	2'10"	3'0'



Gothic 4-Lite - Beaded

Door	2'8"	2'10"	3'0
CT-224FG4	•	•	•

Gothic 4-Lite - Ovolo

Door	2'8"	2'10"	3'0"
GL-224FG4	•	•	•



Sunburst 7-Lite

Beaded					
Door	2'8"	2'10"	3'0"		
CT-626FG7	•	•	•		
Sunburst 7-Lite Ovolo					
Door	2'8"	2'10"	3'0"		
GL-626FG7	•	•	•		



Camber Top 11-Lite

Beaded*					
Door	2'8"	2'10"	3'0"		
CT-648FG11	•	•	•		
Camber Top 11-Lite					
Ovolo*					
Door	2'8"	2'10"	3'0"		

GL-648FG11 • • •



4-Lite - Beaded

Door	2'8"	2'10"	3'0"
CT-662FG4	•	•	•
CT7-662FG4	•	•	•
CT-662IM4	•	•	•
CT7-662IM4	•	•	•

IM - White & Champagne Only

4-Lite - Ovolo					
Door	2'8"	2'10"	3'0"		
GL-662FG4	•	•	•		
GL-662IM4	•	•	•		

IM - White & Champagne Only

*Contours and Gladiator Sunburst and Camber Top designs may have different top rail dimensions than shown. Contact your JELD-WEN Facility for details.

Simulated Divided Lites (SD) Craftsman Style 7/8" Grille





Craftsman

6'8"Simulated **Divided Lites**



Optional Shelf



Craftsman 3-Lite SDL

Door	2'6"	2'8"	2'10"	3'0"
CC-866SD3-LE	•	•	•	•
Low-E Only				



Craftsman 6-Lite SDL

Door	2'6"	2'8"	2'10"	3'0"
CC-866SD6-LE	•	•	•	•

Low-E Only

6'8", 7'0" and 8'0" Sidelights



Full View 5-Lite SL (6-Lite SL - 8'0")

1
]
1
1
1
WN
WN
WN
4

CT8-690IM6 White & Champagne Only



Full View 4-Lite SL

		_
Sidelight	1'0"	1'2"
CT-690FG4-LE	•	•
CT7-690FG4-LE	•	•
CT-690WM4-LE	•	•
CT7-690WM4-LE	•	•
Low-E Only		

1'2"	
1 2	
•	
•	
•	
•	



Ovoio		
Sidelight	1'0"	1
CT8-692FG3-LE	•	
CT8-692WM3-LE	•	Г
Low-E Only		

1/2 View 3-Lite SL



1/2 View 3-Lite SL

10"	1'0"	1'2"	
•	•	•	
•	•	•]
	•	•]
	•	•	
•	•	•	WM
•	•	•	WM
	10"	10" 1'0" • • • • • • • • • • • • • • • • • • •	10" 1'0" 1'2"

10" Sidelights Clear Glass Only

1/2 View 3-Lite SL - Ovolo (4-Lite Ovolo - 8'0")

•				
Sidelight	10"	1'0"	1'2"	
CT-692FG3	•	•	•	
CT8-692FG4		•	•	
CT-692CM3		•	•]
CT8-692CM4		•	•	
CT-692IM3	•	•	•	WN
CT8-692IM4		•	•	WN
				-

10" Sidelights Clear Glass Only CM4 Low-E Only



1/2 View 2-Lite SL Beaded

Sidelight	1'0"	1'2"
CT-692FG2-LE	•	•
CT7-692FG2-LE	•	•
CT-692WM2-LE	•	•
CT7-692WM2-LE	•	•

Low-E Only

1/2 View 2-Lite SL Ovolo

Sidelight	1'0"	1'2"
CT-692FG2-LE	•	•
CT8-692FG2-LE	•	•
CT-692WM2-LE	•	•
CT8-692WM2-LE	•	•

Low-E Only



3/4 View 2-Lite SL Beaded

Sidelight	1'0"	1'2"
CT-422FG2-LE	•	•
CT-422WM2-LE	•	•

Low-E Only



3/4 View 4-Lite SL

Beaded			
Sidelight	1'0"	1'2"	
CT-422FG4	•	•	
CT-422CM4	•	•	
CT-422IM4			w

CM4 - Low-E Only



3/4 View 3-Lite SL Beaded

Sidelight	1'0"	1'2"
CT-422FG3-LE	•	•
CT-422WM3-LE	•	•
Low-E Only		



Prairie Internal Muntin Grilles (PM) 5/8" Grille

Available in Champagne* and White



Prairie Wide Internal Muntin Grilles (WPM) 7/8" Grille*

Available in Tan and White





Also available in Prairie Fixed Grilles (PFG) *Low-E Only

6'8", 7'0" and 8'0" Doors and Sidelights



Full View Prairie Lite

3'6"
•
•
•
•
•
•

*Model PFG Fixed External Grille



3/4 View 2-Panel Prairie Lite - Beaded

			-
Door	2'8"	2'10"	3'0"
CT-607PM	•	•	•
CT-607WPM	•	•	•



1/2 View 2-Panel Prairie Lite - Readed

Door	2'8"	2'10"	3'0"
CT-684PM	•	•	•
CT7-684PM	•	•	•
CT-684WPM	•	•	•
CT7-684WPM	•	•	•

1/2 View 2-Panel Prairie Lite - Ovolo

Door	2'8"	2'10"	3'0"
CT8-684PM	•	•	•
CT8-684WPM	•	•	•



1/2 View 1-Panel Prairie Lite - Tiered

Door	2'8"	2'10"	3'0"
CT-684PM-1P	•	•	•
CT-684WPM-1P	•	•	•



1/2 View 1-Panel Plank Prairie Lite - Tiered

Door	2'8"	2'10"	3'0"
CT-684PM-1PL	•	•	•
CT-684WPM-1PL	•	•	•



Twin 1/2 View Prairie Lite Beaded

Door	2'8"	2'10"	3'0"
CT-692PM	•	•	•
CT7-692PM	•	•	•
CT-692WPM	•	•	•
CT7-692WPM	•	•	•

Twin 1/2 View Prairie Lite

0.0.0			
Door	2'8"	2'10"	3'0"
CT8-692PM	•	•	•
CT8-692WPM	•	•	•



Full View Prairie Lite SL

Sidelight	10"	1'0"	1'2"
CT-690PFG*	•	•	•
CT-690PM	•	•	•
CT7-690PM		•	•
CT8-690PM		•	•
CT-690WPM	•	•	•
CT7-690WPM		•	•

*Model PFG Fixed External Grille



3/4 View Prairie Lite SL

Beaded		
Sidelight	1'0"	1'2"
CT-422PM	•	•
CT-422WPM	•	•



1/2 View Prairie Lite SL Beaded

Sidelight	1'0"	1'2"
CT-692PM	•	•
CT7-692PM	•	•
CT-692WPM	•	•
CT7-692WPM		•

1/2 View Prairie Lite SL Ovolo

Sidelight	1'0"	1'2"
CT-692PM	•	•
CT8-692PM	•	•
CT-692WPM	•	•
CT8-692WPM	•	•

GRILLES BETWEEN GLASS

Top Down Internal Muntin Grilles (AC) 5/8" Grille

Available in White





6'8", 7'0" and 8'0" Doors and Sidelights



Full View 4-Lite

Door	2'6"	2'8"	2'10"	3'0"	3'6"
CT-686AC4	•	•	•	•	•
CT7-686AC4	•	•	•	•	•
CT8-686AC4	•	•	•	•	



Full View 3-Lite

-					
Door	2'6"	2'8"	2'10"	3'0"	3'6"
CT-686AC3	•	•	•	•	•
CT7-686AC3	•	•	•	•	•
CT8-686AC3	•	•	•	•	



3/4 View 2-Panel

4-Lite - Beaded				
Door	2'8"	2'10"	3'0"	
CT-607AC4	•	•	•	



3/4 View 2-Panel

3-Lite - Beaueu				
Door	2'8"	2'10"	3'0"	
CT-607AC3	•	•	•	



1/2 View 2-Panel 4-Lite - Beaded

Door	2'8"	2'10"	3'0"
CT-684AC4	•	•	•
CT7-684AC4	•	•	•

1/2 View 2-Panel

4 Litte OV	010		
Door	2'8"	2'10"	3'0"
CT8-684AC4	•	•	•



1/2 View 1-Panel

Door	2'8"	2'10"	3'0"	
CT-684AC4-1PL	•	•	•	



1/2 View 2-Panel 3-Lite

Deduca						
Door	2'8"	2'10"	3'0"			
CT-684AC3	•	•	•			
CT7 COAAC2	_	_	_			

1/2 View 2-Panel 3-Lite

Ovolo			
Door	2'8"	2'10"	3'0"
CT8-6844C3	•		



1/2 View 1-Panel

Flank 3-Lite - Hereu				
Door	2'8"	2'10"	3'0"	
CT-684AC3-1PL	•	•	•	



1/2 View 1-Panel 4-Lite

Hereu			
Door	2'8"	2'10"	3'0"
CT-684AC4-1P	•	•	•



1/2 View 1-Panel 3-Lite

Door	2'8"	2'10"	3'0"
CT-684AC3-1P	•	•	•



Full View 3-Lite SL

Sidelight	10"	1'0"	1'2"
CT-690AC3	•	•	•
CT7-690AC3		•	•
CT8-690AC3		•	•

BLINDS AND GRILLES BETWEEN GLASS

Triple-Glazed Doorglass Blinds & Grilles Between Glass (BL)

Raise, Lower and Tilt Doorglass Blinds 11/16" Contoured Grille with Low-E Glass





completely disappear into top valance



6'8" and 7'0" Doors



Full View 15-Lite

Door	2'8"	2'10"	3'0"	3'6"
CT-686BL15-LE	•	•	•	•
CT7-686BL15-LE	•	•	•	•
GL-686BL15-LE	•	•	•	



Full View 10-Lite

Door	2'8"	2'10"	3'0"	3'6"
CT-686BL10-LE	•	•	•	•
CT7-686BL10-LE	•	•	•	•
GL-686BL10-LE	•	•	•	



Full View

Door	2'8"	2'10"	3'0"	3'6"
CT-686BL-LE	•	•	•	•
CT7-686BL-LE	•	•	•	•
GL-686BL-LE	•	•	•	



1/2 View 2-Panel 9-Lite - Beaded

Door	2'8"	2'10"	3'0"
CT-684BL9-LE	•	•	•
CT7-684BL9-LE	•	•	•

1/2 View 2-Panel

3-Litte - Ovoio						
Door	2'8"	2'10"	3'0"			
GL-684BL9-LE	•	•	•			



1/2 View 1-Panel 9-Lite

Door	2'8"	2'10"	3'0"
CT-684BL9-LE-1P	•	•	•



1/2 View 1-Panel Plank 9-Lite - Tiered

Door	2'8"	2'10"	3'0"
CT-684BL9-LE-1PL	•	•	•



1/2 View 2-Panel - Beaded

Door	2'8"	2'10"	3'0"
CT-684BL-LE	•	•	•
CT7-684BL-LE	•	•	•

1/2 View 2-Panel - Ovolo

Door	2'8"	2'10"	3'0'
GL-684BL-LE	•	•	•



1/2 View 1-Panel - Tiered

Door	2'8"	2'10"	3'0"
CT-684BL-LE-1P	•	•	•



1/2 View 1-Panel Plank Tiered

Door	2'8"	2'10"	3'0"
CT-684BL-LE-1PL	•	•	•

BLINDS BETWEEN GLASS

Blinds Between the Glass (RLB) Raise, Lower and Tilt Doorglass Blinds





No dusting

No dangling cords or swinging blinds

Single operator lets you raise, lower and tilt blinds



6'8", 7'0" and 8'0" Doors and Sidelights



Full View

Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	3'6"
CT-686RLB	•	•	•	•	•	•	•
CT7-686RLB	•	•	•	•	•	•	•
CT8-686RLB	•	•	•	•	•	•	
GL-686RLB			•	•	•	•	

2'0" & 2'4" sizes Clear Glass with White Blinds Only



3/4 View 2-Panel Beaded

Door	2'8"	2'10"	3'0"
CT-607RLB	•	•	•



1/2 View 2-Panel - Beaded

Door	2'6"	2'8"	2'10"	3'0"
CT-684RLB	•	•	•	•
CT7-684RLB		•	•	•

2'6" Clear Glass with White Blinds Only

1/2 View 2-Panel - Ovolo

Door	2'6"	2'8"	2'10"	3'0"
CT8-684RLB		•	•	•
GL-684RLB	•	•	•	•

2'6" - Clear Glass with White Blinds Only



1/2 View 1-Panel - Tiered

1/2 11011	i i dilici i i ci			
Door	2'8"	2'10"	3'0"	
CT_68/IRI R_1P				



1/2 View 1-Panel Plank Tiered

Door	2'8"	2'10"	3'0"
CT-684RLB-1PL	•	•	•



Twin 1/2 View

Door	2'8"	2'10"	3'0"
CT-692RLB	•	•	•
CT7-692RLB	•	•	•

Twin 1/2 View - Ovolo

Door	2'8"	2'10"	3'0"
GL-692RLB	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
CT-690RLB	•	•	•
CT7-690RLB		•	•
CT8-690RLB		•	•

CT8-690RLB - Clear Only 10" Tilt Function Only



1/2 View SL - Beaded

	Sidelight	1'0"	1'2"
	CT-692RLB	•	•
ı	CT7-692RLB	•	•

1/2 View SL - Ovolo



*Tan Blinds have a tan frame and are only available in CT/CT7-684, GL-684, CT/CT7-686, GL-686 and CT/CT7-690 series doors and sidelights. See dealer for sizes.

Vents

Lets in Fresh Air Includes Screen





6'8" and 7'0" Doors



1/2 View 2-Panel Clear Beaded

Door	2'8"	2'10"	3'0"
CT-799CL	•	•	•
CT7-799CL	•	•	•

1/2 View 2-Panel Clear Ovolo

Door	2'8"	2'10"	3'0"
GL-799CL	•	•	•



1/2 View 2-Panel Rain Glass - Beaded

Door	2'8"	2'10"	3'0"
CT-799RN	•	•	•
CT7-799RN	•	•	•

Low-E Only

1/2 View 2-Panel Rain Glass - Ovolo

Door	2'8"	2'10"	3'0"
GL-799RN	•	•	•

Low-E Only

Also available in 1/2 View 1-Panel and 1-Panel Plank Doors



1/2 View 2-Panel 12-Lite Clear - Beaded

Door	2'8"	2'10"	3'0"
CT-799IM	•	•	•
CT7-799IM	•	•	•

5/8" Internal Muntin Grille 1/2 View 2-Panel

12-Lite Clear - Ovolo 2'8" 2'10" 3'0"

GL-799IM	•	•	•
5/8" Interna	Munt	tin Grille	



1/2 View 2-Panel 12-Lite Rain Glass - Beaded

Door	2'8"	2'10"	3'0"
CT-799IM-RN	•	•	•
CT7-799IM-RN	•	•	•

5/8" Internal Muntin Grill Low-E Only

1/2 View 2-Panel 12-Lite Rain Glass - Ovolo

Door	2'8"	2'10"	3'0"
GL-799IM-RN	•	•	•

5/8" Internal Muntin Grill



PRIVACY GLASS




(RN)



Textured Double Glue Chip (DGC)



Textured Micro-Granite (MG)



Privacy Rating | 9



Craftsman
6'8" Doors - Craftsman Style 7/8" Grille (SDL)



Craftsman 1-Lite

Door	2'6"	2'8"	2'10"	3'0"
CC-866RN	•	•	•	•
CC-866DGC	•	•	•	•
CC-866MG		•	•	



Crartsman 5 Erte 552						
Door	2'6"	2'8"	2'10"	3'0"		
CC-866SD3-RN	•	•	•	•		
CC-866SD3-DGC	•	•	•	•		
CC-866SD3-MG	•	•	•	•		



Craftsman 6-Lite SDL						
Door	2'6"	2'8"	2'10"	3'0'		
CC-866SD6-RN	•	•	•	•		
CC-866SD6-DGC	•	•	•	•		
CC-866SD6-MG	•	•	•	•		



Craftsman Full View SL

Ciaitsillali	uii	VIE
Sidelight	1'0"	1'2"
CT-819RN	•	•
CT-819DGC	•	•
CT-819MG	•	•



Optional Shelf

6'8", 7'0" and 8'0" Doors



Full View

I UII VIEW							
Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"	3'6"
CT-686RN	•	•	•	•	•	•	•
CT7-686RN	•	•	•	•	•	•	•
CT8-686RN				•	•	•	
CT-686DGC			•	•	•	•	•
CT7-686DGC			•	•	•	•	•
CT8-686DGC				•	•	•	
CT-686MG			•	•	•	•	•
CT7-686MG			•	•	•	•	•
CT8-686MG				•	•	•	



Full View 15-Lite

Door	2'6"	2'8"	2'10"	3'0"
CT-686FG15-RN	•	•	•	•
CT7-686FG15-RN	•	•	•	•



3/4 View 2-Panel

Beaded				
Door	2'8"	2'10"	3'0"	
CT-607RN	•	•	•	
CT-607DGC	•	•	•	
CT-607MG	•	•		



3-Panel with 3/4 Oval Beaded

Door	2'8"	2'10"	3'0
CT-949RN	•	•	•







Textured Double Glue Chip (DGC)



Textured Micro-Granite (MG)

Available in Low-E Only

Privacy rating applies to RN, DGC and MG glass designs

Privacy Rating | 9



6'8", 7'0" and 8'0" Doors



1/2 View 2-Panel Beaded

Door	2'8"	2'10"	3'0"
CT-684RN	•	•	•
CT7-684RN	•	•	•
CT-684DGC	•	•	•
CT7-684DGC	•	•	•

1/2 View 2-Panel - Ovolo

Door	2'8"	2'10"	3'0"	
CT8-684RN	•	•	•	
CT8-684DGC	•	•	•	
CT8-684MG	•	•	•	



1/2 View 2-Panel 9-Lite Beaded

Dedded			
Door	2'8"	2'10"	3'0"
CT-684FG9-RN	•	•	•
CT7-684FG9-RN	•	•	•



1/2 View 1-Panel - Tiered

1/2 VICVV I I	unci	110	ıcu
Door	2'8"	2'10"	3'0"
CT-684RN-1P	•	•	•
CT-684DGC-1P	•	•	•



1/2 View 1-Panel 9-Lite Tiered

Door	2'8"	2'10"	3'0"
CT-684FG9-RN-1P	•	•	•



1/2 View 1-Panel Plank Tiered

Hereu			
Door	2'8"	2'10"	3'0"
CT-684RN-1PL	•	•	•
CT-684DGC-1PL	•	•	•



1/2 View 1-Panel Plank 9-Lite Tiered

TIGHT 5 LICE TIC	icu		
Door	2'8"	2'10"	3'0"
CT-684FG9-RN-1PL	•	•	•



1/2 View 2-Panel

Camber Top - Beaded			
Door	2'8"	2'10"	3'0"
CT-673RN	•	•	•



1/2 View 1-Panel Camber Top - Tiered

	•		
Door	2'8"	2'10"	3'0
CT_673RN_1P			

PRIVACY GLASS



Textured Rain Glass (RN)



Textured Double Glue Chip (DGC)



Textured Micro-Granite (MG)

Available in Low-E Only

Privacy rating applies to RN, DGC and MG glass designs

Privacy Rating | 9



6'8", 7'0" and 8'0" Doors and Sidelights



1/2 View 1-Panel Plank Camber Top - Tiered

camber top Tierea				
Door	2'8"	2'10"	3'0"	
CT-673RN-1PL	•	•	•	



1/2 View Round Top 11-Lite - Beaded

Door	2'8"	2'10"	3'0"
CT-637FG11-RN	•	•	•



Twin 1/2 View - Beaded

TWIII 1/2 VIEW - Beaded				
Door	2'8"	2'10"	3'0"	
CT-692RN	•	•	•	
CT7-692RN	•	•	•	
CT-692DGC	•	•	•	
CT7-692DGC	•	•	•	



Twin 1/2 View 3-Lite Beaded

Door	2'8"	2'10"	3'0"
CT-692FG3-RN	•	•	•
CT7-692FG3-RN	•	•	•



Sunburst 5-Lite - Beaded

Door	2'8"	2'10"	3'0"
CT-659FG5-RN	•	•	•



4-Lite - Beaded

Door	2'8"	2'10"	3'0"
CT-662FG4-RN	•	•	•



Twin Top Lite - Beaded

TWIII TOP LITE BEGGEG				
Door	2'8"	2'10"	3'0"	
CT-680RN	•	•	•	
CT7-680RN	•	•	•	



Center Lite - Beaded

Door	2'8"	2'10"	3'0
CT-640RN	•	•	•



Full View SL

Sidelight	10"	1'0"	1'2"
CT-690RN	•	•	•
CT7-690RN		•	•
CT-690DGC	•	•	•
CT7-690DGC		•	•
CT8-690DGC		•	•
CT-690MG	•	•	•
CT7-690MG		•	•
CT8-690MG		•	•



Full View 5-Lite SL

Sidelight	10"	1'0"	1'2"
CT-690FG5-RN	•	•	•
CT7-690FG5-RN		•	•



1/2 View SL - Beaded

Sidelight	1'0"	1'2"	
CT-692RN	•	•	
CT7-692RN	•	•	
CT-692DGC	•	•	
CT7-692DGC	•	•	

1/2 View SL - Ovolo

1/2 view	3L - C	יוטעכ
Sidelight	1'0"	1'2"
CT-692RN	•	•
CT-692DGC	•	•



1/2 View 3-Lite SL Beaded

Sidelight	1'0"	1'2"
CT-692FG3-RN	•	•
CT7-692FG3-RN	•	•

1/2 View 3-Lite SL

U	v	UI	O	
Ĺ.,				

Sidelight	1'0"	1'2
CT-692FG3-RN	•	•



JELD-WEN Fire Rated Door Systems are engineered to conform to 20-minute or 90-minute fire code requirements.

20-MINUTE RATED FIRE DOOR SYSTEMS

Have security and peace of mind that your home and family are protected without compromising your design. Now you can enjoy the details of the JELD-WEN Fiberglass Entry Door Systems in a 20-minute rated door.

Fiberglass 6'8" and 8'0" Doors **Architectural Fiberglass**



6-Panel Door 3'0" 20AM-60

20AM8-60



1-Panel Plank Door 3'0" 20AM-14 20AM8-14



2-Panel Arch Plank Door 3'0" 20AM-24

•

20AM8-24



4-Panel Bottom Arch Door 3'0" 20AM-40 •

Design-Pro and Smooth-Pro Fiberglass



2-Panel Arch Top

Door	2'8"	2'10"	3'0"		
20DM-20	•	•	•		
20DF-20	•	•	•		
20SP-20	•	•	•		
20DM8-20	•	•	•		
20DF8-20	•	•	•		
20SP8-20	•	•	•		



2-Panel Square Top

z ranci square rop				
Door	2'8"	2'10"	3'0"	
20DF-21	•	•	•	
20SP-21	•	•	•	
20DF8-21	•	•	•	
20SP8-21	•	•	•	



6-Panel				
Door	2'6"	2'8"	2'10"	3'0"
20DM-60		•	•	•
20DO-60	•	•	•	•
20DF-60		•	•	•
20SP-60	•	•	•	•
20DM8-60		•	•	•
20D08-60		•	•	•
20DF8-60		•	•	•
20SP8-60		•	•	•



4-Panel

Door	2'8"	2'10"	3'0"
20DO-40	•	•	•
20SP-40	•	•	•



3-Panel Scroll

Door	2'10"	3'0"
20DM-31	•	•
20DO-31	•	•



Flush

Door	2'0"	2'4"	2'6"	2'8"	2'10"	3'0"
20SP-100	•	•	•	•	•	•
20DO-100	•	•	•	•	•	•
20D08-100	•	•	•	•	•	•
20SP8-100	•	•	•	•	•	•



2-Panel Arch Plank

Door	2'8"	2'10"	3'0"
20DM-24		•	•
20DF-24	•	•	•
20SP-24	•	•	•
20DM8-24		•	•
20DF8-24	•	•	•
20SP8-24	•	•	•



8-Panel Center Arch

0 1 01101 00		
Door	2'10"	3'0"
20DM-80	•	•
20SP-80	•	•



	z-Panei Eur	O		
1	Door	2'8"	2'10"	3'0"
1	20DM-27	•	•	•
1	20DO-27	•	•	•
	20SP-27	•	•	•



2-Panel 3/4 Arch Top

Door	2'8"	2'10"	3'0"
20DM8-26	•	•	•
20D08-26	•	•	•
20SP8-26	•	•	•

20-MINUTE RATED FIRE DOOR SYSTEMS

Steel 6'8" Doors



20CT-100 •

lush	2-Panel Arch

2'0" 2'6" 2'8" 2'10" 3'0"

Z-Panei Tiered	Arcn	юр	
Door	2'8"	2'10"	3'0"

20CT-20 •



2-Panel Square Top

Tiered	oquu.	с .ор	
Door	2'8"	2'10"	3'0"
20CT-21	•	•	•



2-Panel Arch Top Plank

Tiered			
6'8" Door	2'8"	2'10"	3'0"
20CT-24	•	•	•



3-Panel - Beaded


Door	2'8"	2'10"	3'0"
20CT-30	•	•	•



4-Panel - Ovolo Door 2'8" 2'10" 3'0" 20CT-40 • • •



6-Panel - Beaded





8-Panel - Beaded Door 2'8" 2'10" 3'0" 20CT-80 • • •



9-Panel - Beaded Door 2'8" 2'10" 3'0"

20CT-90 • • •



Craftsman

Door	2'6"	2'8"	2'10"	3'0"
20CC-30	•	•	•	•

90-MINUTE RATED FIRE DOOR SYSTEMS

Steel 6'8", 7'0" and 8'0" Doors



Flush

i iusii						
Door	2'0"	2'6"	2'8"	2'10"	3'0"	3'6"
90CT-100	•	•	•	•	•	•
90CT7-100			•	•	•	•
90CT8-100	•	•	•	•	•	



2-Panel Arch Top Tiered			
Door	2'8"	2'10"	3'0"
90CT-20	•	•	•



2-Panel Square Top

Door	2'8"	2'10"	3'0"
90CT-21	•	•	•



2-Panel Arch Top Plank

Tiered			
Door	2'8"	2'10"	3'0"
90CT-24	•	•	•



3-Panel - Beaded

Door	2'8"		3'0'
90CT-30	•	•	•



4-Panel - Ovolo

4 i dilci	OVO	10	
Door	2'8"	2'10"	3'0"
90CT-40	•	•	•

CT = 6'8"CT7 = 7'0" CT8 = 8'0"



6-Panel - Beaded

Door	2'6"	2'8"	2'10"	3'0"	3'6"
90CT-60	•	•	•	•	•
90CT7-60		•	•	•	•

6-Panel - Ovolo				
90CT8-60	•	•	•	



8-Panel - Beaded

0			
Door	2'8"	2'10"	3'0'
90CT-80	•	•	•



9-Panel - Beaded

Door	2'8"	2'10"	3'0
90CT-90	•	•	•



Craftsman

Door	2'6"	2'8"	2'10"	3'0"
90CC-30	•	•	•	•

JELD-WEN® IMPACT AND COASTAL RATED DOORS

JELD-WEN is dedicated to making doors that perform reliably in any climate and offers door systems that stand up to salt air, coastal moisture, severe winds and dangerous wind borne debris.

JELD-WEN coastal door systems not only protect your home from weather-related damage, but are also well suited for areas where heightened security is a concern.





	Available Product	Door Options	Building Codes
Wind Borne Debris Region (WBDR)	Standard FiberglassSteel	All Panel Impact glass only	Florida Building CodeTexas Dept. of InsuranceNational & Regional Codes
High Velocity Hurricane Zone (HVHZ)	Reinforced FiberglassSteel	All Panel Impact glass only	HVHZ areas of Florida

Missile Impact Testing

Meeting the WBDR and HVHZ requirements involves stringent performance evaluations. To pass the missile impact test, the door unit must withstand an 8-foot-long 2" x 4" being fired at 35 mph to designated spots on the door surface and glass unit. After this, the system must remain intact through 9000 pressure cycles to simulate the winds of a hurricane.







IMPACT!



Remains intact through 9000 pressure cycles.

^{*}Visit www.jeld-wen.com and your JELD-WEN dealer for specific details on door systems requiring coastal certifications. Always check with local building codes in your area. Doors must be installed in accordance with JELD-WEN product approvals.

JELD-WEN® IMPACT AND COASTAL RATED DOORS

Impact Door Choices

JELD-WEN Impact Rated doors are available in a variety of materials and designs for your home. Below is a summary of the available options.

Material

Fiberglass



Architectural



Mahogany



Design-Pro Oak



Design-Pro Fir



Smooth-Pro



Steel



Contours

impact rated glass.

Glass Openings



Full View



View 3/4 View



1/2 View

2-panel options.



Top Lite Full View Sidelight



» 1/2 View and 3/4 View designs available in 1- and

» 2'0", 2'4", 2'6", 2'8", 2'10" and 3'0" door widths. 6'8" and 8'0" door heights. (Door heights and widths will vary with glass design selected. Contact dealer for details.)

» Impact doors available as an all panel/opaque door or with

» Single door, double door and single/double door with sidelights configurations available.

Glass Design

Clear and decorative glass is available in multiple designs and features impact-resistant laminated glass in a paintable white powder-coated aluminum frame. Contact dealer for availability of glass options.

Clear



Full View



Grilles Between Glass (9-Lite, 10-Lite, 12-Lite, 15-Lite, 18-Lite and Prairie Styles)



Blinds Between Glass


Decorative



Cadence



Greenfield



Jacinto



Delray



Mohave

Full View styles shown. 3/4 View, 1/2 View and Top Lite styles with matching sidelights available. Not all glass designs available in every size.

Impact glass available for Design-Pro and Smooth-Pro Fiberglass and Contours Steel.

Impact glass also available in, Double Glue Chip, Heirlooms, Impressions, Majestic, Paris and Topaz designs.

FIBERGLASS DOORS

ARCHITECTURAL COLLECTION



1-3/4" DOOR

- » Woodgrain fiberglass facing
- » Square edge design
- » 4" LVL stiles with hardwood edge band
- » Composite top and bottom rails
- » Innovative BASF Neopor® core
- » Raised moulding designs available
- » 20-minute fire rating construction available

*All sidelights constructed with wood stiles and rails.

DESIGN-PRO COLLECTION



1-3/4" DOOR

- » Woodgrain fiberglass facing
- » Square edge design
- » Composite capped LVL stiles
- » Composite top and bottom rails
- » Innovative BASF Neopor® core
- » 12" lock block
- » 20-minute fire rating construction available

SMOOTH-PRO COLLECTION



1-3/4" DOOR

- » Smooth fiberglass facing
- » Square edge design
- » Composite capped LVL stiles
- » Composite top and bottom rails
- » Innovative BASF Neopor® core
- » 12" lock block
- » 20-minute fire rating construction available

STEEL DOORS

CONTOURS™ COLLECTION



1-3/4" DOOR

- » LVL stiles and rails
- » Steel bottom rail
- » Galvanized steel facing
- » Bright white primer
- » 12" lock block
- » Energy efficient core
- » 20-minute fire rating construction available
- » Optional steel edge for 90-minute fire rating

GLADIATOR® COLLECTION



1-3/4" DOOR

- » LVL stiles and rails
- » Steel bottom rail
- » Galvanized steel facing
- » Cream color primer
- » 12" lock block
- » Energy efficient core



Fact Sheet

Neopor * Graphite Enhanced Thermal Insulation for JELD-WEN * Entry Doors

JELD-WEN * thermal door cores made from BASF Neopor * rigid thermal insulation leverage a BASF patent that allows BASF to integrate graphite into the Neopor cell structure. The high-purity graphite reflects radiant heat and significantly improves insulation capacity. The compelling advantage: exceptional and stable long-term thermal insulation performance. Neopor is "Innovation in Insulation."

Benefits from the use of Neopor:

- Long-term stable R-value
- Enables doors to meet requirements of the ENERGY STAR * Program
- Neopor is GreenGuard® Certified for Indoor Air Quality
- Expansion agent, pentane, has low Global Warming Potential and Zero Ozone Depletion Potential
- Neopor has low water absorption and is dimensionally stable throughout typical temperature range
- Neopor Rigid Thermal Insulation is produced under rigid quality standards

Properties of JELD-WEN Door Core made of Neopor:

- NFRC Listed R-value = 5.1/in at 35°F
- Does not contain fluorocarbons (CFCs, HCFCs, HFCs)

Although all statements and information in this publication are believed to be accurate and reliable, they are presented gratis and for guidance only, and risks and liability for results obtained by use of the products or application of the suggestions described are assumed by the user. NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, INCLUDING WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE, ARE MADE REGARDING PRODUCTS DESCRIBED OR DESIGNS, DATA OR INFORMATION SET FORTH. Statements or suggestions concerning possible use of the products are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe any patent. The user should not assume that toxicity data and safety measures are indicated or that other measures may not be required.



For more information about Neopor, scan the QR code or contact us at:

Website: www.neopor.basf.us E-mail: neopor-us@basf.com





© 2013 BASF

Neopor® is a registered trademark of BASF SE.

JELD-WEN® is a registered trademark of JELD-WEN, Inc., Oregon, USA.

ENERGY STAR® is a registered trademark of the US Department of Energy.

Greenguard® is a registered trademark of Greenguard.

NFRC NATIONAL FENESTRATION RATING COUNCIL® APPROVED is a registered trademark of the National Fenestration Rating Council.





TRANSOMS AND ADDITIONAL GRILLE OPTIONS

Direct Set Clear Glass and Grilles Between Glass Transoms

Transoms shown on this page are designed to complement all door series in this catalog - Architectural, Design-Pro, Smooth-Pro and Contours.

Round Top Clear (CL) 5-Lite (IM) 500CL 500IM 515CL 516CL

ROUND TOP TRANSOMS

CLEAR (CL)	INTERNAL MUNTINS (IM)	Fits above:	Frame Width	Frame Height
500CL	500IM	3'-0" Door	37-1/2"	19-1/2"
515CL	-	3'-0" Door w/(2) 12" Sidelights	64-1/2"	33"
516CL	-	3'-0" Door w/(2) 14" Sidelights	68-1/2"	35"

Elliptical




ELLIPTICAL TRANSOMS

CLEAR (CL)	INTERNAL MUNTINS (IM)	Fits above:	Frame Width	Frame Height
502CL	502IM	3'-0" Door w/(2) 12" Sidelights	64-1/2"	15-1/2"
503CL	503IM	3'-0" Door w/(2) 14" Sidelights	68-1/2"	15-1/2"
512CL	512IM	3'-0" Door w/(2) 12" Sidelights	64-1/2"	11"
514CL	514IM	3'-0" Door w/(2) 14" Sidelights	68-1/2"	11"

Contact your JELD-WEN dealer for availability of Low-E glass and grille styles with transoms.

Rectangular



RECTANGULAR TRANSOMS

CLEAR (CL)	INTERNAL MUNTINS (IM)	INTERNAL CONTOURED MUNTINS (CM)	INTERNAL WIDE MUNTINS (WM)	Fits above:	Frame Width	Frame Height
505CL	505IM	_	_	3'-0" Door	37-1/2"	15-1/2"
506CL	506IM	_	_	3'-0" Door w/(2) 12" Sidelights	64-1/2"	15-1/2"
507CL	507IM	507CM-LE	_	3'-0" Door w/(2) 14" Sidelights	68-1/2"	15-1/2"
511CL	_	_	_	2'-8" Door	33-1/2"	15-1/2"
517CL	517IM	517CM-LE	517WM 🛕	3'-0" Door	37-1/2"	13-1/2"
521CL	521IM	521CM-LE	521WM 🛕	3'-0" Door w/(2) 12" Sidelights	64-1/2"	13-1/2"
524CL	_	_	_	2'-8" Door	33-1/2"	11"
525CL	525IM	_	525WM	3'-0" Door	37-1/2"	11"
526CL	526IM	_	526WM	3'-0" Door w/(2) 12" Sidelights	64-1/2"	11"
527CL	527IM	_	527WM	3'-0" Door w/(2) 14" Sidelights	68-1/2"	11"
547CL	547IM	547CM-LE	_	3'-0" Door w/(1) 12" Sidelight	51"	13-1/2"
551CL	551IM	551CM-LE	551WM	6'-0" Double Door	74-1/4"	13-1/2"
552CL	552IM	_	_	3'-0" Door w/(1) 14" Sidelight	53"	13-1/2"

IM = 5/8" Grille CM = 11/16" Grille WM = 7/8" Grille A Available in White or Tan Grille



ARCHITECTURAL AND DESIGN-PRO FIBERGLASS DOOR STAIN KIT



JELD-WEN Fiberglass Door Stain Kits are easy to use. The stain and top coat provide lasting beauty and increased protection to your door. The Stain Kit comes with everything required to stain and finish one fiberglass door and two sidelights or one double door unit. Contact your local JELD-WEN dealer for availability.

Stain Color Options Available











Dark Mahogany

Mocha

Teak Natural

Moorish Teak

Chestnut

Stain colors shown are photographs and intended as a general guideline.

The final stain color will vary with the fiberglass specie chosen and the number of stain coats applied.






APPROPRIATE PROTECTION FOR EXTERIOR DOORS

Every door type weathers differently. Wood doors, for example, are more susceptible to the elements than steel or fiberglass. The following are some guidelines for designing the best combination of door material, overhang protection, and other factors affecting the long-term performance of the door.

Overhang

An overhang as shown is required for wood doors, and recommended for steel and fiberglass doors. Overhangs protect the door's finish, minimize the need for refinishing and help keep the weather out of the home. An example formula for determining the correct overhang (in many climates) is: D (Depth) = 1/2H (Height). For example, if the measurement from the base of the door to the bottom of the overhang is 10 feet, then the overhang should extend at least 5 feet. This formula can change based on the climate and the direction the door faces. The following section will explain how to modify the formula based on these factors.



Climate & Exposure

Also consider the variables specific to your region. The climate and the direction a door faces play a key role in determining a proper overhang. Typically, southern and western exposures are harshest. With southern exposures, the sun beats down on the door from sunrise to sunset. In western exposures, the door receives sunlight in the hottest part of the day.

Please consult the following chart and adjust the depth of the overhang as needed.

	Direction the door faces			
Climate	North	South	East	West
Desert	D = 1/2H	D = 2H	D = 1/2H	D = 2H
Ocean	D = 1/2H	D = H	D = 1/2H	D = H
Wet	D = H	D = H	D = H	D = H
Mild	D = 1/2H	D = H	D = 1/2H	D = H

Without adequate overhangs, doors with a southern, southwestern, southeastern or western exposure will require more frequent maintenance. Doors without appropriate protection may also experience performance problems such

as rapid finish deterioration, color fading, wood splitting, warping, moulding shrinkage, wood joint separation, and water penetration between the mouldings, panels, and glass.

With proper overhangs, doors may face any direction (north, south, east or west). Doors installed in these types of applications still require finish maintenance. Wood doors, for instance, may need to be refinished every two to five years.

Color Choice

No matter what type of exterior door is selected, color choice may affect how quickly the exterior of the door weathers in extreme climates. In general, darker colors absorb more heat than lighter colors. The exterior face of a door exposed to the sun in harsh environments can reach temperatures well in excess of 120 degrees. As a rule of thumb, if you cannot hold your hand on the face of the door for more than 30 seconds, the door is too hot. These extreme temperatures can cause noticeable damage to the door including finish deterioration and accelerated color fading.

In addition, extreme temperature changes can cause warping, sticking and other performance problems. For doors with little protection or doors installed in hot environments, light colors may help reflect the heat and slow down heat build-up. Depending on the exposure and environment, other precautions (such as overhangs) should be taken to protect the door from the effects of the sun.

Storm Doors

Storm doors provide additional protection for exterior doors in many climates. They shelter the door mainly from rain and wind, though a storm door with dual pane Low-E glass will also block UV rays. In hot climates, adding a storm door may not be a good choice. Heat builds up between the two doors and can cause substantial damage like warping, color fading, and wood joint separation on the door. A storm door in front of a dark colored exterior door can accelerate heat build up even more. Storm doors selected for these situations should be vented to relieve excess heat build-up.

Patio Doors

Steel and fiberglass French and Patio doors have the same overhang requirements as the other entry door types. Provide an adequate overhang to protect them from exposure. Some patio doors are specially built to withstand water intrusion and can be safely placed in locations with more exposure. For more information, consult your product's specific certification information or contact us.

JELD-WEN Warranties

This page provides general information about measures that can be taken to better protect exterior doors, but no warranties are provided by this information. For specific product information and available product warranties please refer to www.jeld-wen.com or contact us at 1-800-JELD-WEN (1-800-535-3936).

The information contained herein is provided solely for informational and/or educational purposes. JELD-WEN disclaims any and all liability associated with the use and/or provision of this information. Any reliance upon the information or advice is at the risk of the party so relying. The information contained herein may be changed from time to time without notification.

JELD-WEN® INTERIOR AND EXTERIOR DOOR SLAB AND SYSTEM LIMITED WARRANTY

OUR WARRANTY TO YOU...

JELD-WEN® Products¹ are designed to create lasting value for your home. This warranty is effective for JELD-WEN products manufactured on or after May 1, 2012 for use in the United States and Canada. Any previous warranties will continue to apply to products manufactured by JELD-WEN prior to this date. For additional information, including care and maintenance information refer to www.jeld-wen.com or www.jeld-wen.ca.

What This Warranty COVERS

We warrant to the original owner² that if your JELD-WEN Product exhibits a defect in material or workmanship within the time periods from the date of purchase as specified below, we will, at our option, repair, replace or refund the purchase price of the Product or component part. Skilled labor³ (where deemed necessary by us) to repair or replace any component is provided for one (1) year from the date of purchase.

Owner-Occupied Single-Family Residence Limited Warranty

Door Slabs: Except as set forth below, we warrant our door slabs, including any glass inserts, miscellaneous hardware, and accessories provided and installed by us, as follows:

Door Slab	Coverage
Fiberglass Exterior Doors	As long as you own and occupy your residence
FiberLast [®] Engineered Composite Exterior Doors	As long as you own and occupy your residence
Steel Exterior Doors	Ten (10) years
Wood Exterior Doors	Five (5) years
Interior Doors	Five (5) years

Factory Prefinish: We warrant the factory-applied prefinish on our doors against peeling, checking, or cracking for periods listed below. Should the factory prefinish be proven defective, we will at our option, replace or refinish the door or pay up to the credit indicated per opening to the current owner. (Note: this coverage applies to factory-applied finish coat options only; standard factory-applied primer is not a finish coat.)

Product	Coverage	Refinish Credit
Aurora® Fiberglass Doors	5 years	\$350 per opening
Custom Exterior Wood Doors	1 year	\$250 per opening
Custom Interior Wood Doors	1 year	\$150 per opening
All other Doors	1 year	\$100 per opening

Door Frames: We warrant our door frames for one (1) year from the date of purchase.

AuraLast® Protection for Door Slabs and Frames: Our AuraLast pine wood door slabs will be free from wood decay and/or termite damage for twenty (20) years from the date of initial purchase. Our AuraLast pine door frame components will be free from wood decay and/or termite damage for as long as the original consumer owns the home in which the AuraLast wood frames are originally installed. Warranty coverage outside Canada, the contiguous 48 states and Alaska is contingent upon approval from the JELD-WEN Customer Care Department. Please contact us.

Severe Weather® Glass: We warrant each Severe Weather glass unit for ten (10) years.

Retractable Screens: We warrant retractable roll screens for five (5) years.

Spontaneous Glass Breakage: We warrant sealed glass units installed in exterior doors (excluding laminated glass, and special glazings) for spontaneous breakage for one (1) year (including free replacement glass and skilled labor³ necessary to replace the glass for one (1) year. Spontaneous breakage occurs when the glass develops a crack without sign of impact.

Commercial Limited Warranty (Other than Owner-Occupied Single-Family Residence)

Fiberglass, FiberLast, Steel, Wood and Interior Door Slabs: We warrant our door slabs for five (5) years from the date of initial

All Other Products, Components, Prefinishes, and Options as Listed Above: Coverage is the same as for Owner-Occupied Single-Family Residences as listed above.

Transferability

This warranty is not transferable.

How to Get Assistance

If you have a problem with your JELD-WEN Door, immediately upon discovery, contact the distributor or dealer from whom you purchased our product or contact us directly:

In the United States:

Mail: JELD-WEN Customer Care

Attn: Door Warranty Claims P.O. Box 1329, Klamath Falls, OR 97601

800-JELD-WEN (800-535-3936)

Phone: 800-436-5954 Fax:

Email: CustomerServiceAgents@jeld-wen.com

Web: www.jeld-wen.com/contact-us

In Eastern Canada:

JELD-WEN Service Department Mail:

90, rue Industrielle

Saint-Appollinaire, Quebec, Canada GOS 2EO

800-463-1930 Phone: 888-998-1599 Fax:

In Western Canada:

JELD-WEN Service Department

550 Munroe Avenue

Winnipeg, Manitoba, Canada R2K 4H3

Phone: 888-945-5627 204-668-8230 204-663-1072

Email: wpgservice@jeld-wen.com

We can respond quickly and efficiently if you provide the following: a) date and location of purchase, or product identification from the tag on the top edge of the slab, b) how to contact you, c) the address where the product can be inspected, and d) a description of the apparent problem and the product (photographs are helpful).

What We Will Do

Upon receiving your notification, we will send out an acknowledgement within three business days to the contact, which you have provided. We will investigate your claim and will begin to take appropriate action within 30 days after receipt of notification. If your warranty claim is denied, we may charge an inspection fee for an onsite inspection that is required or requested by you.

If your claim is accepted, and we choose to repair or replace the product or a component of the product, the replacement product/component will be provided in the same specification as the original product. Replacement products, components and services are warranted for the balance of the original product or service warranty, or 90 days, whichever is longer.

If the claimed nonconformity is warp of a door slab, we may defer repairing or replacing the door slab for a period up to 12 months from the date of claim. It is not uncommon for a temporary warp condition to occur as the door slab adjusts to local humidity and temperature conditions. This deferral will not be counted against the warranty period.

Continued on next page

WARRANTY

What This Warranty Does NOT Cover

JELD-WEN manufactures and sells both individual door slabs and complete door systems. This warranty does not cover parts or components (e.g., locksets, handles, etc.) not sold by JELD-WEN to the original owner. See your distributor or dealer regarding the warranty on the entire door system and/or these other components.

We are not liable for:

- Normal wear and tear, including normal wear and tear of weatherstrip; and natural weathering of surfaces or variations in the color or texture of wood or finish; surface cracks that are less than 1/32" in width and/or 2" in length; for knotty alder and juniper: surface checks that are less than 1/8" in width and/or 5" in length, and knot placement, quantity, or size.
- Problems due to misuse or abuse; failure to follow the care and maintenance instructions; or as a result of any cause beyond our reasonable control (e.g. fire, flood, earthquake, other acts of nature, and acts of third parties outside of our control).
- Problems related to: improper field finishing of all surfaces (front and back) and edges (top, bottom, and sides) of the door slab and frame (See our Finishing Instructions at www. jeld-wen.com/resources); variation or unsatisfactory results in sheen or texture resulting from the field application of paint or any other finishing material.
- Failure to provide an adequate overhang for exterior doors; damage caused by extreme temperature buildup where storm doors are present. For general guidelines, see our "Appropriate Protection for Exterior Doors" in our product literature or at www.jeld-wen.com/resources; for specific information pertaining to your structure, consult your contractor or other building professional.
- Warp for any 3'6" wide by 8'0" high by 1 3/4", or smaller door slab, which does not exceed 1/4" in the plane of the door slab itself; door slabs wider and/or higher are not guaranteed for warp.
- Bow or misalignment in the frame or jamb in which the door slab is hung (if such is purchased from JELD-WEN unmachined and not prehung).
- Slight expansion or contraction due to varying environmental conditions; slab movement (shrinkage or swelling) of 1/4" or less due to temperature and humidity, consult our Care & Maintenance documents on how to work with this natural movement.
- Wood decay for wood components other than of AuraLast pine; and wood decay for any wood components (including pine) that come in direct contact with soil. Note: superficial mold/mildew does not indicate wood decay.
- Problems related to water and/or air infiltration due to improper assembly; installation errors or flaws in building design and construction; installation must be in strict conformance with the installation instructions provided by the manufacturer of the door entry system.
- Structural integrity issues or other problems caused by improper field fitting of the hardware, improper sizing of the door slab, or other assembly problems.
- Slight imperfections or wavy distortions in the glass that don't impair structural integrity. Note: wavy distortions in the glass (e.g. related to laminate interlayer or heat strengthening of glass) are not considered a defect. Slight color variations in glass are not considered a defect.
- Screen damage due to normal wear and tear, misuse, abuse, or insect or animal activity.
- Condensation or damage as a result of condensation (Note: unless due to insulating glass failure, most condensation problems are related to excessive humidity levels in a structure; contact a heating/air conditioning specialist for help).
- Damage or poor product performance resulting from installation into a condition that exceeds product design standards and/or certified performance specifications and/or does not comply with applicable building codes.
- Hardware, accessories or inserts that are not provided by us.

- Discoloration or rusting of decorative metal accent options, such as grilles, clavos, straps, etc.; discoloration of wood sills provided by us.
- Cost for labor, removal or disposal of defective product(s), installation or finishing of the replacement door or component.
- Incidental or consequential damage. Some states/provinces do not allow the exclusion or limitation of incidental or consequential damages, so this may not apply to you.

Important Legal Information --

Please read this carefully. It affects your rights.

This Limited Warranty document sets forth our maximum liability for our products. We shall not be liable for special, indirect, consequential, or incidental damages. Your sole and exclusive remedy with respect to any and all losses or damages resulting from any cause whatsoever shall be as specified above. We make no other warranty or guarantee, either express or implied, including implied warranties of merchantability and fitness for a particular purpose to the original purchaser or to any subsequent user of the Product, except as expressly contained herein. In the event state or provincial law precludes exclusion or limitation of implied warranties, the duration of any such warranties shall be no longer than, and the time and manner of presenting any claim thereon shall be the same as, that provided in the express warranty stated herein. This Limited Warranty document gives you specific legal rights, and you may have other rights that vary from state/province to state/province.


Any dispute, controversy or claim arising out of or relating to this warranty, any alleged breach thereof, or the use or sale of the products to which this warranty applies shall be resolved by mandatory and binding arbitration administered by the American Arbitration Association in accordance with its commercial arbitration rules. Original purchaser agrees that they may assert claims against JELD-WEN in their individual capacity only, and not as a plaintiff or class member in any purported class action proceeding. Rejection of these dispute resolution provisions must be sent to JELD-WEN at the address provided herein within thirty (30) days of original purchaser's receipt of the Products to which this warranty applies.

No distributor, dealer or representative of JELD-WEN has the authority to change, modify or expand this warranty. The original purchaser of this Product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the Product is installed.

- 1 "JELD-WEN Products" shall refer to interior and exterior door slabs and systems manufactured in the United States and marketed under the JELD-WEN brand name for use in the United States and Canada. See our separate Export Warranty for applicable coverage on products used outside the United States and Canada.
- ² This warranty extends to the original owner (original owner means the contractor/dealer/distributor/purchaser and the initial owner of the structure where the product is initially installed) and is not transferable. The original purchaser of this product acknowledges that they have read this warranty, understand it and are bound by its terms and agrees to provide this warranty to the original owner of the structure into which the product is installed. Should state or provincial law preclude no transferability, then the warranty period is effective as applicable up to five (5) years from the date of initial purchase for door slabs and systems and one (1) year from the date of manufacture for the factory pre-finish.
- ³ "Skilled labor" refers to tasks where specialized technical knowledge, experience, methods or tools are required to properly identify, diagnose and/or correct product-related problems.
- © 2010, JELD-WEN, inc. | JELD-WEN, Aurora, FiberLast and AuraLast are trademarks or registered trademarks of JELD-WEN, inc., Oregon, USA. All other marks are the property of their respective owners.

The JELD-WEN® website is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at jeld-wen.com today.





©2014, 2013, 2011, JELD-WEN, inc. Door designs and this publication are owned by JELD-WEN, inc. and are protected under the U.S. Copyright Act and other intellectual property laws. All trademarks, service marks, logos and the like (whether registered or unregistered) are owned or controlled by JELD-WEN, inc. or others. Unauthorized use or duplication of JELD-WEN intellectual property is prohibited.

JELD-WEN reserves the right to change product specifications without notice. For current information please check our website, **www.jeld-wen.com**.