


Premium Vinyl Windows

Casement | Fixed | Awning

Premium Windows Enhanced with European Technology



- Innovative European engineering uses up to 15% more recycled material
- » Co-extruded material
- » More sizes and configurations available
- » Expanded continuous head and sill (CHS) configurations
- » Now tested to PG20, 35, and 50

- » New 1-1/8" Triple Glaze Option to meet R-5; ENERGY STAR® Most Efficient for 2014
- » Multiple fixed options
- » Improved sightlines
- » Available with awning, casement and fixed windows





SIZES AND CONFIGURATIONS WITH INCREASED PG RATING*

*Performance grade is a rating system that identifies the performance standard of windows and patio doors based on several factors including air leakage, water penetration, design pressure, structural test pressure, and operating force.

SIZES & CONFIGURATIONS								
Singles	Width	Height	PG20	PG35	PG50			
Casement	36	72		X	Х			
Awning	48	36		X	X			
Fixed	36	72	X	X	X			
Fixed	60	72	X	X				
Fixed	72	72	X					
Two Wide (CHS)								
Casement	72	72	X	Х	X			
Awning	96	36	X	X	X			
Fixed	72	72	X	X	X			
Fixed	96	72	X	X				
Three Wide (CHS)								
Casement	108	72	X	Х	X			
Awning	144	36	X	X	X			
Fixed	108	72	X	X	X			
Fixed	120	72	X	X				
Four Wide (CHS)								
Casement	144	72	X	X	X			
Awning	192	36	X	X	X			
Fixed	144	72	X	X	X			

CONTINUOUS HEAD & SILL (CHS)								
Multiple configurations based on vertical CHS T-posts / Horizontal Mulls.								
Transoms & Casements								
1 Wide / 2 High	36	144	X	Х	X			
1 Wide / 3 High	36	216	X	X	X			
2 Wide / 2 High	72	144	X	X	X			
2 Wide / 3 High	72	144	X	X	X			
3 Wide / 2 High	108	78	X	X	X			
3 Wide / 3 High	108	96	X	X	X			
Awnings								
1 Wide / 2 High	48	96	X	X	X			
1 Wide/ 3 High	48	108	X	X	X			
2 Wide / 2 High	96	72	X	X	X			
2 Wide / 2 High	96	96	X	X				
2 Wide / 3 High	96	108	X	X	X			
3 Wide / 2 High	108	76	X	X	X			
3 Wide / 3 High	108	96	X	X	X			

SUSTAINABLE CONSTRUCTION

JELD-WEN® Premium Vinyl Windows now utilize colored vinyl recycled from the manufacturing process

Through an innovative dual extrusion process, the regrind from colored vinyl is now able to be utilized. The colored vinyl regrind, with a bit of gray tinting, is used in portions of the window that are unseen after installation.

This doesn't affect the window's performance and the tinted gray coloring is proof of the responsible use of materials.

Window Frame Styles











Nail Fin Frame

Brickmould

Flat Casing


Pocket/Block Frame

Flush Fin Frame


Energy Saver® Max-REDUCE HEAT LOSS UP TO 50%

For maximum energy protection, select Energy Saver Max. This insulating glass package contains three panes of glass, both with argon filled chambers and Super Spacer. The new Premium Vinyl Casement and Awning windows can be outfitted with a 1-1/8" triple pane insulated glass.


Coated with LoDz-272 or optional triple-coated Lodz-366, you can rest comfortably even in the harshest weather. Energy Saver Max reduces heat loss by 50% compared to clear insulating glass and is qualified to the Department of Energy Most Efficient rating.



Simulated Divided Lites (SDL)



Grilles Between the Glass (GBG)



Window Opening Control Device (WOCD)

Factory-installed Window Opening Control Devices (WOCD) from JELD-WEN are designed to meet the ASTM F2090-10 standard intended to prevent accidental falls from windows by children five years of age and younger. Available on casement windows.

ADA-Compliant Handleset

ADA-Compliant handle options now offered on our Premium Vinyl casement and awning windows.



Multipoint Lock Casement / Awning



Nesting Handle Casement / Awning



The JELD-WEN website is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at **jeld-wen.com** today.



Standard Vinyl Colors*







Woodgrain Colors*[†]







Light Oak

Dark Oak

Cherry

EverTone*

Exterior Color Finishes*



Bronze















Arctic Silver Desert Sa

Variances in photography and printing may cause finish colors shown to vary from the actual finish.

*Actual colors may vary from samples displayed. †Regional availability.









INSERT FSC LOGO HERE



