

---

TABLE OF CONTENTS

---

Single Unit .....	8-2
Picture Unit .....	8-8
Twin Unit .....	8-14
2 High Unit .....	8-16
2 High & 2 Wide Unit .....	8-18

**ELEVATIONS  
SINGLE UNITS**

MO BRICKMOLD	21 1/4"(540)	23 1/4"(591)	27 1/4"(692)	31 1/4"(794)	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)
MO FLAT CASING	24 5/16"(618)	26 5/16"(668)	30 5/16"(770)	34 5/16"(872)	36 5/16"(922)	38 5/16"(973)	42 5/16"(1075)
ROUGH OPENING	18 3/4"(476)	20 3/4"(527)	24 3/4"(629)	28 3/4"(730)	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)
FRAME SIZE	18"(457)	20"(508)	24"(610)	28"(711)	30"(762)	32"(813)	36"(914)
DAYLIGHT OPENING	11 13/16"(302)	13 13/16"(351)	17 13/16"(452)	21 13/16"(554)	23 13/16"(605)	25 13/16"(656)	29 13/16"(757)
16 1/2"(419) 18"(457) 14 3/4"(375) 14"(356) 7 13/16"(198)							
CCEA1814	CCEA2014	CCEA2414	CCEA2814	CCEA3014	CCEA3214	CCEA3614	
20 1/2"(521) 22"(559) 18 3/4"(476) 18"(457) 11 13/16"(300)							
CCEA1818	CCEA2018	CCEA2418	CCEA2818	CCEA3018	CCEA3218	CCEA3618	
22 1/2"(572) 24"(610) 20 3/4"(527) 20"(508) 13 13/16"(351)							
CCEA1820	CCEA2020	CCEA2420	CCEA2820	CCEA3020	CCEA3220	CCEA3620	
26 1/2"(671) 28"(711) 24 3/4"(629) 24"(610) 17 13/16"(452)							
CCEA1824	CCEA2024	CCEA2424	CCEA2824	CCEA3024	CCEA3224	CCEA3624	
30 1/2"(775) 32"(813) 28 3/4"(730) 28"(711) 21 13/16"(554)							
CCEA1828	CCEA2028	CCEA2428	CCEA2828	CCEA3028	CCEA3228	CCEA3628	
32 1/2"(826) 34"(864) 30 3/4"(781) 30"(762) 23 13/16"(605)							
CCEA1830	CCEA2030	CCEA2430	CCEA2830	CCEA3030	CCEA3230	CCEA3630	
34 1/2"(876) 36"(914) 32 3/4"(832) 32"(813) 25 13/16"(656)							
CCEA1832	CCEA2032	CCEA2432	CCEA2832	CCEA3032	CCEA3232	CCEA3632	
38 1/2"(978) 40"(1016) 36 3/4"(933) 36"(914) 29 13/16"(757)							
CCEA1836	CCEA2036	CCEA2436	CCEA2836	CCEA3036	CCEA3236	CCEA3636	
42 1/2"(1080) 44"(1118) 40 3/4"(1035) 40"(1016) 33 13/16"(859)							
CCEA1840	CCEA2040	CCEA2440	CCEA2840	CCEA3040	CCEA3240	CCEA3640	

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS  
## NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING


**ELEVATIONS  
SINGLE UNITS**

MO BRICKMOLD	21 1/4"(540)	23 1/4"(591)	27 1/4"(692)	31 1/4"(794)	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)
MO FLAT CASING	24 5/16"(618)	26 5/16"(668)	30 5/16"(770)	34 5/16"(872)	36 5/16"(922)	38 5/16"(973)	42 5/16"(1075)
ROUGH OPENING	18 3/4"(476)	20 3/4"(527)	24 3/4"(629)	28 3/4"(730)	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)
FRAME SIZE	18"(457)	20"(508)	24"(610)	28"(711)	30"(762)	32"(813)	36"(914)
DAYLIGHT OPENING	11 13/16"(302)	13 13/16"(351)	17 13/16"(452)	21 13/16"(554)	23 13/16"(605)	25 13/16"(656)	29 13/16"(757)


44 1/2"(1130)  
46"(1168)  
42 3/4"(1086)  
42"(1067)  
35 13/16"(910)




CCEA1842




CCEA2042




CCEA2442




CCEA2842



CCEA3042



CCEA3242




CCEA3642


50 1/2"(1283)  
52"(1321)  
48 3/4"(1238)  
48"(1219)  
41 13/16"(1062)




CCEA1848




CCEA2048




CCEA2448




CCEA2848



CCEA3048



CCEA3248



CCEA3648

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS  
## NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING











**ELEVATIONS  
SINGLE UNITS**

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

16 1/2"(419) 18"(457) 14 3/4"(375) 14"(356) 7 13/16"(188)	43 1/4"(1099) 46 5/16"(1176) 40 3/4"(1035) 40"(1016) 33 13/16"(859)	45 1/4"(1149) 48 5/16"(1227) 42 3/4"(1086) 42"(1067) 35 13/16"(910)	51 1/4"(1302) 54 5/16"(1380) 48 3/4"(1238) 48"(1219) 41 13/16"(1062)	57 1/4"(1454) 60 5/16"(1532) 54 3/4"(1391) 54"(1372) 47 13/16"(1214)	59 1/4"(1505) 62 5/16"(1583) 56 3/4"(1441) 56"(1422) 49 13/16"(1265)
	CCEA4014	CCEA4214	CCEA4814	CCEA5414	CCEA5614
20 1/2"(521) 22"(559) 18 3/4"(476) 18"(457) 11 13/16"(300)					
	CCEA4018	CCEA4218	CCEA4818	CCEA5418	CCEA5618
22 1/2"(572) 24"(610) 20 3/4"(527) 20"(508) 13 13/16"(351)					
	CCEA4020	CCEA4220	CCEA4820	CCEA5420	CCEA5620
26 1/2"(671) 28"(711) 24 3/4"(629) 24"(610) 17 13/16"(452)					
	CCEA4024	CCEA4224	CCEA4824	CCEA5424	CCEA5624
30 1/2"(775) 32"(813) 28 3/4"(730) 28"(711) 21 13/16"(554)					
	CCEA4028	CCEA4228	CCEA4818	CCEA5428	CCEA5628
32 1/2"(826) 34"(864) 30 3/4"(781) 30"(762) 23 13/16"(605)					
	CCEA4030	CCEA4230	CCEA4830	CCEA5430	CCEA5630
34 1/2"(876) 36"(914) 32 3/4"(832) 32"(813) 25 13/16"(656)					
	CCEA4032	CCEA4232	CCEA4832	CCEA5432	CCEA5632
38 1/2"(978) 40"(1016) 36 3/4"(933) 36"(914) 29 13/16"(757)					
	CCEA4036	CCEA4236	CCEA4836	CCEA5436	CCEA5636
42 1/2"(1080) 44"(1118) 40 3/4"(1035) 40"(1016) 33 13/16"(859)					
	CCEA4040	CCEA4240	CCEA4840	CCEA5440	CCEA5640

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS  
## NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING

**ELEVATIONS  
SINGLE UNITS**

	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)	57 1/4"(1454)	59 1/4"(1505)
MO BRICKMOLD	46 5/16"(1176)	48 5/16"(1227)	54 5/16"(1380)	60 5/16"(1532)	62 5/16"(1583)
MO FLAT CASING	40 3/4"(1035)	42 3/4"(1086)	48 3/4"(1238)	54 3/4"(1391)	56 3/4"(1441)
ROUGH OPENING	40"(1016)	42"(1067)	48"(1219)	54"(1372)	56"(1422)
FRAME SIZE	33 13/16"(859)	35 13/16"(910)	41 13/16"(1062)	47 13/16"(1214)	49 13/16"(1265)
DAYLIGHT OPENING					
					
	CCEA4042	CCEA4242	CCEA4842	CCEA5442	CCEA5642
					
	CCEA4048	CCEA4248	CCEA4848	CCEA5448	CCEA5648

44 1/2"(1130)  
46"(1168)  
42 3/4"(1086)  
42"(1067)  
35 13/16"(910)

50 1/2"(1283)  
52"(1321)  
48 3/4"(1238)  
48"(1219)  
41 13/16"(1062)

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS  
## NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING

**ELEVATIONS  
SINGLE UNITS**


MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

63 1/4"(1607)  
66 5/16"(1684)  
60 3/4"(1543)  
60"(1524)  
53 13/16"(1367)


69 1/4"(1759)  
72 5/16"(1837)  
66 3/4"(1695)  
66"(1676)  
59 13/16"(1519)

75 1/4"(1911)  
78 5/16"(1989)  
72 3/4"(1848)  
72"(1829)  
65 13/16"(1672)


16 1/2"(419)  
18"(457)  
14 3/4"(375)  
14"(356)  
7 13/16"(198)



CCEA6014




CCEA6614




CCEA7214


20 1/2"(521)  
22"(559)  
18 3/4"(476)  
18"(457)  
11 13/16"(300)



CCEA6018




CCEA6618




CCEA7218


22 1/2"(572)  
24"(610)  
20 3/4"(527)  
20"(508)  
13 13/16"(351)



CCEA6020




CCEA6620




CCEA7220


26 1/2"(671)  
28"(711)  
24 3/4"(629)  
24"(610)  
17 13/16"(452)



CCEA6024




CCEA6624




CCEA7224


30 1/2"(775)  
32"(813)  
28 3/4"(730)  
28"(711)  
21 13/16"(554)



CCEA6028



CCEA6628



CCEA7228

32 1/2"(826)  
34"(864)  
30 3/4"(781)  
30"(762)  
23 13/16"(605)



CCEA6030



CCEA6630



CCEA7230

34 1/2"(876)  
36"(914)  
32 3/4"(832)  
32"(813)  
25 13/16"(656)



CCEA6032



CCEA6632



CCEA7232

38 1/2"(978)  
40"(1016)  
36 3/4"(933)  
36"(914)  
29 13/16"(757)



CCEA6036



CCEA6636



CCEA7236

42 1/2"(1080)  
44"(1118)  
40 3/4"(1035)  
40"(1016)  
33 13/16"(859)



CCEA6040



CCEA6640



CCEA7240

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS  
## NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING

**ELEVATIONS  
SINGLE UNITS**


MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

63 1/4"(1607)  
66 5/16"(1684)  
60 3/4"(1543)  
60"(1524)  
53 13/16"(1367)


69 1/4"(1759)  
72 5/16"(1837)  
66 3/4"(1695)  
66"(1676)  
59 13/16"(1519)

75 1/4"(1911)  
78 5/16"(1989)  
72 3/4"(1848)  
72"(1829)  
65 13/16"(1672)


44 1/2"(1130)  
45 1/4"(1153)  
42 3/4"(1086)  
42"(1067)  
35 13/16"(910)



CCEA6042




CCEA6642




CCEA7242


50 1/2"(1283)  
52 1/4"(1328)  
48 3/4"(1238)  
48"(1219)  
41 13/16"(1062)



CCEA6048



CCEA6648



CCEA7248

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS  
## NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING

**ELEVATIONS**  
**PICTURE UNITS**

MO BRICKMOLD MO FLAT CASING ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	21 1/4"(540) 24 5/16"(618) 18 3/4"(476) 18"(457) 11 13/16"(302)	23 1/4"(591) 26 5/16"(668) 20 3/4"(527) 20"(508) 13 13/16"(351)	27 1/4"(692) 30 5/16"(770) 24 3/4"(629) 24"(610) 17 13/16"(452)	31 1/4"(794) 34 5/16"(872) 28 3/4"(730) 28"(711) 21 13/16"(554)	33 1/4"(845) 36 5/16"(922) 30 3/4"(781) 30"(762) 23 13/16"(605)	35 1/4"(895) 38 5/16"(973) 32 3/4"(832) 32"(813) 25 13/16"(656)	39 1/4"(997) 42 5/16"(1075) 36 3/4"(933) 36"(914) 29 13/16"(757)
16 1/2"(419) 18"(457) 14 3/4"(375) 14"(366) 7 13/16"(198)							
20 1/2"(521) 22"(559) 18 3/4"(476) 18"(457) 11 13/16"(300)							
22 1/2"(572) 24"(610) 20 3/4"(527) 20"(508) 13 13/16"(351)							
26 1/2"(671) 28"(711) 24 3/4"(629) 24"(610) 17 13/16"(452)							
30 1/2"(775) 32"(813) 28 3/4"(730) 28"(711) 21 13/16"(554)							
32 1/2"(826) 34"(864) 30 3/4"(781) 30"(762) 23 13/16"(605)							
34 1/2"(876) 36"(914) 32 3/4"(832) 32"(813) 25 13/16"(656)							
38 1/2"(978) 40"(1016) 36 3/4"(933) 36"(914) 29 13/16"(757)							
42 1/2"(1080) 44"(1118) 40 3/4"(1035) 40"(1016) 33 13/16"(859)							

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS  
## NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



**ELEVATIONS**  
**PICTURE UNITS**

MO BRICKMOLD	21 1/4"(540)	23 1/4"(591)	27 1/4"(692)	31 1/4"(794)	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)
MO FLAT CASING	24 5/16"(618)	26 5/16"(668)	30 5/16"(770)	34 5/16"(872)	36 5/16"(922)	38 5/16"(973)	42 5/16"(1075)
ROUGH OPENING	18 3/4"(476)	20 3/4"(527)	24 3/4"(629)	28 3/4"(730)	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)
FRAME SIZE	18"(457)	20"(508)	24"(610)	28"(711)	30"(762)	32"(813)	36"(914)
DAYLIGHT OPENING	11 13/16"(302)	13 13/16"(351)	17 13/16"(452)	21 13/16"(554)	23 13/16"(605)	25 13/16"(656)	29 13/16"(757)
	CCEA1842	CCEA2042	CCEA2442	CCEA2842	CCEA3042	CCEA3242	CCEA3642
	CCEA1848	CCEA2048	CCEA2448	CCEA2848	CCEA3048	CCEA3248	CCEA3648

44 1/2"(1130)  
46"(1168)  
42 3/4"(1086)  
42"(1067)  
35 13/16"(910)

50 1/2"(1283)  
52"(1321)  
48 3/4"(1238)  
48"(1219)  
41 13/16"(1062)

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS  
## NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING

**ELEVATIONS**  
**PICTURE UNITS**

	MO BRICKMOLD	MO FLAT CASING	ROUGH OPENING	FRAME SIZE	DAYLIGHT OPENING
	43 1/4"(1099)	46 5/16"(1176)	40 3/4"(1035)	40"(1016)	33 13/16"(859)
	45 1/4"(1149)	48 5/16"(1227)	42 3/4"(1086)	42"(1067)	35 13/16"(910)
	51 1/4"(1302)	54 5/16"(1380)	48 3/4"(1238)	48"(1219)	41 13/16"(1062)
	57 1/4"(1454)	60 5/16"(1532)	54 3/4"(1391)	54"(1372)	47 13/16"(1214)
	59 1/4"(1505)	62 5/16"(1583)	56 3/4"(1441)	56"(1422)	49 13/16"(1265)
16 1/2"(419)					
18"(467)	CCEA4014	CCEA4214	CCEA4814	CCEA5414	CCEA5614
20 1/2"(521)					
22"(599)	CCEA4018	CCEA4218	CCEA4818	CCEA5418	CCEA5618
24 3/4"(627)					
26 1/2"(672)	CCEA4020	CCEA4220	CCEA4820	CCEA5420	CCEA5620
28 1/2"(711)					
30 1/2"(775)	CCEA4024	CCEA4224	CCEA4824	CCEA5424	CCEA5624
32 1/2"(826)					
34 1/2"(876)	CCEA4028	CCEA4228	CCEA4828	CCEA5428	CCEA5628
36 1/2"(914)					
38 1/2"(978)	CCEA4030	CCEA4230	CCEA4830	CCEA5430	CCEA5630
40 1/2"(1016)					
42 1/2"(1080)	CCEA4032	CCEA4232	CCEA4832	CCEA5432	CCEA5632
44 1/2"(1119)					
46 1/2"(1176)	CCEA4036	CCEA4236	CCEA4836	CCEA5436	CCEA5636
48 1/2"(1227)					
50 1/2"(1277)	CCEA4040	CCEA4240	CCEA4840	CCEA5440	CCEA5640

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS  
## NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING

**ELEVATIONS**  
**PICTURE UNITS**

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

43 1/4"(1099)  
46 5/16"(1176)  
40 3/4"(1035)  
40"(1016)  
33 13/16"(859)


45 1/4"(1149)  
48 5/16"(1227)  
42 3/4"(1086)  
42"(1067)  
35 13/16"(910)

51 1/4"(1302)  
54 5/16"(1380)  
48 3/4"(1238)  
48"(1219)  
41 13/16"(1062)


57 1/4"(1454)  
60 5/16"(1532)  
54 3/4"(1391)  
54"(1372)  
47 13/16"(1214)

59 1/4"(1505)  
62 5/16"(1583)  
56 3/4"(1441)  
56"(1422)  
49 13/16"(1265)


44 1/2"(1130)  
46"(1168)  
42 3/4"(1086)  
42"(1067)  
35 13/16"(910)




CCEA4042




CCEA4242



CCEA4842




CCEA5442




CCEA5642


50 1/2"(1283)  
52"(1321)  
48 3/4"(1238)  
48"(1219)  
41 13/16"(1062)




CCEA4048




CCEA4248



CCEA4848



CCEA5448



CCEA5648

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS  
## NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING

**ELEVATIONS**  
**PICTURE UNITS**


MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

63 1/4"(1607)  
66 5/16"(1684)  
60 3/4"(1543)  
60"(1524)  
53 13/16"(1367)


69 1/4"(1759)  
72 5/16"(1837)  
66 3/4"(1695)  
66"(1676)  
59 13/16"(1519)

75 1/4"(1911)  
78 5/16"(1989)  
72 3/4"(1848)  
72"(1829)  
65 13/16"(1672)


16 1/2"(419)  
16 1/2"(419)  
14 3/4"(375)  
14 3/4"(375)  
7 13/16"(198)



CCEA6014




CCEA6614




CCEA7214


20 1/2"(521)  
20 1/2"(521)  
18 3/4"(475)  
18 3/4"(475)  
11 13/16"(300)



CCEA6018




CCEA6618




CCEA7218


22 1/2"(572)  
22 1/2"(572)  
20 3/4"(527)  
20 3/4"(527)  
13 13/16"(351)



CCEA6020



CCEA6620



CCEA7220

26 1/2"(671)  
26 1/2"(671)  
24 3/4"(629)  
24 3/4"(629)  
17 13/16"(452)



CCEA6024



CCEA6624



CCEA7224

30 1/2"(775)  
30 1/2"(775)  
28 3/4"(730)  
28 3/4"(730)  
21 13/16"(554)



CCEA6028




CCEA6628




CCEA7228

32 1/2"(826)  
32 1/2"(826)  
30 3/4"(781)  
30 3/4"(781)  
23 13/16"(605)



CCEA6030




CCEA6630




CCEA7230


34 1/2"(876)  
34 1/2"(876)  
32 3/4"(832)  
32 3/4"(832)  
25 13/16"(656)



CCEA6032



CCEA6632



CCEA7232

38 1/2"(978)  
38 1/2"(978)  
36 3/4"(933)  
36 3/4"(933)  
29 13/16"(757)



CCEA6036



CCEA6636



CCEA7236

42 1/2"(1080)  
42 1/2"(1080)  
40 3/4"(1035)  
40 3/4"(1035)  
33 13/16"(859)



CCEA6040



CCEA6640



CCEA7240

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS  
## NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING

**ELEVATIONS**  
**PICTURE UNITS**

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

63 1/4"(1607)  
66 5/16"(1684)  
60 3/4"(1543)  
60"(1524)  
53 13/16"(1367)


69 1/4"(1759)  
72 5/16"(1837)  
66 3/4"(1695)  
66"(1676)  
59 13/16"(1519)

75 1/4"(1911)  
78 5/16"(1989)  
72 3/4"(1848)  
72"(1829)  
65 13/16"(1672)


44 1/2"(1130)  
46"(1168)  
42 3/4"(1086)  
42"(1067)  
35 13/16"(910)



CCEA6042




CCEA6642



CCEA7242


50 1/2"(1283)  
52"(1321)  
48 3/4"(1238)  
48"(1219)  
41 13/16"(1062)



CCEA6048



CCEA6648



CCEA7248

**ELEVATION SYMBOL LEGEND:**

M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS  
## NUMBER INDICATES PREFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING

**ELEVATIONS  
TWIN UNITS**

	39 1/4"(997)	43 1/4"(1099)	51 1/4"(1302)	59 1/4"(1505)	63 1/4"(1607)	67 1/4"(1708)	75 1/4"(1911)
MO BRICKMOLD	39 1/4"(997)	43 1/4"(1099)	51 1/4"(1302)	59 1/4"(1505)	63 1/4"(1607)	67 1/4"(1708)	75 1/4"(1911)
MO FLAT CASING	42 5/16"(1075)	46 5/16"(1176)	54 5/16"(1380)	62 5/16"(1583)	66 5/16"(1684)	70 5/16"(1786)	78 5/16"(1989)
ROUGH OPENING	36 3/4"(934)	40 3/4"(1035)	48 3/4"(1238)	56 3/4"(1442)	60 3/4"(1543)	64 3/4"(1645)	72 3/4"(1848)
FRAME SIZE	36"(914)	40"(1016)	48"(1219)	56"(1422)	60"(1524)	64"(1626)	72"(1829)
DAYLIGHT OPENING	11 13/16"(302)[2]	13 13/16"(351)[2]	17 13/16"(452)[2]	21 13/16"(554)[2]	23 13/16"(605)[2]	25 13/16"(656)[2]	29 13/16"(757)[2]
16 1/2"(419)							
18"(457)	CCEA1814-2	CCEA2014-2	CCEA2414-2	CCEA2814-2	CCEA3014-2	CCEA3214-2	CCEA3614-2
20 1/2"(521)							
22"(559)	CCEA1818-2	CCEA2018-2	CCEA2418-2	CCEA2818-2	CCEA3018-2	CCEA3218-2	CCEA3618-2
24 1/2"(623)							
26"(686)	CCEA1820-2	CCEA2020-2	CCEA2420-2	CCEA2820-2	CCEA3020-2	CCEA3220-2	CCEA3620-2
28 1/2"(729)							
30"(762)	CCEA1824-2	CCEA2024-2	CCEA2424-2	CCEA2824-2	CCEA3024-2	CCEA3224-2	CCEA3624-2
32 1/2"(836)							
34"(914)	CCEA1828-2	CCEA2028-2	CCEA2428-2	CCEA2828-2	CCEA3028-2	CCEA3228-2	CCEA3628-2
36 1/2"(933)							
38"(967)	CCEA1830-2	CCEA2030-2	CCEA2430-2	CCEA2830-2	CCEA3030-2	CCEA3230-2	CCEA3630-2
40 1/2"(1035)							
42"(1067)	CCEA1832-2	CCEA2032-2	CCEA2432-2	CCEA2832-2	CCEA3032-2	CCEA3232-2	CCEA3632-2
44 1/2"(1130)							
46"(1168)	CCEA1836-2	CCEA2036-2	CCEA2436-2	CCEA2836-2	CCEA3036-2	CCEA3236-2	CCEA3636-2
48 3/4"(1238)							
50 1/2"(1283)	CCEA1840-2	CCEA2040-2	CCEA2440-2	CCEA2840-2	CCEA3040-2	CCEA3240-2	CCEA3640-2
52"(1321)							
54 1/4"(1380)	CCEA1842-2	CCEA2042-2	CCEA2442-2	CCEA2842-2	CCEA3042-2	CCEA3242-2	CCEA3642-2
56 3/4"(1442)							
58 1/2"(1493)	CCEA1848-2	CCEA2048-2	CCEA2448-2	CCEA2848-2	CCEA3048-2	CCEA3248-2	CCEA3648-2

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS

**ELEVATIONS**  
**TWIN UNITS**

83 1/4"(2115) 86 5/16"(2192) 80 3/4"(2051) 80"(2032) 33 13/16"(859)[2]	87 1/4"(2216) 90 5/16"(2294) 84 3/4"(2153) 84"(2134) 35 13/16"(910)[2]	99 1/4"(2521) 102 5/16"(2599) 96 3/4"(2458) 96"(2438) 41 13/16"(1062)[2]
CCEA4014-2	CCEA4214-2	CCEA4814-2
CCEA4018-2	CCEA4218-2	CCEA4818-2
CCEA4020-2	CCEA4220-2	CCEA4820-2
CCEA4024-2	CCEA4224-2	CCEA4824-2
CCEA4028-2	CCEA4228-2	CCEA4828-2
CCEA4030-2	CCEA4230-2	CCEA4830-2
CCEA4032-2	CCEA4232-2	CCEA4832-2
CCEA4036-2	CCEA4236-2	CCEA4836-2
CCEA4040-2	CCEA4240-2	CCEA4840-2
CCEA4042-2	CCEA4242-2	CCEA4842-2
CCEA4048-2	CCEA4248-2	CCEA4848-2

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS

**ELEVATIONS**  
**2-HIGH**

	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)
MO BRICKMOLD	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)
MO FLAT CASING	36 5/16"(922)	38 5/16"(973)	42 5/16"(1075)	46 5/16"(1176)	48 5/16"(1227)	54 5/16"(1380)
ROUGH OPENING	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)	40 3/4"(1035)	42 3/4"(1086)	48 3/4"(1238)
FRAME SIZE	30"(762)	32"(813)	36"(914)	40"(1016)	42"(1067)	48"(1219)
DAYLIGHT OPENING	23 13/16"(605)	25 13/16"(656)	29 13/16"(757)	33 13/16"(859)	35 13/16"(910)	41 13/16"(1062)
38 1/2"(978) 40"(1016) 36 3/4"(933) 36"(914) 11 13/16"(300) 2						
42 1/2"(1080) 44"(1118) 40 3/4"(1035) 40"(1016) 13 13/16"(351) 2						
50 1/2"(1283) 52"(1321) 48 3/4"(1238) 48"(1219) 17 13/16"(452) 2						
58 1/2"(1486) 60"(1524) 56 3/4"(1442) 56"(1422) 21 13/16"(554) 2						
62 1/2"(1588) 64"(1626) 60 3/4"(1543) 60"(1524) 23 13/16"(605) 2						
66 1/2"(1689) 68"(1727) 64 3/4"(1645) 64"(1626) 25 13/16"(656) 2						
74 1/2"(1892) 76"(1930) 72 3/4"(1848) 72"(1829) 29 13/16"(757) 2						
82 1/2"(2096) 84"(2134) 80 3/4"(2051) 80"(2032) 33 13/16"(859) 2						
86 1/2"(2197) 88"(2235) 84 3/4"(2153) 84"(2134) 35 13/16"(910) 2						

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS


Note: Elevations shown DO NOT have exterior trim. Subtract 1/2"(12.7) from M.O.(Masonry Opening) for Unit Sizes. Masonry openings above include Sill Nose, see Trim Options page for Sill Nose specifications. For other Trim Options refer to the Unit Sizing, Rough Opening & Masonry Openings page.



**ELEVATIONS**  
**2-HIGH**

MO BRICKMOLD	33 1/4"(845)	35 1/4"(895)	39 1/4"(997)	43 1/4"(1099)	45 1/4"(1149)	51 1/4"(1302)
MO FLAT CASING	36 5/16"(922)	38 5/16"(973)	42 5/16"(1075)	46 5/16"(1176)	48 5/16"(1227)	54 5/16"(1380)
ROUGH OPENING	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)	40 3/4"(1035)	42 3/4"(1086)	48 3/4"(1238)
FRAME SIZE	30"(762)	32"(813)	36"(914)	40"(1016)	42"(1067)	48"(1219)
DAYLIGHT OPENING	23 13/16"(605)	25 13/16"(656)	29 13/16"(757)	33 13/16"(859)	35 13/16"(910)	41 13/16"(1062)

98 1/2"(2502)  
100"(2540)  
96 3/4"(2458)  
96"(2438)  
41 13/16"(1062)[2]



Note: Elevations shown DO NOT have exterior trim. Subtract 1/2"(12.7) from M.O.(Masonry Opening) for Unit Sizes. Masonry openings above include Sill Nose, see Trim Options page for Sill Nose specifications. For other Trim Options refer to the Unit Sizing, Rough Opening & Masonry Openings page.

**ELEVATIONS**  
**2-WIDE 2-HIGH**

	63 1/4"(1607)	67 1/4"(1708)	75 1/4"(1911)	83 1/4"(2115)	87 1/4"(2216)	99 1/4"(2521)
MO BRICKMOLD	66 5/16"(1684)	70 5/16"(1786)	78 5/16"(1989)	86 5/16"(2192)	90 5/16"(2294)	102 5/16"(2599)
MO FLAT CASING	60 3/4"(1543)	64 3/4"(1645)	72 3/4"(1848)	80 3/4"(2051)	84 3/4"(2153)	96 3/4"(2458)
ROUGH OPENING	60"(1524)	64"(1626)	72"(1829)	80"(2032)	84"(2134)	96"(2438)
FRAME SIZE	23 13/16"(605)[2]	25 13/16"(656)[2]	29 13/16"(757)[2]	33 13/16"(859)[2]	35 13/16"(910)[2]	41 13/16"(1062)[2]
DAYLIGHT OPENING						
38 1/2"(978)						
40"(1016)						
36 3/4"(933)						
36"(914)						
11 13/16"(300)[2]						
42 1/2"(1080)						
44"(1118)						
40 3/4"(1035)						
40"(1016)						
13 13/16"(351)[2]						
50 1/2"(1283)						
52"(1321)						
48 3/4"(1238)						
48"(1219)						
17 13/16"(452)[2]						
58 1/2"(1486)						
60"(1524)						
56 3/4"(1442)						
56"(1422)						
21 13/16"(554)[2]						
62 1/2"(1588)						
64"(1626)						
60 3/4"(1543)						
60"(1524)						
23 13/16"(605)[2]						
66 1/2"(1689)						
68"(1727)						
64 3/4"(1645)						
64"(1626)						
25 13/16"(656)[2]						
74 1/2"(1892)						
76"(1930)						
72 3/4"(1848)						
72"(1829)						
29 13/16"(757)[2]						
82 1/2"(2096)						
84"(2134)						
80 3/4"(2051)						
80"(2032)						
33 13/16"(859)[2]						
86 1/2"(2197)						
88"(2235)						
84 3/4"(2153)						
84"(2134)						
35 13/16"(910)[2]						

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS

Note: Elevations shown DO NOT have exterior trim. Subtract 1/2"(12.7) from M.O.(Masonry Opening) for Unit Sizes. Masonry openings above include Sill Nose, see Trim Options page for Sill Nose specifications. For other Trim Options refer to the Unit Sizing, Rough Opening & Masonry Openings page.

**ELEVATIONS**  
**2-WIDE 2-HIGH**

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

63 1/4"(1607)  
66 5/16"(1684)  
60 3/4"(1543)  
60"(1524)  
23 13/16"(605)[2]

67 1/4"(1708)  
70 5/16"(1786)  
64 3/4"(1645)  
64"(1626)  
25 13/16"(656)[2]


75 1/4"(1911)  
78 5/16"(1989)  
72 3/4"(1848)  
72"(1829)  
29 13/16"(757)[2]

83 1/4"(2115)  
86 5/16"(2192)  
80 3/4"(2051)  
80"(2032)  
33 13/16"(859)[2]


87 1/4"(2216)  
90 5/16"(2294)  
84 3/4"(2153)  
84"(2134)  
35 13/16"(910)[2]

99 1/4"(2521)  
102 5/16"(2599)  
96 3/4"(2458)  
96"(2438)  
41 13/16"(1062)[2]


98 1/2"(2502)  
100"(2540)  
96 3/4"(2458)  
96"(2438)  
41 13/16"(1062)[2]




CCEA3046-22




CCEA3346-22




CCEA3646-22



CCEA4046-22



CCEA4246-22



CCEA4846-22

**ELEVATION SYMBOL LEGEND:**

M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS

Note: Elevations shown DO NOT have exterior trim. Subtract 1/2"(12.7) from M.O.(Masonry Opening) for Unit Sizes. Masonry openings above include Sill Nose, see Trim Options page for Sill Nose specifications. For other Trim Options refer to the Unit Sizing, Rough Opening & Masonry Openings page.