

---

TABLE OF CONTENTS

---

Full Round Units . . . . .	7-14
Oval Units . . . . .	7-15
Ellipse Units . . . . .	7-16
Casement Half Round Units . . . . .	7-17
Casement Quarter Round Units . . . . .	7-19
Double Hung Half Round Units . . . . .	7-20
Double Hung Quarter Round Units . . . . .	7-21

**FULL ROUND ELEVATIONS**

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


27 1/2"(699)  
30 1/2"(775)  
24 3/4"(629)  
24"(610)  
20 3/8"(518)



SC24FRDS

27 1/2"(699)  
30 1/2"(775)  
24 3/4"(629)  
24"(610)  
20 3/8"(518)

31 1/2"(800)  
34 1/2"(876)  
28 3/4"(730)  
28"(711)  
24 3/8"(619)




SC28FRDS

33 1/2"(851)  
36 1/2"(927)  
30 3/4"(781)  
30"(762)  
26 3/8"(670)



SC30FRDS


39 1/2"(1003)  
42 1/2"(1079)  
36 3/4"(933)  
36"(914)  
32 3/8"(822)



SC36FRDS

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


45 1/2"(1156)  
48 1/2"(1232)  
42 3/4"(1086)  
42"(1067)  
38 3/8"(975)



SC42FRDS


45 1/2"(1156)  
48 1/2"(1232)  
42 3/4"(1086)  
42"(1067)  
38 3/8"(975)

52 1/2"(1334)  
55 1/2"(1410)  
48 3/4"(1238)  
48"(1219)  
44 3/8"(1127)



SC48FRDS


57 1/2"(1461)  
60 1/2"(1537)  
54 3/4"(1391)  
54"(1372)  
50 3/8"(1280)



SC54FRDS

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


63 1/2"(1613)  
66 1/2"(1689)  
60 3/4"(1543)  
60"(1524)  
56 3/8"(1432)



SC60FRDS

63 1/2"(1613)  
66 1/2"(1689)  
60 3/4"(1543)  
60"(1524)  
56 3/8"(1432)

75 1/2"(1918)  
78 1/2"(1994)  
72 3/4"(1848)  
72"(1829)  
68 3/8"(1737)



SC72FRDS

**ELEVATION SYMBOL LEGEND:**

M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS

Note: Elevations shown DO NOT have exterior trim. Subtract 1/2"(12.7) from M.O.(Masonry Opening) for Unit Sizes. Masonry openings above include Sill Nose, see Trim Options page for Sill Nose specifications. For other Trim Options refer to the Unit Sizing, Rough Opening & Masonry Openings page.

OVAL ELEVATIONS

MO BRICKMOLD 27 1/2"(699)  
MO FLAT CASING 30 1/2"(775)  
ROUGH OPENING 24 3/4"(629)  
FRAME SIZE 24"(610)  
DAYLIGHT OPENING 20 3/8"(518)

39 1/2"(1003)  
42 1/2"(1080)  
36 3/4"(933)  
36"(914)  
32 3/8"(822)



SCO V2436

MO BRICKMOLD 33 1/2"(851)  
MO FLAT CASING 36 1/2"(927)  
ROUGH OPENING 30 3/4"(781)  
FRAME SIZE 30"(762)  
DAYLIGHT OPENING 26 3/8"(670)

51 1/2"(1308)  
54 1/2"(1384)  
48 3/4"(1238)  
48"(1219)  
44 3/8"(1127)



SCO V3048

MO BRICKMOLD 39 1/2"(1003)  
MO FLAT CASING 42 1/2"(1080)  
ROUGH OPENING 36 3/4"(933)  
FRAME SIZE 36"(914)  
DAYLIGHT OPENING 32 3/8"(822)


27 1/2"(699)  
30 1/2"(775)  
24 3/4"(629)  
24"(610)  
20 3/8"(518)



SCO V3624

MO BRICKMOLD 51 1/2"(1308)  
MO FLAT CASING 54 1/2"(1384)  
ROUGH OPENING 48 3/4"(1238)  
FRAME SIZE 48"(1219)  
DAYLIGHT OPENING 44 3/8"(1127)

33 1/2"(851)  
36 1/2"(927)  
30 3/4"(781)  
30"(762)  
26 3/8"(670)



SCO V4830

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS

Note: Elevations shown DO NOT have exterior trim. Subtract 1/2"(12.7) from M.O.(Masonry Opening) for Unit Sizes. Masonry openings above include Sill Nose, see Trim Options page for Sill Nose specifications. For other Trim Options refer to the Unit Sizing, Rough Opening & Masonry Openings page.

**ELLIPSE ELEVATIONS**

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

63 1/2" (1613)  
66 1/2" (1689)  
60 3/4" (1543)  
60" (1524)  
56 3/8" (1432)

75 1/2" (1918)  
78 1/2" (1994)  
72 3/4" (1848)  
72" (1829)  
68 3/8" (1737)

18 11/16" (475)  
20 3/16" (513)  
17 7/8" (435)  
16 3/8" (416)  
12 3/4" (324)



SCEL60



SCEL72

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS

Note: Elevations shown DO NOT have exterior trim. Subtract 1/2"(12.7) from M.O.(Masonry Opening) for Unit Sizes. Masonry openings above include Sill Nose, see Trim Options page for Sill Nose specifications. For other Trim Options refer to the Unit Sizing, Rough Opening & Masonry Openings page.

**CASEMENT HALF ROUND  
ELEVATIONS**

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

14 5/16" (364)  
15 13/16" (381)  
12 3/4" (324)  
12" (305)  
8 3/8" (213)



SCC24HRDS

16 5/16" (414)  
17 13/16" (452)  
14 3/4" (375)  
14" (356)  
10 3/8" (264)




SCC28HRDS

17 5/16" (440)  
18 13/16" (478)  
15 3/4" (400)  
15" (381)  
11 3/8" (289)



SCC30HRDS

18 5/16" (465)  
19 13/16" (503)  
16 3/4" (425)  
16" (406)  
12 3/8" (314)



SCC32HRDS

20 5/16" (516)  
21 13/16" (554)  
18 3/4" (476)  
18" (457)  
14 3/8" (365)



SCC36HRDS

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

22 5/16" (567)  
23 13/16" (605)  
20 3/4" (527)  
20" (508)  
16 3/8" (416)



SCC40HRDS

23 5/16" (592)  
24 13/16" (630)  
21 3/4" (552)  
21" (533)  
17 3/8" (441)



SCC42HRDS

26 5/16" (668)  
27 13/16" (706)  
24 3/4" (629)  
24" (610)  
20 3/8" (516)



SCC48HRDS

29 5/16" (745)  
30 13/16" (783)  
27 3/4" (705)  
27" (686)  
23 3/8" (594)



SCC54HRDS

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

30 5/16" (770)  
31 13/16" (808)  
28 3/4" (730)  
28" (711)  
24 3/8" (619)



SCC56HRDS

32 5/16" (821)  
33 13/16" (859)  
30 3/4" (781)  
30" (762)  
26 3/8" (670)



SCC60HRDS


34 5/16" (872)  
35 13/16" (910)  
32 3/4" (832)  
32" (813)  
28 3/8" (721)



SCC64HRDS


MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

35 5/16" (897)  
36 13/16" (935)  
33 3/4" (857)  
33" (838)  
29 3/8" (746)



SCC66HRDS

38 5/16" (973)  
39 13/16" (1011)  
36 3/4" (933)  
36" (914)  
32 3/8" (822)



SCC72HRDS


41 5/16" (1049)  
42 13/16" (1087)  
39 3/4" (1010)  
39" (991)  
35 3/8" (899)



SCC78HRDS


MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

44 5/16" (1126)  
45 13/16" (1164)  
42 3/4" (1086)  
42" (1067)  
38 3/8" (975)



SCC84HRDS

47 5/16" (1202)  
48 13/16" (1240)  
45 3/4" (1162)  
45" (1143)  
41 3/8" (1051)



SCC90HRDS

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASONRY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS


Note: Elevations shown DO NOT have exterior trim. Subtract 1/2"(12.7) from M.O.(Masonry Opening) for Unit Sizes. Masonry openings above include Sill Nose, see Trim Options page for Sill Nose specifications. For other Trim Options refer to the Unit Sizing, Rough Opening & Masonry Openings page.

**CASEMENT HALF ROUND ELEVATIONS**

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

99 1/2"(2527)  
102 1/2"(2604)  
96 3/4"(2457)  
96"(2438)  
92 3/8"(2346)

50 5/16"(1278)  
51 13/16"(1316)  
48 3/4"(1238)  
48"(1219)  
44 3/8"(1127)



SCC96HRDS

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS


Note: Elevations shown DO NOT have exterior trim. Subtract 1/2"(12.7) from M.O.(Masonry Opening) for Unit Sizes. Masonry openings above include Sill Nose, see Trim Options page for Sill Nose specifications. For other Trim Options refer to the Unit Sizing, Rough Opening & Masonry Openings page.

**CASEMENT QUARTER ROUND ELEVATIONS**

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


21 1/2"(546)  
24 1/2"(622)  
18 3/4"(476)  
18"(457)  
14 3/8"(365)

20 5/16"(516)  
21 13/16"(554)  
18 3/4"(476)  
18"(457)  
14 3/8"(365)




SCC18QRDS

22 5/16"(567)  
23 13/16"(605)  
20 3/4"(527)  
20"(608)  
16 3/8"(416)



SCC18QRDS

26 5/16"(668)  
27 13/16"(706)  
24 3/4"(629)  
24"(610)  
20 3/8"(518)




SCC18QRDS

27 1/2"(699)  
30 1/2"(775)  
24 3/4"(629)  
24"(610)  
20 3/8"(518)

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


31 1/2"(800)  
34 1/2"(876)  
28 3/4"(730)  
28"(711)  
24 3/8"(619)

30 5/16"(770)  
31 13/16"(808)  
28 3/4"(730)  
28"(711)  
24 3/8"(619)




SCC18QRDS

32 5/16"(821)  
33 13/16"(859)  
30 3/4"(781)  
30"(762)  
26 3/8"(670)



SCC18QRDS

34 5/16"(872)  
35 13/16"(910)  
32 3/4"(832)  
32"(813)  
28 3/8"(721)




SCC18QRDS

35 1/2"(902)  
38 1/2"(978)  
32 3/4"(832)  
32"(813)  
28 3/8"(721)

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


39 1/2"(1003)  
42 1/2"(1080)  
36 3/4"(933)  
36"(914)  
32 3/8"(822)

38 5/16"(973)  
39 13/16"(1011)  
36 3/4"(933)  
36"(914)  
32 3/8"(822)



SCC18QRDS

44 5/16"(1126)  
45 13/16"(1164)  
42 3/4"(1086)  
42"(1067)  
38 3/8"(975)




SCC18QRDS

45 1/2"(1156)  
48 1/2"(1232)  
42 3/4"(1086)  
42"(1067)  
38 3/8"(975)

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

51 1/2"(1308)  
54 1/2"(1384)  
48 3/4"(1238)  
48"(1219)  
44 3/8"(1127)

50 5/16"(1278)  
51 13/16"(1316)  
48 3/4"(1238)  
48"(1219)  
44 3/8"(1127)



SCC18QRDS

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS

Note: Elevations shown DO NOT have exterior trim. Subtract 1/2"(12.7) from M.O.(Masonry Opening) for Unit Sizes. Masonry openings above include Sill Nose, see Trim Options page for Sill Nose specifications. For other Trim Options refer to the Unit Sizing, Rough Opening & Masonry Openings page.

**DOUBLE HUNG HALF ROUND ELEVATIONS**

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

32 7/8"(835)  
35 7/8"(911)  
30 1/8"(765)  
29 3/8"(746)  
25 3/4"(654)

17"(432)  
18 1/2"(470)  
15 7/16"(392)  
14 11/16"(373)  
11 1/16"(281)



SCD29HRDS


19"(483)  
20 1/2"(521)  
17 7/16"(443)  
16 11/16"(424)  
13 1/16"(332)



SCD33HRDS

36 7/8"(937)  
39 7/8"(1013)  
34 1/8"(867)  
33 3/8"(848)  
29 3/4"(756)

21"(533)  
22 1/2"(572)  
19 7/16"(494)  
18 11/16"(475)  
15 1/16"(383)



SCD37HRDS

40 7/8"(1038)  
43 7/8"(1114)  
38 1/8"(968)  
37 3/8"(949)  
33 3/4"(857)


23"(584)  
24 1/2"(622)  
21 7/16"(546)  
20 11/16"(525)  
17 1/16"(433)



SCD41HRDS

44 7/8"(1140)  
47 7/8"(1216)  
42 1/8"(1070)  
41 3/8"(1051)  
37 3/4"(959)


62 1/4"(1581)  
65 1/4"(1657)  
59 1/2"(1511)  
58 3/4"(1492)  
55 1/8"(1400)



SCD58HRDS

31 11/16"(805)  
33 3/16"(843)  
29 1/8"(746)  
29 3/8"(746)  
25 3/4"(654)


35 11/16"(906)  
37 3/16"(945)  
34 1/8"(867)  
33 3/8"(848)  
29 3/4"(756)



SCD66HRDS

70 1/4"(1784)  
73 1/4"(1860)  
67 1/2"(1715)  
66 3/4"(1695)  
63 1/8"(1603)


39 11/16"(1008)  
41 3/16"(1046)  
38 1/8"(968)  
37 3/8"(949)  
33 3/4"(857)



SCD74HRDS

78 1/4"(1988)  
81 1/4"(2064)  
75 1/2"(1918)  
74 3/4"(1899)  
71 1/8"(1807)

43 11/16"(1110)  
45 3/16"(1148)  
42 1/8"(1070)  
41 3/8"(1051)  
37 3/4"(959)



SCD82HRDS

86 1/4"(2191)  
89 1/4"(2267)  
83 1/2"(2121)  
82 3/4"(2102)  
79 1/8"(2010)

**ELEVATION SYMBOL LEGEND:**

M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS

Note: Elevations shown DO NOT have exterior trim. Subtract 1/2"(12.7) from M.O.(Masonry Opening) for Unit Sizes. Masonry openings above include Sill Nose, see Trim Options page for Sill Nose specifications. For other Trim Options refer to the Unit Sizing, Rough Opening & Masonry Openings page.




**DOUBLE HUNG QUARTER ROUND  
ELEVATIONS**

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING

32 7/8"(835)  
35 7/8"(911)  
30 1/8"(765)  
29 3/8"(746)  
25 3/4"(654)

31 11/16"(805)  
33 3/16"(843)  
30 1/8"(765)  
29 3/8"(746)  
25 3/4"(654)




SCD29QRDS

MO BRICKMOLD  
MO FLAT CASING  
ROUGH OPENING  
FRAME SIZE  
DAYLIGHT OPENING


40 7/8"(1038)  
43 7/8"(1114)  
38 1/8"(968)  
37 3/8"(949)  
33 3/4"(857)

39 11/16"(1008)  
41 3/16"(1046)  
38 1/8"(968)  
37 3/8"(949)  
33 3/4"(857)



SCD37QRDS

35 11/16"(906)  
37 3/16"(945)  
34 1/8"(867)  
33 3/8"(848)  
29 3/4"(756)



SCD33QRDS

36 7/8"(937)  
39 7/8"(1013)  
34 1/8"(867)  
33 3/8"(848)  
29 3/4"(756)

**ELEVATION SYMBOL LEGEND:**  
M.O. = MASORNY OPENING  
VALUES IN ( ) ARE IN MILLIMETER CONVERSIONS

Note: Elevations shown DO NOT have exterior trim. Subtract 1/2"(12.7) from M.O.(Masonry Opening) for Unit Sizes. Masonry openings above include Sill Nose, see Trim Options page for Sill Nose specifications. For other Trim Options refer to the Unit Sizing, Rough Opening & Masonry Openings page.