



TABLE OF CONTENTS

Elevations

Single Units	2
Twin Units	5
3 Wide Units	7
Picture Units	9

Note: Elevations shown DO NOT have exterior trim.
 Subtract 1/2"(12.7) from M.O.(Masonry Opening) for Unit Sizes.
 Masonry openings above include Sill Nose, see Trim Optionspage for Sill Nose specifications.
 For other Trim Options refer to the Unit Sizing, Rough Opening & Masonry Openings page.



SINGLE UNITS

































M.O. BRICKMOUND	21 1/2"(546)	23 1/2"(597)	27 1/2"(699)	31 1/2"(800)	33 1/2"(851)	35 1/2"(902)	39 1/2"(1003)
M.O. ADAMS/FLAT CASING	24 1/2"(622)	26 1/2"(673)	30 1/2"(775)	34 1/2"(876)	36 1/2"(927)	38 1/2"(978)	42 1/2"(1080)
ROUGH OPENING	18 3/4"(476)	20 3/4"(527)	24 3/4"(629)	28 3/4"(730)	30 3/4"(781)	32 3/4"(832)	36 3/4"(933)
FRAME SIZE	18"(457)	20"(508)	24"(610)	28"(711)	30"(762)	32"(813)	36"(914)
DAYLIGHT OPENING	12 1/8"(308)	14 1/8"(359)	18 1/8"(460)	22 1/8"(562)	24 1/8"(613)	26 1/8"(664)	30 1/8"(765)
20 15/16"(532) 22 7/16"(570) 18 3/4"(476) 18"(457) 12 1/8"(308)							
22 15/16"(583) 24 7/16"(621) 20 3/4"(527) 20"(508) 14 1/8"(359)							
26 15/16"(664) 28 7/16"(722) 24 3/4"(629) 24"(610) 18 1/8"(460)							
30 15/16"(786) 32 7/16"(824) 28 3/4"(730) 28"(711) 22 1/8"(562)							
32 15/16"(837) 34 7/16"(875) 30 3/4"(781) 30"(762) 24 1/8"(613)							
38 15/16"(989) 40 7/16"(1027) 36 3/4"(933) 36"(914) 30 1/8"(765)							
44 15/16"(1141) 46 7/16"(1180) 42 3/4"(1086) 42"(1067) 36 1/8"(916)							
50 15/16"(1284) 52 7/16"(1332) 48 3/4"(1238) 48"(1219) 42 1/8"(1070)							

ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



SINGLE UNITS

M.O. BRICKMOUND M.O. ADAMS/FLAT CASING ROUGH OPENING FRAME SIZE DAYLIGHT OPENING	45 1/2"(1156) 48 1/2"(1232) 42 3/4"(1086) 42"(1067) 36 1/8"(918)	51 1/2"(1308) 54 1/2"(1384) 48 3/4"(1238) 48"(1219) 42 1/8"(1070)	57 1/2"(1461) 60 1/2"(1537) 54 3/4"(1391) 54"(1372) 48 1/8"(1222)	63 1/2"(1613) 66 1/2"(1689) 60 3/4"(1543) 60"(1524) 54 1/8"(1375)
20 15/16"(532) 22 7/16"(570) 18 3/4"(476) 18"(457) 12 1/8"(308)	 SWA4218 SWPOA4218	 SWA4818 SWPOA4818	 SWA5418 SWPOA5418	 SWA6018 SWPOA6018
22 15/16"(583) 24 7/16"(621) 20 3/4"(527) 20"(508) 14 1/8"(359)	 SWA4220 SWPOA4220	 SWA4820 SWPOA4820	 SWA5420 SWPOA5420	 SWA6020 SWPOA6020
26 15/16"(634) 28 7/16"(672) 24 3/4"(629) 24"(610) 18 1/8"(460)	 SWA4224 SWPOA4224	 SWA4824 SWPOA4824	 SWA5424 SWPOA5424	 SWA6024 SWPOA6024
30 15/16"(786) 32 7/16"(824) 28 3/4"(730) 28"(711) 22 1/8"(562)	 SWA4228 SWPOA4228	 SWA4828 SWPOA4828	 SWA5428 SWPOA5428	 SWA6028 SWPOA6028
32 15/16"(837) 34 7/16"(875) 30 3/4"(781) 30"(762) 24 1/8"(613)	 SWA4230 SWPOA4230	 SWA4830 SWPOA4830	 SWA5430 SWPOA5430	 SWA6030 SWPOA6030
38 15/16"(989) 40 7/16"(1027) 36 3/4"(933) 36"(914) 30 1/8"(765)	 SWA4236 SWPOA4236	 SWA4836 SWPOA4836	 SWA5436 SWPOA5436	 SWA6036 SWPOA6036
44 15/16"(1141) 46 7/16"(1180) 42 3/4"(1086) 42"(1067) 36 1/8"(918)	 SWA4242 SWPOA4242	 SWA4842 SWPOA4842	 SWA5442 SWPOA5442	 SWA6042 SWPOA6042
50 15/16"(1294) 52 7/16"(1332) 48 3/4"(1238) 48"(1219) 42 1/8"(1070)	 SWA4248 SWPOA4248	 SWA4848 SWPOA4848	 SWA5448 SWPOA5448	 SWA6048 SWPOA6048

ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING
 VALUES IN () ARE IN MILLIMETER CONVERSIONS
 ## NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



SINGLE UNITS

M.O. BRICKMOULD
M.O. ADAMS/FLAT CASING
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

69 1/2"(1765)
72 1/2"(1842)
66 3/4"(1695)
66"(1676)
60 1/8"(1527)

75 1/2"(1918)
78 1/2"(1994)
72 3/4"(1848)
72"(1829)
66 1/8"(1680)

20 15/16"(532)
22 7/16"(570)
18 3/4"(476)
18"(457)
12 1/8"(308)




SWA6618
SWPOA6618




SWA7218
SWPOA7218

22 15/16"(583)
24 7/16"(621)
20 3/4"(527)
20"(508)
14 1/8"(359)



SWA6620
SWPOA6620



SWA7220
SWPOA7220

26 15/16"(654)
28 7/16"(722)
24 3/4"(629)
24"(610)
18 1/8"(460)



SWA6624
SWPOA6624



SWA7224
SWPOA7224

30 15/16"(786)
32 7/16"(824)
28 3/4"(730)
28"(711)
22 1/8"(562)



SWA6628
SWPOA6628



SWA7228
SWPOA7228

32 15/16"(837)
34 7/16"(875)
30 3/4"(781)
30"(762)
24 1/8"(613)



SWA6630
SWPOA6630



SWA7230
SWPOA7230

38 15/16"(989)
40 7/16"(1027)
36 3/4"(933)
36"(914)
30 1/8"(765)



SWA6636
SWPOA6636



SWA7236
SWPOA7236

44 15/16"(1141)
46 7/16"(1180)
42 3/4"(1086)
42"(1067)
36 1/8"(918)



SWA6642
SWPOA6642

50 15/16"(1294)
52 7/16"(1332)
48 3/4"(1238)
48"(1219)
42 1/8"(1070)



SWA6648
SWPOA6648

ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



TWIN UNITS

MO BRICKMOLD	39 1/2"(1003)	43 1/2"(1105)	51 1/2"(1308)	59 1/2"(1511)	63 1/2"(1613)	67 1/2"(1715)	75 1/2"(1918)
MO FLAT CASING	42 1/2"(1080)	46 1/2"(1181)	54 1/2"(1384)	62 1/2"(1588)	66 1/2"(1689)	70 1/2"(1791)	78 1/2"(1994)
ROUGH OPENING	36 3/4"(933)	40 3/4"(1035)	48 3/4"(1238)	56 3/4"(1441)	60 3/4"(1543)	64 3/4"(1645)	72 3/4"(1848)
FRAME SIZE	36"(914)	40"(1016)	48"(1219)	56"(1422)	60"(1524)	64"(1626)	72"(1829)
DAYLIGHT OPENING	12 1/8"(308)[2]	14 1/8"(359)[2]	18 1/8"(460)[2]	20 1/8"(511)[2]	24 1/8"(613)[2]	26 1/8"(664)[2]	30 1/8"(765)[2]
	20 15/16"(532) 22 15/16"(583) 24 15/16"(634) 26 15/16"(685) 28 7/16"(722) 30 3/4"(781) 32 15/16"(837) 34 7/16"(875) 36 3/4"(933) 38 15/16"(989) 40 7/16"(1027) 42 3/4"(1086) 44 15/16"(1141) 46 7/16"(1180) 48 3/4"(1238) 50 15/16"(1294)	22 11/16"(570) 24 11/16"(621) 26 11/16"(672) 28 11/16"(723) 30 3/4"(781) 32 15/16"(837) 34 7/16"(875) 36 3/4"(933) 38 15/16"(989) 40 7/16"(1027) 42 3/4"(1086) 44 15/16"(1141) 46 7/16"(1180) 48 3/4"(1238) 50 15/16"(1294)	24 11/16"(610) 26 11/16"(661) 28 11/16"(712) 30 3/4"(771) 32 15/16"(827) 34 7/16"(865) 36 3/4"(923) 38 15/16"(977) 40 7/16"(1015) 42 3/4"(1074) 44 15/16"(1129) 46 7/16"(1167) 48 3/4"(1226) 50 15/16"(1280)	26 11/16"(648) 28 11/16"(699) 30 3/4"(750) 32 15/16"(801) 34 7/16"(839) 36 3/4"(897) 38 15/16"(951) 40 7/16"(989) 42 3/4"(1048) 44 15/16"(1103) 46 7/16"(1141) 48 3/4"(1200) 50 15/16"(1254)	28 11/16"(686) 30 3/4"(737) 32 15/16"(788) 34 7/16"(826) 36 3/4"(884) 38 15/16"(938) 40 7/16"(976) 42 3/4"(1035) 44 15/16"(1089) 46 7/16"(1127) 48 3/4"(1186) 50 15/16"(1240)	30 11/16"(724) 32 11/16"(775) 34 7/16"(826) 36 3/4"(877) 38 15/16"(928) 40 7/16"(966) 42 3/4"(1025) 44 15/16"(1079) 46 7/16"(1117) 48 3/4"(1176) 50 15/16"(1230)	32 11/16"(762) 34 7/16"(813) 36 3/4"(864) 38 15/16"(915) 40 7/16"(953) 42 3/4"(1012) 44 15/16"(1066) 46 7/16"(1104) 48 3/4"(1163) 50 15/16"(1217)
	SWA1818-2 SWPOA1818-2	SWA2018-2 SWPOA2018-2	SWA2418-2 SWPOA2418-2	SWA2818-2 SWPOA2818-2	SWA3018-2 SWPOA3018-2	SWA3218-2 SWPOA3218-2	SWA3618-2 SWPOA3618-2
	SWA1820-2 SWPOA1820-2	SWA2020-2 SWPOA2020-2	SWA2420-2 SWPOA2420-2	SWA2820-2 SWPOA2820-2	SWA3020-2 SWPOA3020-2	SWA3220-2 SWPOA3220-2	SWA3620-2 SWPOA3620-2
	SWA1824-2 SWPOA1824-2	SWA2024-2 SWPOA2024-2	SWA2424-2 SWPOA2424-2	SWA2824-2 SWPOA2824-2	SWA3024-2 SWPOA3024-2	SWA3224-2 SWPOA3224-2	SWA3624-2 SWPOA3624-2
	SWA1828-2 SWPOA1828-2	SWA2028-2 SWPOA2028-2	SWA2428-2 SWPOA2428-2	SWA2828-2 SWPOA2828-2	SWA3028-2 SWPOA3028-2	SWA3228-2 SWPOA3228-2	SWA3628-2 SWPOA3628-2
	SWA1830-2 SWPOA1830-2	SWA2030-2 SWPOA2030-2	SWA2430-2 SWPOA2430-2	SWA2830-2 SWPOA2830-2	SWA3030-2 SWPOA3030-2	SWA3230-2 SWPOA3230-2	SWA3630-2 SWPOA3630-2
	SWA1836-2 SWPOA1836-2	SWA2036-2 SWPOA2036-2	SWA2436-2 SWPOA2436-2	SWA2836-2 SWPOA2836-2	SWA3036-2 SWPOA3036-2	SWA3236-2 SWPOA3236-2	SWA3636-2 SWPOA3636-2
	SWA1842-2 SWPOA1842-2	SWA2042-2 SWPOA2042-2	SWA2442-2 SWPOA2442-2	SWA2842-2 SWPOA2842-2	SWA3042-2 SWPOA3042-2	SWA3242-2 SWPOA3242-2	SWA3642-2 SWPOA3642-2
	SWA1848-2 SWPOA1848-2	SWA2048-2 SWPOA2048-2	SWA2448-2 SWPOA2448-2	SWA2848-2 SWPOA2848-2	SWA3048-2 SWPOA3048-2	SWA3248-2 SWPOA3248-2	SWA3648-2 SWPOA3648-2

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS



TWIN UNITS

MO BRICKMOLD	87 1/2"(2223)	99 1/2"(2527)
MO FLAT CASING	90 1/2"(2299)	102 1/2"(2604)
ROUGH OPENING	84 3/4"(2153)	96 3/4"(2457)
FRAME SIZE	84"(2134)	96"(2438)
DAYLIGHT OPENING	36 1/8"(918)[2]	42 1/8"(1070)[2]
20 15/16"(532)		
20 15/16"(532)	SWA4218-2	SWA4818-2
22 7/16"(570)	SWPOA4218-2	SWPOA4818-2
22 7/16"(570)		
22 7/16"(570)	SWA4220-2	SWA4820-2
24 3/4"(629)	SWPOA4220-2	SWPOA4820-2
24 3/4"(629)		
24 3/4"(629)	SWA4224-2	SWA4824-2
24 3/4"(629)	SWPOA4224-2	SWPOA4824-2
24 3/4"(629)		
24 3/4"(629)	SWA4228-2	SWA4828-2
24 3/4"(629)	SWPOA4228-2	SWPOA4828-2
24 3/4"(629)		
24 3/4"(629)	SWA4230-2	SWA4830-2
24 3/4"(629)	SWPOA4230-2	SWPOA4830-2
24 3/4"(629)		
24 3/4"(629)	SWA4236-2	SWA4836-2
24 3/4"(629)	SWPOA4236-2	SWPOA4836-2
24 3/4"(629)		
24 3/4"(629)	SWA4242-2	SWA4842-2
24 3/4"(629)	SWPOA4242-2	SWPOA4842-2
24 3/4"(629)		
24 3/4"(629)	SWA4248-2	SWA4848-2
24 3/4"(629)	SWPOA4248-2	SWPOA4848-2
24 3/4"(629)		

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS



3 WIDE UNITS

MO BRICKMOLD	57 1/2"(1461)	63 1/2"(1613)	75 1/2"(1918)	87 1/2"(2223)	93 1/2"(2375)	99 1/2"(2527)
MO FLAT CASING	60 1/2"(1537)	66 1/2"(1689)	78 1/2"(1994)	90 1/2"(2299)	96 1/2"(2451)	102 1/2"(2604)
ROUGH OPENING	54 3/4"(1391)	60 3/4"(1543)	72 3/4"(1848)	84 3/4"(2153)	90 3/4"(2305)	96 3/4"(2457)
FRAME SIZE	54"(1372)	60"(1524)	72"(1829)	84"(2134)	90"(2286)	96"(2438)
DAYLIGHT OPENING	12 1/8"(308)[3]	14 1/8"(359)[3]	18 1/8"(460)[3]	22 1/8"(562)[3]	24 1/8"(613)[3]	26 1/8"(664)[3]

20 15/16"(522)						
20 15/16"(522)	SWA1818-3	SWA2018-3	SWA2418-3	SWA2818-3	SWA3018-3	SWA3218-3
22 1/16"(570)						
22 1/16"(570)	SWPOA1818-3	SWPOA2018-3	SWPOA2418-3	SWPOA2818-3	SWPOA3018-3	SWPOA3218-3
22 15/16"(563)						
22 15/16"(563)	SWA1820-3	SWA2020-3	SWA2420-3	SWA2820-3	SWA3020-3	SWA3220-3
24 7/16"(621)						
24 7/16"(621)	SWPOA1820-3	SWPOA2020-3	SWPOA2420-3	SWPOA2820-3	SWPOA3020-3	SWPOA3220-3
24 3/4"(629)						
24 3/4"(629)	SWA1824-3	SWA2024-3	SWA2424-3	SWA2824-3	SWA3024-3	SWA3224-3
24 1/8"(610)						
24 1/8"(610)	SWPOA1824-3	SWPOA2024-3	SWPOA2424-3	SWPOA2824-3	SWPOA3024-3	SWPOA3224-3
28 1/11"						
28 1/11"	SWA1828-3	SWA2028-3	SWA2428-3	SWA2828-3	SWA3028-3	SWA3228-3
22 1/8"(562)						
22 1/8"(562)	SWPOA1828-3	SWPOA2028-3	SWPOA2428-3	SWPOA2828-3	SWPOA3028-3	SWPOA3228-3
30 15/16"(786)						
30 15/16"(786)	SWA1830-3	SWA2030-3	SWA2430-3	SWA2830-3	SWA3030-3	SWA3230-3
32 15/16"(837)						
32 15/16"(837)	SWPOA1830-3	SWPOA2030-3	SWPOA2430-3	SWPOA2830-3	SWPOA3030-3	SWPOA3230-3
34 7/16"(875)						
34 7/16"(875)	SWA1836-3	SWA2036-3	SWA2436-3	SWA2836-3	SWA3036-3	SWA3236-3
30 3/4"(750)						
30 3/4"(750)	SWPOA1836-3	SWPOA2036-3	SWPOA2436-3	SWPOA2836-3	SWPOA3036-3	SWPOA3236-3
30 1/8"(765)						
30 1/8"(765)	SWA1842-3	SWA2042-3	SWA2442-3	SWA2842-3	SWA3042-3	SWA3242-3
30 7/62"						
30 7/62"	SWPOA1842-3	SWPOA2042-3	SWPOA2442-3	SWPOA2842-3	SWPOA3042-3	SWPOA3242-3
44 15/16"(1141)						
44 15/16"(1141)	SWA1848-3	SWA2048-3	SWA2448-3	SWA2848-3	SWA3048-3	SWA3248-3
46 7/16"(1180)						
46 7/16"(1180)	SWPOA1848-3	SWPOA2048-3	SWPOA2448-3	SWPOA2848-3	SWPOA3048-3	SWPOA3248-3
42 3/4"(1086)						
42 3/4"(1086)	SWA1848-3	SWA2048-3	SWA2448-3	SWA2848-3	SWA3048-3	SWA3248-3
42 1/16"(1067)						
42 1/16"(1067)	SWPOA1848-3	SWPOA2048-3	SWPOA2448-3	SWPOA2848-3	SWPOA3048-3	SWPOA3248-3
50 15/16"(1294)						
50 15/16"(1294)	SWA1848-3	SWA2048-3	SWA2448-3	SWA2848-3	SWA3048-3	SWA3248-3
52 7/16"(1332)						
52 7/16"(1332)	SWPOA1848-3	SWPOA2048-3	SWPOA2448-3	SWPOA2848-3	SWPOA3048-3	SWPOA3248-3
48 3/4"(1238)						
48 3/4"(1238)	SWA1848-3	SWA2048-3	SWA2448-3	SWA2848-3	SWA3048-3	SWA3248-3
48 1/16"(1219)						
48 1/16"(1219)	SWPOA1848-3	SWPOA2048-3	SWPOA2448-3	SWPOA2848-3	SWPOA3048-3	SWPOA3248-3
42 1/8"(1070)						
42 1/8"(1070)	SWA1848-3	SWA2048-3	SWA2448-3	SWA2848-3	SWA3048-3	SWA3248-3

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS



3 WIDE UNITS

MO BRICKMOLD
MO FLAT CASING
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING

111 1/2"(2832)
114 1/2"(2908)
108 3/4"(2762)
108"(2743)
30 1/8"(765)[3]

129 1/2"(3289)
132 1/2"(3366)
126 3/4"(3219)
126"(3200)
36 1/8"(918)[3]

147 1/2"(3747)
150 1/2"(3823)
144 3/4"(3677)
144"(3658)
42 1/8"(1070)[3]

20 15/16"(52)
22 15/16"(58.3)
22 7/16"(62.1)
20 3/4"(52)
24 1/16"(61.4)
24 3/4"(62.9)
24 7/16"(62.1)
28 7/16"(72.8)
28 3/4"(73.0)
30 15/16"(78.1)
32 15/16"(83.7)
34 7/16"(87.5)
30 3/4"(78.1)
30 7/8"(78.1)
38 15/16"(98.9)
40 7/16"(102.7)
36 3/4"(93.3)
36 9/14"
30 1/8"(76.5)
44 15/16"(114.1)
46 7/16"(118.0)
42 3/4"(108.6)
42 1/16"(106.7)
36 1/8"(91.8)
50 15/16"(129.4)
52 7/16"(133.2)
48 3/4"(123.8)
48 1/2"(121.9)
42 1/8"(107.0)



SWA3618-3
SWPOA3618-3



SWA4218-3
SWPOA4218-3



SWA4818-3
SWPOA4818-3



SWA3620-3
SWPOA3620-3



SWA4220-3
SWPOA4220-3



SWA4820-3
SWPOA4820-3



SWA3624-3
SWPOA3624-3



SWA4224-3
SWPOA4224-3



SWA4824-3
SWPOA4824-3




SWA3628-3
SWPOA3628-3




SWA4228-3
SWPOA4228-3




SWA4828-3
SWPOA4828-3




SWA3630-3
SWPOA3630-3




SWA4230-3
SWPOA4230-3




SWA4830-3
SWPOA4830-3




SWA3636-3
SWPOA3636-3




SWA4236-3
SWPOA4236-3




SWA4836-3
SWPOA4836-3




SWA3642-3
SWPOA3642-3



SWA4242-3
SWPOA4242-3



SWA4842-3
SWPOA4842-3



SWA3648-3
SWPOA3648-3



SWA4248-3
SWPOA4248-3























SWA4848-3
SWPOA4848-3

ELEVATION SYMBOL LEGEND:
M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS



PICTURE UNITS

	39 1/2"(1003)	45 1/2"(1156)	51 1/2"(1308)	63 1/2"(1613)
M.O. BRICKMOUND	42 1/2"(1080)	48 1/2"(1232)	54 1/2"(1384)	66 1/2"(1689)
M.O. ADAMS/FLAT CASING	36 3/4"(933)	42 3/4"(1086)	48 3/4"(1238)	60 3/4"(1543)
ROUGH OPENING	36"(914)	42"(1067)	48"(1219)	60"(1524)
FRAME SIZE	30 1/8"(765)	36 1/8"(918)	42 1/8"(1070)	54 1/8"(1375)
DAYLIGHT OPENING				
38 15/16"(989)				
40 7/16"(1027)	SWAP3636	SWAP4236	SWAP4836	SWAP6036
36 3/4"(933)	SWPOAP3636	SWPOAP4236	SWPOAP4836	SWPOAP6036
36"(914)				
30 1/8"(765)				
44 15/16"(1141)				
46 7/16"(1180)	SWAP3642	SWAP4242	SWAP4842	SWAP6042
42 3/4"(1086)	SWPOAP3642	SWPOAP4242	SWPOAP4842	SWPOAP6042
42"(1067)				
36 1/8"(918)				
50 15/16"(1294)				
52 7/16"(1332)	SWAP3648	SWAP4248	SWAP4848	SWAP6048
48 3/4"(1238)	SWPOAP3648	SWPOAP4248	SWPOAP4848	SWPOAP6048
48"(1219)				
42 1/8"(1070)				
56 15/16"(1446)				
58 7/16"(1484)	SWAP3654	SWAP4254	SWAP4854	SWAP6054
54 3/4"(1391)	SWPOAP3654	SWPOAP4254	SWPOAP4854	SWPOAP6054
54"(1372)				
48 1/8"(1222)				
62 15/16"(1599)				
64 7/16"(1637)	SWAP3660	SWAP4260	SWAP4860	SWAP6060
60 3/4"(1543)	SWPOAP3660	SWPOAP4260	SWPOAP4860	SWPOAP6060
60"(1524)				
54 1/8"(1375)				

ELEVATION SYMBOL LEGEND:


M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING



PICTURE UNITS

M.O. BRICKMOULD	39 1/2"(1003)	45 1/2"(1156)	51 1/2"(1308)	63 1/2"(1613)
M.O. ADAMS/FLAT CASING	42 1/2"(1080)	48 1/2"(1232)	54 1/2"(1384)	66 1/2"(1689)
ROUGH OPENING	36 3/4"(933)	42 3/4"(1086)	48 3/4"(1238)	60 3/4"(1543)
FRAME SIZE	36"(914)	42"(1067)	48"(1219)	60"(1524)
DAYLIGHT OPENING	30 1/8"(765)	36 1/8"(918)	42 1/8"(1070)	54 1/8"(1375)

68 15/16"(1751)
70 7/16"(1789)
66 3/4"(1689)
66 1/8"(1676)
60 1/8"(1527)




SWAP3666
SWPOAP3666

SWAP4266
SWPOAP4266

SWAP4866
SWPOAP4866

SWAP6066
SWPOAP6066

74 15/16"(1903)
76 7/16"(1942)
72 3/4"(1848)
72"(1829)
66 1/8"(1680)



SWAP3672
SWPOAP3672

SWAP4272
SWPOAP4272

SWAP4872
SWPOAP4872

SWAP6072
SWPOAP6072

ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING




PICTURE UNITS

M.O. BRICKMOULD
M.O. ADAMS/FLAT CASING
ROUGH OPENING
FRAME SIZE
DAYLIGHT OPENING


75 1/2"(1917)
78 1/2"(1994)
72 3/4"(1848)
72"(1829)
66 1/8"(1680)

38 15/16"(989)
40 7/16"(1027)
36 3/4"(933)
36"(914)
30 1/8"(765)




SWAP7236
SWPOAP7236

44 15/16"(1141)
46 7/16"(1180)
42 3/4"(1086)
42"(1067)
36 1/8"(916)




SWAP7242
SWPOAP7242

50 15/16"(1284)
52 7/16"(1332)
48 3/4"(1238)
48"(1219)
42 1/8"(1070)




SWAP7248
SWPOAP7248

56 15/16"(1446)
58 7/16"(1484)
54 3/4"(1391)
54"(1372)
48 1/8"(1222)



SWAP7254
SWPOAP7254

62 15/16"(1589)
64 7/16"(1637)
60 3/4"(1543)
60"(1524)
54 1/8"(1375)



SWAP7260
SWPOAP7260


ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING




PICTURE UNITS

M.O. BRICKMOUND	75 1/2"(1918)
M.O. ADAMS/FLAT CASING	78 1/2"(1994)
ROUGH OPENING	72 3/4"(1848)
FRAME SIZE	72"(1829)
DAYLIGHT OPENING	66 1/8"(1680)



SWAPT266
SWPOAPT266



SWAPT272
SWPOAPT272

ELEVATION SYMBOL LEGEND:

M.O. = MASORNY OPENING
VALUES IN () ARE IN MILLIMETER CONVERSIONS
NUMBER INDICATES PERFORMANCE GRADE (PG) RATING WITH STANDARD GLAZING