

ARCHITECTURAL FIBERGLASS DOOR AND SIDELIGHT SPECIFICATIONS

Architectural Fiberglass Doors – Mahogany (AM), Craftsman (AC), Plank (AP)

Door Series	Width	Height	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail
6-PANEL								
AM-60	3'0"	6'8"	10-7/8"	5-1/8"	4-1/4"	4-3/4"	6-1/2"	9-1/4"
AM8-60	3'0", 3'6"	8'0"	10-7/8", 12-1/2"	4-7/8", 5-7/8"	4-1/4", 5"	4-3/4"	8"	8-1/2"
3-PANEL 3/4 OVAL								
AM-30/949	3'0"	6'8"	25 1/2"	5-1/8"	N/A	4-3/4"	NA	9-1/4"
4-PANEL BOTTOM ARCH								
AM-40	3'0"	6'8"	25 1/2"	5-1/8"	N/A	4-3/4"	N/A	9-1/4"
AM8-40	3'0", 3'6"	8'0"	N/A	4-7/8", 6-3/8"	N/A	4-3/4"	N/A	8-1/2"
2-PANEL CRAFTSMAN (SQUARE / CAMBER TOP)								
AC-814/816	3'0"	6'8"	10"	4-7/8"	6"	4-3/4"	N/A	9-1/4"
2-PANEL PLANK								
AP-24	3'0"	6'8"	26"	4-7/8"	N/A	4-3/4"	6-1/2"	9-1/4"
AP8-24	3'0", 3'6"	8'0"	26", 30"	4-7/8", 5-7/8"	N/A	4-3/4"	7"	8-1/2"
1-PANEL PLANK								
AP-14	3'0"	6'8"	26"	4-7/8"	N/A	4-3/4"	N/A	9-1/4"
1-PANEL 3/4 VIEW								
AM-828	3'0"	6'8"	26"	4-7/8"	N/A	5-1/8"	5"	9-1/4"
AM8-826	3'0"	8'0"	26"	4-7/8"	N/A	5-1/8"	5-7/8"	8-1/2"
FULL VIEW								
AM-826	3'0"	6'8"	N/A	5-1/8"	N/A	5-1/8"	N/A	9-5/8"

Architectural Fiberglass Sidelights - Mahogany (AM)

Door Series	Width	Height	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail
FULL VIEW								
AM-560/819	1'0", 1'2"	6'8"	N/A	1-1/2", 2-1/2"	N/A	5-1/8"	N/A	9-5/8"
AM8-562	1'0", 1'2"	8'0"	N/A	1-1/2", 2-1/2"	N/A	5-1/8"	N/A	8-7/8"
3/4 VIEW								
AM-564	1'0", 1'2"	6'8"	8-5/8"	1-1/2", 2-1/2"	N/A	5-1/8"	N/A	9-1/4"
1/2 VIEW								
AM-563	1'0", 1'2"	6'8"	8-5/8"	1-1/2", 2-1/2"	N/A	5-1/8"	N/A	9-1/4"

Door sizes are standard offering. Please check with your JELD-WEN representative for additional sizes and options.

See door drawings at www.jeld-wen.com/professional/technical-documents/all-documents.

JELD-WEN, inc. reserves the right to change specifications without notice.

DESIGN-PRO FIBERGLASS DOOR AND SIDELIGHT SPECIFICATIONS

Design-Pro Fiberglass Doors – Mahogany (DM)

Door Series	Width	Height	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail
2-PANEL CONTINENTAL								
DM-20	3'0"	6'8"	23"	6-3/8"	N/A	4-7/8"	6-1/2"	9-1/8"
DM8-20	3'0"	8'0"	23"	6-3/8"	N/A	6-1/8"	8"	11-3/8"
1-PANEL 3/4 VIEW								
DM-607	3'0"	6'8"	23"	6-3/8"	N/A	4-7/8"	5-1/2"	9-1/8"
1-PANEL 1/2 VIEW								
DM-684	3'0"	6'8"	23"	6-3/8"	N/A	4-7/8"	6-3/8"	9-1/4"
DM8-607	3'0"	8'0"	23"	6-3/8"	N/A	6-1/8"	8"	11-3/8"
FULL VIEW								
DM-686	3'0"	6'8"	N/A	6-3/8"	N/A	4-7/8"	N/A	9-1/8"
DM8-612	3'0"	8'0"	N/A	6-3/8"	N/A	4-7/8"	N/A	9-1/8"
FULL OVAL								
DM-919	3'0"	6'8"	N/A	6-13/16"	N/A	9-3/4"	N/A	11"

Design-Pro Fiberglass Doors – Oak (DO)

Door Series	Width	Height	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail
6-PANEL								
DO-60	2'6"	6'8"	8-5/16"	4-3/8"	4-3/8"	4-7/8"	6-1/2"	9-1/4"
DO-60	2'8", 2'10", 3'0"	6'8"	9"	4-3/8", 5-3/8", 6-3/8"	5"	4-7/8"	6-1/2"	9-1/4"
DO8-60	3'0"	8'0"	9"	6-3/8"	5"	4-7/8"	8"	12-5/8"
4-PANEL BLANK TOP (W/ CAMBER LITE OR SUNBURST)								
DO-40BT/648/659	3'0"	6'8"	9"	6-3/8"	5"	20-1/4"; 4-7/8" w/cut out	6-1/2"	9-1/4"
2-PANEL 1/2 VIEW								
DO-672/684	2'6", 2'8", 2'10", 3'0"	6'8"	8-5/16", 9"	4-3/8", 5-3/8", 6-3/8"	4-3/8", 5", 5"	4-7/8"	6-3/8"	9-1/4"
DO8-607	3'0"	8'0"	9"	6-3/8"	5"	4-7/8"	8"	12-5/8"
4-PANEL FLAT								
DO-40	3'0"	6'8"	9"	6-3/8"	5"	4-3/4"	6-1/2"	9-1/4"
3-PANEL 3/4 OVAL								
DO-30/949	3'0"	6'8"	23"	6-3/8"	3"	4-1/8"	3-1/2"	7-3/8"
8-PANEL CENTER ARCH								
DO-80/632	3'0"	6'8"	See Drawing	6-3/8"	N/A	4-7/8"	N/A	8-3/4"
2-PANEL 3/4 VIEW								
DOA-607	3'0"	6'8"	10"	6-3/8"	3"	4-1/8"	2-1/2"	7-3/8"
FULL VIEW								
DO-686/687	2'6", 2'8", 2'10", 3'0"	6'8"	N/A	4-3/8", 5-3/8", 6-3/8"	N/A	4-7/8"	N/A	9-1/8"
DO8-496/612	2'6", 3'0"	8'0"	N/A	4-3/8", 6-3/8"	N/A	4-7/8"	N/A	9-1/8"
FULL OVAL								
DO-919	2'8", 2'10", 3'0"	6'8"	N/A	4-13/16", 5-13/16", 6-13/16"	N/A	9-3/4"	N/A	11"

Design-Pro Fiberglass Sidelights – Mahogany (DM), Oak (DO)

Door Series	Width	Height	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail
FULL VIEW								
DO-690/694	10"*, 1'0, 1'2"	6'8"	N/A	7/8", 1-7/8", 2-7/8"	N/A	4-7/8"	N/A	9-1/8"
DM-690	1'0, 1'2"	6'8"	N/A	1-3/8", 2-3/8"	N/A	4-7/8"	N/A	9-1/8"
DO8-493 DM8-483	1'0, 1'2"	8'0"	N/A	1-3/8", 2-3/8"	N/A	4-7/8"	N/A	9-1/8"
1-PANEL 3/4 VIEW								
DOA-422	1'0", 1'2"	6'8"	9"	1-3/8", 2-3/8"	N/A	4-1/8"	N/A	7-3/8"
DM-422	1'0", 1'2"	6'8"	9"	1-3/8", 2-3/8"	N/A	4-7/8"	N/A	9-1/8"
1-PANEL 1/2 VIEW								
DO-692	10"*, 1'0", 1'2"	6'8"	9"	7/8", 1-3/8", 2-3/8"	N/A	4-7/8"	N/A	9-1/4"
DM-692	1'0", 1'2"	6'8"	9"	1-3/8", 2-3/8"	N/A	4-7/8"	N/A	9-1/4"

*Design-Pro 10" Sidelights, only available in Oak are designed to accommodate 7" glass insert openings.

Door sizes are standard offering. Please check with your JELD-WEN representative for additional sizes and options.

See door drawings at www.jeld-wen.com/pro-professional/technical-documents/all-documents.

JELD-WEN, inc. reserves the right to change specifications without notice.

SMOOTH-PRO FIBERGLASS DOOR AND SIDELIGHT SPECIFICATIONS

Smooth-Pro Fiberglass Doors (SP)

Door Series	Width	Height	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail
3-PANEL 3/4 OVAL								
SP-30/949	3'0"	6'8"	10"	6-3/8"	3"	4-1/8"	3-1/2"	7-3/8"
4-PANEL BLANK TOP (W/ CAMBER LITE OR SUNBURST)								
SP-40BT/648/659	3'0"	6'8"	9"	6-3/8"	5"	20-1/4", 4-7/8" w/cut out	6-1/2"	9-1/4"
6-PANEL								
SP-60	2'6"	6'8"	8-5/16"	4-3/8"	4-3/8"	4-7/8"	6-1/2"	9-1/4"
SP-60	2'8", 2'10", 3'0"	6'8"	9"	4-3/8", 5-3/8", 6-3/8"	5"	4-7/8"	6-1/2"	9-1/4"
SP8-60	3'0"	8'0"	9"	6-3/8"	5"	4-7/8"	8"	12-5/8"
8-PANEL CENTER ARCH								
SP-80/632	3'0"	6'8"	See Drawing	6-3/8"	N/A	4-7/8"	N/A	8-3/4"
2-PANEL 1/2 VIEW								
SP-672/684	2'6", 2'8", 2'10", 3'0"	6'8"	8-5/16", 9"	4-3/8", 5-3/8", 6-3/8"	4-3/8", 5" 5"	4-7/8"	6-3/8"	9-1/4"
SP8-607	3'0"	8'0"	9"	6-3/8"	5"	4-7/8"	8"	12-5/8"
1-PANEL 3/4 VIEW								
SP-607	3'0"	6'8"	23"	6-3/8"	N/A	4-3/4"	5-1/2"	9-1/8"
2-PANEL 3/4 VIEW								
SPA-607	3'0"	6'8"	10"	6-3/8"	3"	4-1/8"	2-1/2"	7-3/8"
4-PANEL FLAT								
SP-40	3'0"	6'8"	9"	6-3/8"	5"	4-3/4"	6-1/2"	9-1/4"
FULL VIEW								
SP-687	2'6"	6'8"	N/A	4-3/8"	N/A	4-7/8"	N/A	9-1/8"
SP-686	2'8", 2'10", 3'0"	6'8"	N/A	4-3/8", 5-3/8", 6-3/8"	N/A	4-7/8"	N/A	9-1/8"
SP8-496	2'6"	8'0"	N/A	4-3/8"	N/A	4-7/8"	N/A	9-1/8"
SP8-612	3'0"	8'0"	N/A	6-3/8"	N/A	4-7/8"	N/A	9-1/8"
FULL OVAL								
SP-919	2'8", 2'10", 3'0"	6'8"	N/A	4-13/16", 5-13/16", 6-13/16"	N/A	9-3/4"	N/A	11"

Smooth-Pro Fiberglass Sidelights (SP)

Door Series	Width	Height	Panel Width	Outer Stiles	Center Mullion	Top Rail	Lock Rail	Bottom Rail
FULL VIEW								
SP-690/694	10", 1'0, 1'2"	6'8"	N/A	7/8", 1-7/8", 2-7/8"	N/A	4-7/8"	N/A	9-1/8"
SP8-493	1'0, 1'2"	8'0"	N/A	1-3/8", 2-3/8"	N/A	4-7/8"	N/A	9-1/8"
1-PANEL 3/4 VIEW (FOR SP-607, 10-1/2" PANEL HEIGHT)								
SP-422	1'0"*, 1'2"	6'8"	9"	1-3/8", 2-3/8"	N/A	4-7/8"	N/A	9-1/8"
3-PANEL (FOR SP-30, SPA-607, 16-1/2" PANEL HEIGHT)								
SPA-422	1'0", 1'2"	6'8"	9"	1-3/8", 2-3/8"	N/A	4-1/8"	N/A	7-3/8"
1-PANEL 1/2 VIEW								
SP-692	10"*, 1'0", 1'2"	6'8"	8", 9"	7/8", 1-3/8", 2-3/8"	N/A	4-7/8"	N/A	9-1/4"

*Smooth-Pro 10" Sidelights, are designed to accommodate 7" glass insert openings.

Door sizes are standard offering. Please check with your JELD-WEN representative for additional sizes and options.

See door drawings at www.jeld-wen.com/professional/technical-documents/all-documents.

JELD-WEN, inc. reserves the right to change specifications without notice.